


```

MM      MM      CCCCCCCC  BBBB88888  000000  TTTTTTTTTT  TTTTTTTTTT  000000  MM      MM
MM      MM      CCCCCCCC  BBBB88888  000000  TTTTTTTTTT  TTTTTTTTTT  000000  MM      MM
MMMM    MMMM    CC        BB      BB  00      00  TT      TT  00      00  MMMM    MMMM
MMMM    MMMM    CC        BB      BB  00      00  TT      TT  00      00  MMMM    MMMM
MM      MM      CC        BB      BB  00      00  TT      TT  00      00  MM      MM
MM      MM      CC        BB      BB  00      00  TT      TT  00      00  MM      MM
MM      MM      CC        BB      BB  00      00  TT      TT  00      00  MM      MM
MM      MM      CC        BB      BB  00      00  TT      TT  00      00  MM      MM
MM      MM      CC        BB      BB  00      00  TT      TT  00      00  MM      MM
MM      MM      CC        BB      BB  00      00  TT      TT  00      00  MM      MM
MM      MM      CC        BB      BB  00      00  TT      TT  00      00  MM      MM
MM      MM      CCCCCCCC  BBBB88888  000000  TT      TT  000000  MM      MM
MM      MM      CCCCCCCC  BBBB88888  000000  TT      TT  000000  MM      MM

```

```

LL      IIIIII  SSSSSSSS
LL      IIIIII  SSSSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SSSSSS
LL      II      SSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LLLLLLLLLLLL IIIIII  SSSSSSSS
LLLLLLLLLLLL IIIIII  SSSSSSSS

```



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49

```
0001 0 %TITLE 'EDT$MCBOTTOM - move cursor to bottom of buffer'  
0002 0 MODULE EDT$MCBOTTOM ( ! Move cursor to bottom of buffer  
0003 0 IDENT = 'V04-000' ! File: MCBOTTOM.BLI Edit: JBS1003  
0004 0 ) =  
0005 1 BEGIN  
0006 1  
0007 1 *****  
0008 1 *  
0009 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *  
0010 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *  
0011 1 * ALL RIGHTS RESERVED. *  
0012 1 *  
0013 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *  
0014 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *  
0015 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *  
0016 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *  
0017 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *  
0018 1 * TRANSFERRED. *  
0019 1 *  
0020 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *  
0021 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *  
0022 1 * CORPORATION. *  
0023 1 *  
0024 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *  
0025 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *  
0026 1 *  
0027 1 *  
0028 1 *****  
0029 1  
0030 1  
0031 1 ++  
0032 1 FACILITY: EDT -- The DEC Standard Editor  
0033 1  
0034 1 ABSTRACT:  
0035 1  
0036 1 Move the cursor to the bottom of the buffer.  
0037 1  
0038 1 ENVIRONMENT: Runs at any access mode - AST reentrant  
0039 1  
0040 1 AUTHOR: Bob Kushlis, CREATION DATE: September 9, 1979  
0041 1  
0042 1 MODIFIED BY:  
0043 1  
0044 1 1-001 - Original. DJS 19-FEB-1981. This module was created by  
0045 1 extracting routine EDT$$CS_BOTBUF from module MOVCUR.  
0046 1 1-002 - Regularize headers. JBS 11-Mar-1981  
0047 1 1-003 - Remove EDT$$G_LN_NO for new screen update logic. JBS 29-Sep-1982  
0048 1 --  
0049 1
```

```
.. 51 0050 1 %SBTTL 'Declarations'  
.. 52 0051 1  
.. 53 0052 1 | TABLE OF CONTENTS:  
.. 54 0053 1 |  
.. 55 0054 1 |  
.. 56 0055 1 REQUIRE 'EDTSRC:TRAROUNAM';  
.. 57 0494 1  
.. 58 0495 1 FORWARD ROUTINE  
.. 59 0496 1 EDT$$CS_BOTBUF : NOVALUE;  
.. 60 0497 1  
.. 61 0498 1 |  
.. 62 0499 1 | INCLUDE FILES:  
.. 63 0500 1 |  
.. 64 0501 1 |  
.. 65 0502 1 REQUIRE 'EDTSRC:EDTREQ';  
.. 66 0637 1 |  
.. 67 0638 1 |  
.. 68 0639 1 | MACROS:  
.. 69 0640 1 |  
.. 70 0641 1 | NONE  
.. 71 0642 1 |  
.. 72 0643 1 | EQUATED SYMBOLS:  
.. 73 0644 1 |  
.. 74 0645 1 | NONE  
.. 75 0646 1 |  
.. 76 0647 1 | OWN STORAGE:  
.. 77 0648 1 |  
.. 78 0649 1 | NONE  
.. 79 0650 1 |  
.. 80 0651 1 | EXTERNAL REFERENCES:  
.. 81 0652 1 |  
.. 82 0653 1 | In the routine
```

```

: 84 0654 1 %SBTTL 'EDT$$CS_BOTBUF - move cursor to bottom of buffer'
: 85 0655 1
: 86 0656 1 GLOBAL ROUTINE EDT$$CS_BOTBUF ! Move cursor to bottom of buffer
: 87 0657 1 : NOVALUE =
: 88 0658 1
: 89 0659 1 !++
: 90 0660 1 FUNCTIONAL DESCRIPTION:
: 91 0661 1
: 92 0662 1 This routine moves the cursor to the bottom of the buffer.
: 93 0663 1
: 94 0664 1 FORMAL PARAMETERS:
: 95 0665 1
: 96 0666 1 NONE
: 97 0667 1
: 98 0668 1 IMPLICIT INPUTS:
: 99 0669 1
: 100 0670 1 NONE
: 101 0671 1
: 102 0672 1 IMPLICIT OUTPUTS:
: 103 0673 1
: 104 0674 1 NONE
: 105 0675 1
: 106 0676 1 ROUTINE VALUE:
: 107 0677 1
: 108 0678 1 NONE
: 109 0679 1
: 110 0680 1 SIDE EFFECTS:
: 111 0681 1
: 112 0682 1 NONE
: 113 0683 1
: 114 0684 1 --
: 115 0685 1
: 116 0686 2 BEGIN
: 117 0687 2
: 118 0688 2 EXTERNAL ROUTINE
: 119 0689 2 EDT$$GET_TXTLN : NOVALUE,
: 120 0690 2 EDT$$WF_BOT;
: 121 0691 2
: 122 0692 2 !+
: 123 0693 2 Go to the bottom lin.
: 124 0694 2 -
: 125 0695 2 EDT$$WF_BOT ();
: 126 0696 2 !+
: 127 0697 2 And fetch the line from the work file.
: 128 0698 2 -
: 129 0699 2 EDT$$GET_TXTLN ();
: 130 0700 1 END;

```

! of routine EDT\$\$CS_BOTBUF

```

.TITLE EDT$MCBOTTOM EDT$MCBOTTOM - move cursor to bott
om of buffer
.IDENT \V04-000\
.EXTRN EDT$$GET_TXTLN, EDT$$WF_BOT
.PSECT _EDT$CODE,NOWRT, SHR, PIC,2

```


EDT\$MCBOTTOM
V04-000

EDT\$MCBOTTOM - move cursor to bottom of buffer, 16-Sep-1984 01:09:12
EDT\$\$CS_BOTBUF - move cursor to bottom of buff 14-Sep-1984 12:23:52

VAX-11 Bliss-32 V4.0-742 Page 5
DISK\$VM\$MASTER:[EDT.SRC]MCBOTTOM.BLI;1 (4)

: 134 0703 1 END
: 135 0704 1
: 136 0705 0 ELUDOM

! of module EDT\$MCBOTTOM

PSECT SUMMARY

Name Bytes Attributes
:_EDT\$CODE 17 NOVEC,NOWRT, RD, EXE, SHR, LCL, REL, CON, PIC,ALIGN(2)

Library Statistics

File	Total	Symbols Loaded	Percent	Pages Mapped	Processing Time
_\$255\$DUA28:[EDT.SRC]EDT.L32;1	377	0	0	40	00:00.2
_\$255\$DUA28:[EDT.SRC]PSECTS.L32;1	2	1	50	7	00:00.1

COMMAND QUALIFIERS

BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/NOTRACEBACK/LIS=LIS\$:MCBOTTOM/OBJ=OBJ\$:MCBOTTOM MSRC\$:MCBOTTOM.BLI/UPDATE=(ENH\$:MCBOTTOM)

: Size: 17 code + 0 data bytes
: Run Time: 00:08.6
: Elapsed Time: 00:10.9
: Lines/CPU Min: 4947
: Lexemes/CPU-Min: 13059
: Memory Used: 49 pages
: Compilation Complete

MCGETLIN LIS	MCRIGHT LIS	MCCHANGE LIS	MACCAL LIS	NOOPEN LIS	PRAPPNUM LIS	PRGETTOK LIS	PRISTOK LIS
MCDOWN LIS	MCLEFT LIS	MCBOTTOM LIS	LXPRINT LIS	MCTOP LIS	MSGTXT LIS	PAUDIT LIS	PRGETCHR LIS
LXCOM LIS	MAIN LIS	MCUP LIS					