


```

MM      MM      CCCCCCCC  TTTTTTTTTT  000000  PPPPPPPP
MM      MM      CCCCCCCC  TTTTTTTTTT  000000  PPPPPPPP
MMMM    MMMM    CC          TT          00      00  PP          PP
MMMM    MMMM    CC          TT          00      00  PP          PP
MM      MM      CC          TT          00      00  PP          PP
MM      MM      CC          TT          00      00  PP          PP
MM      MM      CC          TT          00      00  PPPPPPPP
MM      MM      CC          TT          00      00  PPPPPPPP
MM      MM      CC          TT          00      00  PP
MM      MM      CC          TT          00      00  PP
MM      MM      CC          TT          00      00  PP
MM      MM      CC          TT          00      00  PP
MM      MM      CCCCCCCC  TT          000000  PP
MM      MM      CCCCCCCC  TT          000000  PP

```

```

LL      IIIIII  SSSSSSSS
LL      IIIIII  SSSSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SSSSSS
LL      II      SSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LLLLLLLLLLLL IIIIII  SSSSSSSS
LLLLLLLLLLLL IIIIII  SSSSSSSS

```



```

1 0001 0 *TITLE 'EDT$MCTOP - move cursor to top of file'
2 0002 0 *MODULE EDT$MCTOP ( ! Move cursor to top of file
3 0003 0 IDENT = 'V04-000' ! File: MCTOP.BLI Edit: JBS1003
4 0004 0 ) =
5 0005 1 BEGIN
6 0006 1
7 0007 1 *****
8 0008 1 *
9 0009 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
10 0010 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
11 0011 1 * ALL RIGHTS RESERVED.
12 0012 1 *
13 0013 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
14 0014 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
15 0015 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
16 0016 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
17 0017 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
18 0018 1 * TRANSFERRED.
19 0019 1 *
20 0020 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
21 0021 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
22 0022 1 * CORPORATION.
23 0023 1 *
24 0024 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
25 0025 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
26 0026 1 *
27 0027 1 *
28 0028 1 *****
29 0029 1
30 0030 1
31 0031 1 **
32 0032 1 FACILITY: EDT -- The DEC Standard Editor
33 0033 1
34 0034 1 ABSTRACT:
35 0035 1
36 0036 1 Move cursor to top of file.
37 0037 1
38 0038 1 ENVIRONMENT: Runs at any access mode - AST reentrant
39 0039 1
40 0040 1 AUTHOR: Bob Kushlis, CREATION DATE: September 9, 1979
41 0041 1
42 0042 1 MODIFIED BY:
43 0043 1
44 0044 1 1-001 - Original. DJS 19-FEB-1981. This module was created by
45 0045 1 extracting routine EDT$$CS_TOP from module MOVCUR.
46 0046 1 1-002 - Regularize headers. JBS 11-Mar-1981
47 0047 1 1-003 - Remove EDT$$G_LN_NO for new screen update logic. JBS 29-Sep-1982
48 0048 1 --
49 0049 1

```

```
.. 51 0050 1 %SBTTL 'Declarations'  
.. 52 0051 1 |  
.. 53 0052 1 | TABLE OF CONTENTS:  
.. 54 0053 1 |  
.. 55 0054 1 |  
.. 56 0055 1 REQUIRE 'EDTSRC:TRAROUNAM';  
.. 57 0494 1 |  
.. 58 0495 1 FORWARD ROUTINE  
.. 59 0496 1 EDT$&CS_TOP : NOVALUE;  
.. 60 0497 1 |  
.. 61 0498 1 |  
.. 62 0499 1 | INCLUDE FILES:  
.. 63 0500 1 |  
.. 64 0501 1 |  
.. 65 0502 1 REQUIRE 'EDTSRC:EDTREQ';  
.. 66 0637 1 |  
.. 67 0638 1 |  
.. 68 0639 1 | MACROS:  
.. 69 0640 1 |  
.. 70 0641 1 | NONE  
.. 71 0642 1 |  
.. 72 0643 1 | EQUATED SYMBOLS:  
.. 73 0644 1 |  
.. 74 0645 1 | NONE  
.. 75 0646 1 |  
.. 76 0647 1 | OWN STORAGE:  
.. 77 0648 1 |  
.. 78 0649 1 | NONE  
.. 79 0650 1 |  
.. 80 0651 1 | EXTERNAL REFERENCES:  
.. 81 0652 1 |  
.. 82 0653 1 | In the routine
```

```

: 84 0654 1 %SBTTL 'EDT$$CS_TOP - move cursor to top of file'
: 85 0655 1
: 86 0656 1 GLOBAL ROUTINE EDT$$CS_TOP ! Move cursor to top of file
: 87 0657 1 : NOVALUE =
: 88 0658 1
: 89 0659 1 !++
: 90 0660 1 FUNCTIONAL DESCRIPTION:
: 91 0661 1
: 92 0662 1 This routine moves the cursor to the top of the current buffer.
: 93 0663 1
: 94 0664 1 FORMAL PARAMETERS:
: 95 0665 1
: 96 0666 1 NONE
: 97 0667 1
: 98 0668 1 IMPLICIT INPUTS:
: 99 0669 1
: 100 0670 1 NONE
: 101 0671 1
: 102 0672 1 IMPLICIT OUTPUTS:
: 103 0673 1
: 104 0674 1 NONE
: 105 0675 1
: 106 0676 1 ROUTINE VALUE:
: 107 0677 1
: 108 0678 1 NONE
: 109 0679 1
: 110 0680 1 SIDE EFFECTS:
: 111 0681 1
: 112 0682 1 NONE
: 113 0683 1
: 114 0684 1 --
: 115 0685 1
: 116 0686 2 BEGIN
: 117 0687 2
: 118 0688 2 EXTERNAL ROUTINE
: 119 0689 2 EDT$$GET_TXTLN : NOVALUE,
: 120 0690 2 EDT$$STOP_BUF;
: 121 0691 2
: 122 0692 2 !+
: 123 0693 2 Go to the top and get the new line.
: 124 0694 2 -
: 125 0695 2 EDT$$STOP_BUF ();
: 126 0696 2 EDT$$GET_TXTLN ();
: 127 0697 1 END;

```

! of routine EDT\$\$CS_TOP

.TITLE EDT\$MCTOP EDT\$MCTOP - move cursor to top of fil

.IDENT \V04-000\

.EXTRN EDT\$\$GET_TXTLN, EDT\$\$STOP_BUF

.PSECT _EDT\$CODE, NOWRT, SHR, PIC, 2

.ENTRY EDT\$\$CS_TOP, Save nothing : 0656

CALLS #0, EDT\$\$STOP_BUF : 0695

CALLS #0, EDT\$\$GET_TXTLN : 0696

		0000 00000
00000000G	00	00 FB 00002
00000000G	00	00 FB 00009

EDT\$MCTOP
V04-000

EDT\$MCTOP - move cursor to top of file
EDT\$\$CS_TOP - move cursor to top of file

M 10
16-Sep-1984 01:12:01
14-Sep-1984 12:23:57

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[EDT.SRC]MCTOP.BLI;1

Page 5
(4)

ED
VO

: 131 0700 1 END
: 132 0701 1
: 133 0702 0 ELUDOM

! of module EDT\$MCTOP

PSECT SUMMARY

Name	Bytes	Attributes
_EDT\$CODE	17	NOVEC,NOWRT, PD, EXE, SHR, LCL, REL, CON, PIC,ALIGN(2)

Library Statistics

File	Total	Symbols Loaded	Percent	Pages Mapped	Processing Time
_\$255\$DUA28:[EDT.SRC]EDT.L32;1	377	0	0	40	00:00.2
_\$255\$DUA28:[EDT.SRC]PSECTS.L32;1	2	1	50	7	00:00.1

COMMAND QUALIFIERS

BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/NOTRACEBACK/LIS=LISS:MCTOP/OBJ=OBJ\$:MCTOP MSRCS:MCTOP.BLI/UPDATE=(ENHS:MCTOP)

: Size: 17 code + 0 data bytes
: Run Time: 00:08.4
: Elapsed Time: 00:11.0
: Lines/CPU Min: 4990
: Lexemes/CPU-Min: 13229
: Memory Used: 49 pages
: Compilation Complete

