



```

NN      NN      000000      000000      P P P P P P P P      E E E E E E E E      NN      NN
NN      NN      000000      000000      P P P P P P P P      E E E E E E E E      NN      NN
NN      NN      00      00      00      00      P P      P P      E E      NN      NN
NN      NN      00      00      00      00      P P      P P      E E      NN      NN
NNNN    NN      00      00      00      00      P P      P P      E E      NNNN    NN
NNNN    NN      00      00      00      00      P P      P P      E E      NNNN    NN
NN      NN      00      00      00      00      P P P P P P P P      E E E E E E      NN      NN
NN      NN      00      00      00      00      P P P P P P P P      E E E E E E      NN      NN
NN      NN      00      00      00      00      P P      P P      E E      NN      NN
NN      NN      00      00      00      00      P P      P P      E E      NN      NN
NN      NN      00      00      00      00      P P      P P      E E      NN      NN
NN      NN      00      00      00      00      P P      P P      E E      NN      NN
NN      NN      00      00      00      00      P P      P P      E E      NN      NN
NN      NN      000000      000000      P P      P P      E E E E E E      NN      NN
NN      NN      000000      000000      P P      P P      E E E E E E      NN      NN

```

```

LL      I I I I I I      S S S S S S S S
LL      I I I I I I      S S S S S S S S
LL      I I      S S
LL      I I      S S
LL      I I      S S
LL      I I      S S
LL      I I      S S S S S S
LL      I I      S S S S S S
LL      I I      S S
LL      I I      S S
LL      I I      S S
LL      I I      S S
LL      I I      S S
LL      I I      S S
LLLLLLLLLLLL      I I I I I I      S S S S S S S S
LLLLLLLLLLLL      I I I I I I      S S S S S S S S

```

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55

```

0001 0 %TITLE 'EDT$NOOPEN - OPEN error message'
0002 0 MODULE EDT$NOOPEN ( ! OPEN error message
0003 0 IDENT = 'V04-000' ! File: NOOPEN.BLI Edit: JBS1009
0004 0 ) =
0005 1 BEGIN
0006 1
0007 1 *****
0008 1 *
0009 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *
0010 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *
0011 1 * ALL RIGHTS RESERVED. *
0012 1 *
0013 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *
0014 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *
0015 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *
0016 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *
0017 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *
0018 1 * TRANSFERRED. *
0019 1 *
0020 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *
0021 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *
0022 1 * CORPORATION. *
0023 1 *
0024 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *
0025 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *
0026 1 *
0027 1 *
0028 1 *****
0029 1
0030 1
0031 1 +-+
0032 1 FACILITY: EDT -- The DEC Standard Editor
0033 1
0034 1 ABSTRACT:
0035 1
0036 1 OPEN error message
0037 1
0038 1 ENVIRONMENT: Runs at any access mode - AST reentrant
0039 1
0040 1 AUTHOR: Bob Kushlis, CREATION DATE: 6-AUG-1979
0041 1
0042 1 MODIFIED BY:
0043 1
0044 1 1-001 - Original. DJS 18-FEB-1981. This module was created by
0045 1 extracting routine EDT$$FIOPN_ERR from module EDTCTR.
0046 1 1-002 - Regularize header and fix file name and module name. JBS 04-Mar-1981
0047 1 1-003 - Use the new message codes. JBS 04-Aug-1981
0048 1 1-004 - If VMS don't execute any code. STS 10-Feb-1982
0049 1 1-005 - Put error messages back on VMS. STS 25-Feb-1982
0050 1 1-006 - Add CRLF's for EXT messages. SMB 02-Jul-1982
0051 1 1-007 - Most CRLFs no longer needed. JBS 05-Jul-1982
0052 1 1-008 - Move setting of reverse video. SMB 22-Jul-1982
0053 1 1-009 - Improve the appearance of the listing. JBS 17-Jun-1983
0054 1
0055 1

```

```
.. 57 0056 1 %SBTTL 'Declarations'  
.. 58 0057 1 |  
.. 59 0058 1 | TABLE OF CONTENTS:  
.. 60 0059 1 |  
.. 61 0060 1 |  
.. 62 0061 1 REQUIRE 'EDT$SRC:TRAROUNAM';  
.. 63 0500 1 |  
.. 64 0501 1 FORWARD ROUTINE  
.. 65 0502 1 EDT$$FIOPN_ERR : NOVALUE;  
.. 66 0503 1 |  
.. 67 0504 1 |  
.. 68 0505 1 | INCLUDE FILES:  
.. 69 0506 1 |  
.. 70 0507 1 |  
.. 71 0508 1 REQUIRE 'EDT$SRC:EDTREQ';  
.. 72 0643 1 |  
.. 73 L 0644 1 %IF %BLISS (BLISS32)  
.. 74 0645 1 %THEN  
.. 75 0646 1 |  
.. 76 0647 1 REQUIRE 'EDT$SRC:SYSSYM';  
.. 77 0677 1 |  
.. 78 0678 1 %FI  
.. 79 0679 1 |  
.. 80 0680 1 |  
.. 81 0681 1 | MACROS:  
.. 82 0682 1 |  
.. 83 0683 1 | NONE  
.. 84 0684 1 |  
.. 85 0685 1 | EQUATED SYMBOLS:  
.. 86 0686 1 |  
.. 87 0687 1 | NONE  
.. 88 0688 1 |  
.. 89 0689 1 | OWN STORAGE:  
.. 90 0690 1 |  
.. 91 0691 1 | NONE  
.. 92 0692 1 |  
.. 93 0693 1 | EXTERNAL REFERENCES:  
.. 94 0694 1 |  
.. 95 0695 1 | In the routine
```

! VMS system symbols

```

: 97 0696 1 %SBTTL 'EDTSSFIOPN_ERR - OPEN error message'
: 98 0697 1
: 99 0698 1 GLOBAL ROUTINE EDTSSFIOPN_ERR (           ! OPEN error message
100 0699 1     MESS,                               ! Message to print first
101 0700 1     FILE_DESC                           ! address of file name on VMS
102 0701 1     ) : NOVALUE =
103 0702 1
104 0703 1 |++
105 0704 1 | FUNCTIONAL DESCRIPTION:
106 0705 1 |
107 0706 1 |     Print an error message about failure to open a file.
108 0707 1 |     First a specified message is printed, then other messages
109 0708 1 |     including the file name.
110 0709 1 |
111 0710 1 | FORMAL PARAMETERS:
112 0711 1 |
113 0712 1 |     MESS                               Number of the message to print first.
114 0713 1 |
115 0714 1 | IMPLICIT INPUTS:
116 0715 1 |
117 0716 1 |     NONE
118 0717 1 |
119 0718 1 | IMPLICIT OUTPUTS:
120 0719 1 |
121 0720 1 |     NONE
122 0721 1 |
123 0722 1 | ROUTINE VALUE:
124 0723 1 |
125 0724 1 |     NONE
126 0725 1 |
127 0726 1 | SIDE EFFECTS:
128 0727 1 |
129 0728 1 |     Prints a long message on the screen
130 0729 1 |
131 0730 1 | --
132 0731 1 |
133 0732 2 |     BEGIN
134 0733 2 |
135 0734 2 |     EXTERNAL ROUTINE
136 0735 2 |         EDTSSC_REVID,
137 0736 2 |         EDTSTI_WRSTR,
138 0737 2 |         EDTSSFMT_STR,
139 0738 2 |         EDTSSFMT_MSG,
140 0739 2 |         EDTSSIO_ERRMSG,
141 0740 2 |         EDTSSMSG_TOSTR,
142 0741 2 |         EDTSSFMT_CRLF;           ! Terminate a line in the format buffer
143 0742 2 |
144 0743 2 | %IF %BLISS (BLISS16)
145 0744 2 | %THEN
146 0745 2 |
147 0746 2 |     EXTERNAL ROUTINE
148 0747 2 |         EDTSSGET_FNAM;
149 0748 2 |
150 0749 2 | %FI
151 0750 2 |
152 0751 2 |     EXTERNAL
153 0752 2 |         EDTSSA_FMT_WRRUT;       ! Address of format output routine

```

L  
U  
U  
U  
U

```

: 154      0753      2
: 155      0754      2
: 156      0755      2
: 157      0756      2
: 158      0757      2
: 159      0758      2
: 160      0759      2
: 161      0760      2
: 162      0761      2
: 163      0762      2
: 164      0763      2
: 165      0764      2
: 166      0765      2
: 167      0766      2
: 168      L 0767      2
: 169      0768      2
: 170      U 0769      2
: 171      U 0770      2
: 172      U 0771      2
: 173      0772      2
: 174      0773      2
: 175      0774      2
: 176      0775      2
: 177      0776      1

```

```

MAP
FILE_DESC : REF BLOCK [, BYTE];
MESSAGES ((FILNAM));
IF (.EDT$$A_FMT_WRRUT EQL EDT$$TI_WRSTR) THEN EDT$$SC_REVID ();
EDT$$FMT_MSG (.MESS);
IF (.EDT$$A_FMT_WRRUT EQL EDT$$TI_WRSTR) THEN EDT$$SC_REVID ();
EDT$$MSG_TOSTR (EDT$_FILNAM);
%IF %BLISS (BLISS32)
%THEN
EDT$$FMT_STR (.FILE_DESC [DSC$A_POINTER], .FILE_DESC [DSC$W_LENGTH]);
%ELSE
EDT$$GET_FNAM ();
%FI
EDT$$FMT_CRLF ();
EDT$$IO_ERRMSG ();
END;

```

! of routine EDT\$\$FIOPN\_ERR

```

.TITLE EDT$NOOPEN EDT$NOOPEN - OPEN error message
.IDENT \V04-000\

```

```

.EXTRN EDT$$SC_REVID, EDT$$TI_WRSTR
.EXTRN EDT$$FMT_STR, EDT$$FMT_MSG
.EXTRN EDT$$IO_ERRMSG, EDT$$MSG_TOSTR
.EXTRN EDT$$FMT_CRLF, EDT$$A_FMT_WRRUT
.EXTRN EDT$_FILNAM

```

```

.PSECT _EDT$CODE,NOWRT, SHR, PIC,2

```

			001C	00000	.ENTRY	EDT\$\$FIOPN_ERR, Save R2,R3,R4	: 0698
	54	00000000G	00	9E 00002	MOVAB	EDT\$\$TI_WRSTR, R4	:
	53	00000000G	00	9E 00009	MOVAB	EDT\$\$SC_REVID, R3	:
	52	00000000G	00	9E 00010	MOVAB	EDT\$\$A_FMT_WRRUT, R2	:
	50		64	9E 00017	MOVAB	EDT\$\$TI_WRSTR, R0	: 0759
	50		62	D1 0001A	CPL	EDT\$\$A_FMT_WRRUT, R0	:
			03	12 0001D	BNEQ	1\$	:
	63		00	FB 0001F	CALLS	#0, EDT\$\$SC_REVID	:
		04	AC	DD 00022	PUSHL	MESS	: 0761
	00000000G		01	FB 00025	CALLS	#1, EDT\$\$FMT_MSG	:
	50		64	9E 0002C	MOVAB	EDT\$\$TI_WRSTR, R0	: 0763
	50		62	D1 0002F	CPL	EDT\$\$A_FMT_WRRUT, R0	:
			03	12 00032	BNEQ	2\$	:
	63		00	FB 00034	CALLS	#0, EDT\$\$SC_REVID	:
		00000000G	8F	DD 00037	PUSHL	#EDT\$_FILNAM	: 0765
	00000000G		01	FB 0003D	CALLS	#1, EDT\$\$MSG_TOSTR	:
	50		08	AC D0 00044	MOVL	FILE_DESC, R0	: 0769
	7E		60	3C 00048	MOVZWL	(R0), -(SP)	:
		04	A0	DD 0004B	PUSHL	4(R0)	:
	00000000G		02	FB 0004E	CALLS	#2, EDT\$\$FMT_STR	:

EDT\$NOOPEN  
V04-000

EDT\$NOOPEN - OPEN error message  
EDT\$\$FIOPN\_ERR - OPEN error message

K 13  
16-Sep-1984 01:15:13  
14-Sep-1984 12:24:00

VAX-11 Bliss-32 V4.0-742  
DISK\$VMSMASTER:[EDT.SRC]NOOPEN.BLI;1

Page 5  
(3)

00000000G 00 00 FB 00055  
00000000G 00 00 FB 0005C  
04 00063

CALLS #0, EDT\$\$FMT\_CRLF  
CALLS #0, EDT\$\$IO\_ERRMSG  
RET

: 0774  
: 0775  
: 0776

: Routine Size: 100 bytes, Routine Base: \_EDT\$CODE + 0000

: 178 0777 1  
: 179 0778 1 !<BLF/PAGE>

EDT  
V04

:  
:

EDT\$NOOPEN  
V04-000

EDT\$NOOPEN - OPEN error message  
EDT\$\$FIOPN\_ERR - OPEN error message

L 13  
16-Sep-1984 01:15:13  
14-Sep-1984 12:24:00

VAX-11 Bliss-32 V4.0-742  
DISK\$VMSMASTER:[EDT.SRC]NOOPEN.BLI;1 Page 6  
(4)

: 181 0779 1 END  
: 182 0780 1  
: 183 0781 0 ELUDOM

! of module EDT\$NOOPEN

PSECT SUMMARY

Name	Bytes	Attributes
_EDT\$CODE	100	NOVEC,NOWRT, RD , EXE, SHR, LCL, REL, CON, PIC,ALIGN(2)

Library Statistics

File	Total	Symbols Loaded	Percent	Pages Mapped	Processing Time
_\$255\$DUA28:[EDT.SRC]EDT.L32;1	377	1	0	40	00:00.2
_\$255\$DUA28:[EDT.SRC]PSECTS.L32;1	2	1	50	7	00:00.1
_\$255\$DUA28:[SYSLIB]STARLET.L32;1	9776	2	0	581	00:04.1

COMMAND QUALIFIERS

BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/NOTRACEBACK/LIS=LIS\$:NOOPEN/OBJ=OBJ\$:NOOPEN MSRC\$:NOOPEN.BLI/UPDATE=(ENH\$:NOOPEN)

Size: 100 code + 0 data bytes  
Run Time: 00:16.0  
Elapsed Time: 00:26.8  
Lines/CPU Min: 2928  
Lexemes/CPU-Min: 8160  
Memory Used: 79 pages  
Compilation Complete



MCGETLIN LIS	MCRIGHT LIS	MCCHANGE LIS	MACCAL LIS	NOOPEN LIS	PRAPPNUM LIS	PRGETTOK LIS	PRISTOK LIS	
MCDOWN LIS	MCLEFT LIS	MCBOTTOM LIS	LXPRINT LIS	MCTOP LIS	MSGTXT LIS	MCUP LIS	PAUDIT LIS	PRGETCHR LIS
LXCOM LIS	MAIN LIS							