



```

PPPPPPPP  RRRRRRRR  PPPPPPPP  AAAAAA  RRRRRRRR  CCCCCCCC  000000  MM  MM  NN  NN
PPPPPPPP  RRRRRRRR  PPPPPPPP  AAAAAA  RRRRRRRR  CCCCCCCC  000000  MM  MM  NN  NN
PP      PP  RR      RR  PP      PP  AA      AA  RR      RR  CC      CC  00      00  MMMM  MMMM  NN  NN
PP      PP  RR      RR  PP      PP  AA      AA  RR      RR  CC      CC  00      00  MMMM  MMMM  NN  NN
PP      PP  RR      RR  PP      PP  AA      AA  RR      RR  CC      CC  00      00  MM  MM  NNNN  NN
PP      PP  RR      RR  PP      PP  AA      AA  RR      RR  CC      CC  00      00  MM  MM  NNNN  NN
PPPPPPPP  RRRRRRRR  PPPPPPPP  AA      AA  RRRRRRRR  CC      CC  00      00  MM  MM  NN  NN
PPPPPPPP  RRRRRRRR  PPPPPPPP  AA      AA  RRRRRRRR  CC      CC  00      00  MM  MM  NN  NN
PP      RR      RR  PP      AAAAAAAAAA  RR      RR  CC      CC  00      00  MM  MM  NN  NN
PP      RR      RR  PP      AAAAAAAAAA  RR      RR  CC      CC  00      00  MM  MM  NN  NN
PP      RR      RR  PP      AA      AA  RR      RR  CC      CC  00      00  MM  MM  NN  NN
PP      RR      RR  PP      AA      AA  RR      RR  CC      CC  00      00  MM  MM  NN  NN
PP      RR      RR  PP      AA      AA  RR      RR  CCCCCCCC  000000  MM  MM  NN  NN
PP      RR      RR  PP      AA      AA  RR      RR  CCCCCCCC  000000  MM  MM  NN  NN

```

....  
....  
....  
....

```

LL      IIIIII  SSSSSSSS
LL      IIIIII  SSSSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SSSSSS
LL      II      SSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LLLLLLLLLLLL  IIIIII  SSSSSSSS
LLLLLLLLLLLL  IIIIII  SSSSSSSS

```

020  
003  
010  
010  
023  
021

```
1 0001 0 %TITLE 'EDT$PRPARCOMN - Call EDT$PRPARCOM from EDT$EXTEND'  
2 0002 0 MODULE EDT$PRPARCOMN ( ! Call EDT$PRPARCOM from EDT$EXTEND  
3 0003 0 IDENT = 'V04-000' ! File: PRPARCOMN.BLI Edit: JBS1002  
4 0004 0 ) =  
5 0005 1 BEGIN  
6 0006 1  
7 0007 1 *****  
8 0008 1 *  
9 0009 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *  
10 0010 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *  
11 0011 1 * ALL RIGHTS RESERVED. *  
12 0012 1 * *  
13 0013 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *  
14 0014 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *  
15 0015 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *  
16 0016 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *  
17 0017 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *  
18 0018 1 * TRANSFERRED. *  
19 0019 1 * *  
20 0020 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *  
21 0021 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *  
22 0022 1 * CORPORATION. *  
23 0023 1 * *  
24 0024 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *  
25 0025 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *  
26 0026 1 * *  
27 0027 1 * *  
28 0028 1 *****  
29 0029 1  
30 0030 1  
31 0031 1 ++  
32 0032 1 FACILITY: EDT -- The DEC Standard Editor  
33 0033 1  
34 0034 1 ABSTRACT:  
35 0035 1  
36 0036 1 Call EDT$PRPARCOM from EDT$EXTEND, then make sure EDT$EXTEND  
37 0037 1 is in memory before returning.  
38 0038 1  
39 0039 1 ENVIRONMENT: Runs at any access mode - AST reentrant  
40 0040 1  
41 0041 1 AUTHOR: John Sauter, CREATION DATE: March 16, 1982  
42 0042 1  
43 0043 1 MODIFIED BY:  
44 0044 1  
45 0045 1 1-001 - Original. JBS 16-Mar-1982  
46 0046 1 1-002 - Improve the appearance of the listing. JBS 17-Jun-1983  
47 0047 1 --  
48 0048 1
```

```
.. 50 0049 1 %SBTTL 'Declarations'  
.. 51 0050 1  
.. 52 0051 1 | TABLE OF CONTENTS:  
.. 53 0052 1 |  
.. 54 0053 1 |  
.. 55 0054 1 REQUIRE 'EDTSRC:TRAROUNAM';  
.. 56 0493 1  
.. 57 0494 1 FORWARD ROUTINE  
.. 58 0495 1 EDT$SPA_CMD_NOOVERLAY;  
.. 59 0496 1  
.. 60 0497 1 |  
.. 61 0498 1 | INCLUDE FILES:  
.. 62 0499 1 |  
.. 63 0500 1 |  
.. 64 0501 1 REQUIRE 'EDTSRC:EDTREQ';  
.. 65 0636 1 |  
.. 66 0637 1 |  
.. 67 0638 1 | MACROS:  
.. 68 0639 1 |  
.. 69 0640 1 | NONE  
.. 70 0641 1 |  
.. 71 0642 1 | EQUATED SYMBOLS:  
.. 72 0643 1 |  
.. 73 0644 1 | NONE  
.. 74 0645 1 |  
.. 75 0646 1 | OWN STORAGE:  
.. 76 0647 1 |  
.. 77 0648 1 | NONE  
.. 78 0649 1 |  
.. 79 0650 1 | EXTERNAL REFERENCES:  
.. 80 0651 1 |  
.. 81 0652 1 | In the routine
```

: R

:  
:

```

83 0653 1 %SBTTL 'EDT$$PA_CMD_NOOVERLAY - Call EDT$$PA_CMD from EXTEND'
84 0654 1
85 0655 1 GLOBAL ROUTINE EDT$$PA_CMD_NOOVERLAY          ! Call EDT$$PA_CMD from EXTEND
86 0656 1 =
87 0657 1
88 0658 1 !++
89 0659 1 FUNCTIONAL DESCRIPTION:
90 0660 1
91 0661 1     This routine is called by EXTEND to parse a command.  It calls
92 0662 1     EDT$$PA_CMD using a synonym that the overlay analyzer is told
93 0663 1     to ignore, then makes sure that EDT$EXTEND is in memory before
94 0664 1     returning to it.
95 0665 1
96 0666 1 FORMAL PARAMETERS:
97 0667 1
98 0668 1     NONE
99 0669 1
100 0670 1 IMPLICIT INPUTS:
101 0671 1
102 0672 1     NONE
103 0673 1
104 0674 1 IMPLICIT OUTPUTS:
105 0675 1
106 0676 1     NONE
107 0677 1
108 0678 1 ROUTINE VALUE:
109 0679 1
110 0680 1     1 = parse was successful
111 0681 1     0 = parse failed, EDT$$G_PA_ERRNO set
112 0682 1
113 0683 1 SIDE EFFECTS:
114 0684 1
115 0685 1     MANY
116 0686 1
117 0687 1 --
118 0688 1
119 0689 2 BEGIN
120 0690 2
121 0691 2 EXTERNAL ROUTINE
122 0692 2     EDT$$PA_CMD_NOOVERLAY_REF,          ! Synonym for EDT$$PA_CMD
123 0693 2     EDT$$LOAD_EXTEND : NOVALUE;        ! Load module EDT$EXTEND into memory
124 0694 2
125 0695 2 LOCAL
126 0696 2     RET_STATUS;
127 0697 2
128 0698 2     RET_STATUS = EDT$$PA_CMD_NOOVERLAY_REF ();
129 0699 2     EDT$$LOAD_EXTEND ();
130 0700 2     RETURN (.RET_STATUS);
131 0701 1 END;

```

! of routine EDT\$\$PA\_CMD\_NOOVERLAY

```

.TITLE EDT$PRPARCOMN EDT$PRPARCOMN - Call EDT$PRPARCOM
      from EDT$EXTE
.IDENT \V04-000\
.EXTRN EDT$$PA_CMD_NOOVERLAY_REF
.EXTRN EDT$$LOAD_EXTEND

```

EDT\$PRPARCOMN  
V04-000

EDT\$PRPARCOMN - Call EDT\$PRPARCOM from EDT\$EXTE  
EDT\$\$PA\_CMD\_NOOVERLAY - Call EDT\$\$PA\_CMD from

H 3  
16-Sep-1984 01:21:16  
14-Sep-1984 12:24:12

VAX-11 Bliss-32 V4.0-742  
[EDT.SRC]PRPARCOMN.BLI;1

\*\*F

			0004 00000
00000000G	00	00	FB 00002
	52	50	DO 00009
00000000G	00	00	FB 0000C
	50	52	DO 00013
		04	00016

```

.PSECT _EDT$CODE,NOWRT, SHR, PIC,2
.ENTRY EDT$$PA_CMD_NOOVERLAY, Save R2
CALLS #0, EDT$$PA_CMD_NOOVERLAY_REF
MOVL R0, RET_STATUS
CALLS #0, EDT$$LOAD_EXTEND
MOVL RET_STATUS, R0
RET

```

```

: 0655
: 0698
:
: 0699
: 0700
: 0701

```

; Routine Size: 23 bytes, Routine Base: \_EDT\$CODE + 0000

```

: 132      0702 1
: 133      0703 1 !<BLF/PAGE>

```

EDT\$PRPARCOMN  
V04-000

EDT\$PRPARCOMN - Call EDT\$PRPARCOM from EDT\$EXTE 16-Sep-1984 01:21:16  
EDT\$\$PA\_CMD\_NOOVERLAY - Call EDT\$\$PA\_CMD from 14-Sep-1984 12:24:12

VAX-11 Bliss-32 V4.0-742  
[EDT.SRC]PRPARCOMN.BLI;1

: 135  
: 136  
: 137

0704 1 END  
0705 1  
0706 0 ELUDOM

! of module EDT\$PRPARCOMN

PSECT SUMMARY

Name	Bytes	Attributes
_EDT\$CODE	23	NOVEC,NOWRT, RD, EXE, SHR, LCL, REL, CON, PIC,ALIGN(2)

Library Statistics

File	Total	Symbols Loaded	Percent	Pages Mapped	Processing Time
_\$255\$DUA28:[EDT.SRC]EDT.L32;1	377	0	0	40	00:00.2
_\$255\$DUA28:[EDT.SRC]PSECTS.L32;1	2	1	50	7	00:00.1

COMMAND QUALIFIERS  
BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/NOTRACEBACK/LIS=LIS\$:PRPARCOMN/OBJ=OBJ\$:PRPARCOMN MSRCS\$:PRPARCOMN.BLI/UPDATE=(ENHS:P  
RPARCOMN)

: Size: 23 code + 0 data bytes  
: Run Time: 00:08.7  
: Elapsed Time: 00:11.2  
: Lines/CPU Min: 4874  
: Lexemes/CPU-Min: 12904  
: Memory Used: 51 pages  
: Compilation Complete

0138 AH-BT13A-SE  
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION  
CONFIDENTIAL AND PROPRIETARY

PRNUMRAN LIS

PRPARCOMN LIS

PRMACCAL LIS

PRPARCOM LIS

PRPARDRV LIS

PRSEMRTN LIS

REAJOUTEX LIS

PSECTS LIS

RANRPOS LIS

RANNEXT LIS

SAUDIT LIS

SCRCHKREV LIS

SCRCLURS LIS

SCRCONCUR LIS

SCRDELETE LIS

SCRDELETE LIS

SCRDELET LIS

SCRFLINE LIS

SCRFCURS LIS

SCRIND LIS