


```

0001 0 %TITLE 'EDT$SCRNOSCR - full-screen scrolling region'
0002 0 MODULE EDT$SCRNOSCR ( ! Full-screen scrolling region
0003 0 IDENT = 'V04-000' ! File: SCRNOSCR.BLI Edit: JBS1003
0004 0 ) =
0005 1 BEGIN
0006 1
0007 1 *****
0008 1 *
0009 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *
0010 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *
0011 1 * ALL RIGHTS RESERVED. *
0012 1 *
0013 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *
0014 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *
0015 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *
0016 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *
0017 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *
0018 1 * TRANSFERRED. *
0019 1 *
0020 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *
0021 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *
0022 1 * CORPORATION. *
0023 1 *
0024 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *
0025 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *
0026 1 *
0027 1 *
0028 1 *****
0029 1
0030 1
0031 1 ++
0032 1 FACILITY: EDT -- The DEC Standard Editor
0033 1
0034 1 ABSTRACT:
0035 1
0036 1 This routine returns the VT100 to a full-screen scrolling
0037 1 region.
0038 1
0039 1 ENVIRONMENT: Runs at any access mode - AST reentrant
0040 1
0041 1 AUTHOR: Bob Kushlis, CREATION DATE: September 8, 1979
0042 1
0043 1 MODIFIED BY:
0044 1
0045 1 1-001 - Original. DJS 12-Feb-1981. This module was created by
0046 1 extracting the routine EDT$SC FULLSCLI from module SCREEN.
0047 1 1-002 - Regularize headers. JBS 13-Mar-1981
0048 1 1-003 - Call EDT$SC_SETSCLLREG, to track cursor position. JBS 05-Oct-1982
0049 1 --
0050 1

```

```
.. 52 0051 1 %SBTTL 'Declarations'  
.. 53 0052 1  
.. 54 0053 1 : TABLE OF CONTENTS:  
.. 55 0054 1 :  
.. 56 0055 1  
.. 57 0056 1 REQUIRE 'EDTSRC:TRAROUNAM';  
.. 58 0495 1  
.. 59 0496 1 FORWARD ROUTINE  
.. 60 0497 1 EDT$BSC_FULLSCLL : NOVALUE;  
.. 61 0498 1  
.. 62 0499 1 :  
.. 63 0500 1 : INCLUDE FILES:  
.. 64 0501 1 :  
.. 65 0502 1  
.. 66 0503 1 REQUIRE 'EDTSRC:EDTREQ';  
.. 67 0638 1  
.. 68 0639 1 :  
.. 69 0640 1 : MACROS:  
.. 70 0641 1 :  
.. 71 0642 1 : NONE  
.. 72 0643 1 :  
.. 73 0644 1 : EQUATED SYMBOLS:  
.. 74 0645 1 :  
.. 75 0646 1 : NONE  
.. 76 0647 1 :  
.. 77 0648 1 : OWN STORAGE:  
.. 78 0649 1 :  
.. 79 0650 1 : NONE  
.. 80 0651 1 :  
.. 81 0652 1 : EXTERNAL REFERENCES:  
.. 82 0653 1 :  
.. 83 0654 1 : In the routine
```



```

: 85 0655 1 %SBTTL 'EDT$$$SC_FULLSCLL - full-screen scrolling region'
: 86 0656 1
: 87 0657 1 GLOBAL ROUTINE EDT$$$SC_FULLSCLL ! Full-screen scrolling region
: 88 0658 1 : NOVALUE =
: 89 0659 1
: 90 0660 1 !++
: 91 0661 1 FUNCTIONAL DESCRIPTION:
: 92 0662 1
: 93 0663 1 Set the VT100 to full-screen (24 line) scrolling region.
: 94 0664 1
: 95 0665 1 FORMAL PARAMETERS:
: 96 0666 1
: 97 0667 1 NONE
: 98 0668 1
: 99 0669 1 IMPLICIT INPUTS:
100 0670 1
101 0671 1 NONE
102 0672 1
103 0673 1 IMPLICIT OUTPUTS:
104 0674 1
105 0675 1 NONE
106 0676 1
107 0677 1 SIDE EFFECTS:
108 0678 1
109 0679 1 NONE
110 0680 1
111 0681 1 --
112 0682 1
113 0683 2 BEGIN
114 0684 2
115 0685 2 EXTERNAL ROUTINE
116 0686 2 EDT$$$SC_SETSCLLREG : NOVALUE; ! Set the scrolling region
117 0687 2
118 0688 2 EDT$$$SC_SETSCLLREG (0, 24);
119 0689 1 END; ! of routine EDT$$$SC_FULLSCLL

```

```

.TITLE EDT$SCRNOSCR EDT$SCRNOSCR - full-screen scrolli
ng region
.IDENT \V04-000\
.EXTRN EDT$$$SC_SETSCLLREG
.PSECT _EDT$CODE,NOWRT, SHR, PIC,2
.ENTRY EDT$$$SC_FULLSCLL, Save nothing : 0657
PUSHL #24 : 0688
CLRL -(SP)
CALLS #2, EDT$$$SC_SETSCLLREG : 0689
RET

```

; Routine Size: 14 bytes, Routine Base: _EDT\$CODE + 0000

```

: 120 0690 1
: 121 0691 1 !<BLF/PAGE>

```

```

0000 00000
18 DD 00002
7E D4 00004
02 FB 00006
04 0000D

```

```

: 123      0692 1 END
: 124      0693 1
: 125      0694 0 ELUDOM
! of module EDT$SCRNOSCR
    
```

PSECT SUMMARY

Name	Bytes	Attributes
_EDT\$CODE	14	NOVEC,NOWRT, RD , EXE, SHR, LCL, REL, CON, PIC,ALIGN(2)

Library Statistics

File	Total	Symbols Loaded	Percent	Pages Mapped	Processing Time
_\$255\$DUA28:[EDT.SRC]EDT.L32;1	377	0	0	40	00:00.2
_\$255\$DUA28:[EDT.SRC]PSECTS.L32;1	2	1	50	7	00:00.1

COMMAND QUALIFIERS

BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/NOTRACEBACK/LIS=LIS\$:SCRNOSCR/OBJ=OBJ\$:SCRNOSCR MSRC\$:SCRNOSCR.BLI/UPDATE=(ENH\$:SCRNOSCR)

```

: Size:      14 code + 0 data bytes
: Run Time:  00:08.4
: Elapsed Time: 00:10.4
: Lines/CPU Min: 4963
: Lexemes/CPU-Min: 13265
: Memory Used: 49 pages
: Compilation Complete
    
```


