


```
TTTTTTTTT1  IIIIIII  SSSSSSSS  AAAAAA  VV  VV  EEEEEEEEEE
TTTTTTTTTT  IIIIIII  SSSSSSSS  AAAAAA  VV  VV  EEEEEEEEEE
  TT          II          SS          AA      AA  VV  VV  EE
  TT          II          SS          AA      AA  VV  VV  EE
  TT          II          SS          AA      AA  VV  VV  EE
  TT          II          SS          AA      AA  VV  VV  EE
  TT          II          SS          AA      AA  VV  VV  EE
  TT          II          SS          AA      AA  VV  VV  EE
  TT          II          SS          AA      AA  VV  VV  EE
  TT          II          SS          AA      AA  VV  VV  EE
  TT          II          SS          AA      AA  VV  VV  EE
  TT          II          SS          AA      AA  VV  VV  EE
  TT          IIIIIII  SSSSSSSS  AA      AA  VV  VV  EEEEEEEEEE
  TT          IIIIIII  SSSSSSSS  AA      AA  VV  VV  EEEEEEEEEE
```

```
LL          IIIIIII  SSSSSSSS
LL          IIIIIII  SSSSSSSS
  LL          II          SS
  LL          II          SS
  LL          II          SS
  LL          II          SS
  LL          II          SS
  LL          II          SS
  LL          II          SS
  LL          II          SS
  LL          II          SS
  LL          IIIIIII  SSSSSSSS
  LL          IIIIIII  SSSSSSSS
```



```
1 0001 0 %TITLE 'EDT$TISAVE - buffer a character for the journal file'  
2 0002 0 MODULE EDT$TISAVE ( ! Buffer a character for the journal file  
3 0003 0 IDENT = 'V04-000' ! File: TISAVE.BLI Edit: JBS1004  
4 0004 0 ) =  
5 0005 1 BEGIN  
6 0006 1  
7 0007 1 *****  
8 0008 1 *  
9 0009 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *  
10 0010 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *  
11 0011 1 * ALL RIGHTS RESERVED. *  
12 0012 1 *  
13 0013 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *  
14 0014 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *  
15 0015 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *  
16 0016 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *  
17 0017 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *  
18 0018 1 * TRANSFERRED. *  
19 0019 1 *  
20 0020 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *  
21 0021 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *  
22 0022 1 * CORPORATION. *  
23 0023 1 *  
24 0024 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *  
25 0025 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *  
26 0026 1 *  
27 0027 1 *  
28 0028 1 *****  
29 0029 1  
30 0030 1  
31 0031 1 **  
32 0032 1 FACILITY: EDT -- The DEC Standard Editor  
33 0033 1  
34 0034 1 ABSTRACT:  
35 0035 1  
36 0036 1 Buffer a character for the journal file.  
37 0037 1  
38 0038 1 ENVIRONMENT: Runs at any access mode - AST reentrant  
39 0039 1  
40 0040 1 AUTHOR: Bob Kushlis, CREATION DATE: June 9, 1979  
41 0041 1  
42 0042 1 MODIFIED BY:  
43 0043 1  
44 0044 1 1-001 - Original. DJS 18-FEB-1981. This module was created by  
45 0045 1 extracting routine EDT$$TI_BUFCH from module TINPUT.  
46 0046 1 1-002 - Regularize headers. JBS 11-Mar-1981  
47 0047 1 1-003 - Change call to EDT$$TI_FLUSHJOUFI. JBS 18-Jun-1981  
48 0048 1 1-004 - Improve the appearance of the listing. JBS 17-Jun-1983  
49 0049 1 --  
50 0050 1
```

```
52 0051 1 %SBTTL 'Declarations'  
53 0052 1  
54 0053 1 TABLE OF CONTENTS:  
55 0054 1  
56 0055 1  
57 0056 1 REQUIRE 'EDT$SRC:TRAROUNAM';  
58 0495 1  
59 0496 1 FORWARD ROUTINE  
60 0497 1 EDT$STI_BUFCH : NOVALUE;  
61 0498 1  
62 0499 1  
63 0500 1 INCLUDE FILES:  
64 0501 1  
65 0502 1  
66 0503 1 REQUIRE 'EDT$SRC:EDTREQ';  
67 0638 1  
68 0639 1  
69 0640 1 MACROS:  
70 0641 1  
71 0642 1 NONE  
72 0643 1  
73 0644 1 EQUATED SYMBOLS:  
74 0645 1  
75 0646 1 NONE  
76 0647 1  
77 0648 1 OWN STORAGE:  
78 0649 1  
79 0650 1 NONE  
80 0651 1  
81 0652 1 EXTERNAL REFERENCES:  
82 0653 1  
83 0654 1 In the routine
```


EDTSTISAVE
V04-000

F 11
EDTSTISAVE - buffer a character for the journal 16-Sep-1984 01:56:37 VAX-11 Bliss-32 V4.0-742 Page 4
EDTSSSTI_BUFCH - buffer a character for the jou 14-Sep-1984 12:24:58 DISK\$VMSMASTER:[EDT.SRC]TISAVE.BLI;1 (3)

```
000000FE 52 00000000G 00 0004 0000 9E 00002
8F 62 D1 00009 0B 12 00010
7E 54 8F 9A 00012
00000000G 0C 01 FB 00016
50 62 D0 0001D 1$:
00000000G0040 04 AC 90 00020
62 D6 00029
04 0002B
```

```
.EXTRN EDTSSST_TIN_OBUF
.EXTRN EDTSSG_TIN_OBUFPOS
.PSECT _EDT$CODE,NOWRT, SHR, PIC,2
.ENTRY EDTSSSTI_BUFCH, Save R2 : 0657
MOVAB EDTSSG_TIN_OBUFPOS, R2 :
CMLP EDTSSG_TIN_OBUFPOS, #254 : 0700
BNEQ 1$ :
MOVZBL #84, -(SP) :
CALLS #1, EDTSSSTI_FLUSHJOUFI :
MOVL EDTSSG_TIN_OBUFPOS, R0 : 0702
MOVB BUF, EDTSSST_TIN_OBUF[R0] :
INCL EDTSSG_TIN_OBUFPOS : 0703
RET : 0704
```

: Routine Size: 44 bytes, Routine Base: _EDT\$CODE + 0000

: 135 0705 1
: 136 0706 1 !<BLF/PAGE>

EDT\$TISAVE
V04-000

EDT\$TISAVE - buffer a character for the journal 16-Sep-1984 01:56:37
EDT\$TI_BUFCH - buffer a character for the jou 14-Sep-1984 12:24:58

VAX-11 Bliss-32 V4.0-742
DISK\$VMMASTER:[EDT.SRC]TISAVE.BLI;1

Page 5
(4)

: 138 0707 1 END
: 139 0708 1
: 140 0709 0 ELUDOM

! of module EDT\$TISAVE

PSECT SUMMARY

Name	Bytes	Attributes
_EDT\$CODE	44	NOVEC, NOWRT, RD, EXE, SHR, LCL, REL, CON, PIC, ALIGN(2)

Library Statistics

File	Symbols		Pages Mapped	Processing Time
	Total	Loaded Percent		
\$_255\$DUA28:[EDT.SRC]EDT.L32;1	377	0 0	40	00:00.2
\$_255\$DUA28:[EDT.SRC]PSECTS.L32;1	2	1 50	7	00:00.1

COMMAND QUALIFIERS

BLISS/CHECK=(FIELD, INITIAL, OPTIMIZE)/NOTRACEBACK/LIS=LIS\$:TISAVE/OBJ=OBJ\$:TISAVE MSRC\$:TISAVE.BLI/UPDATE=(ENHS:TISAVE)

: Size: 44 code + 0 data bytes
: Run Time: 00:09.2
: Elapsed Time: 00:11.7
: Lines/CPU Min: 4628
: Lexemes/CPU-Min: 12613
: Memory Used: 54 pages
: Compilation Complete

SCRUPDATM
LIS

STARTED
LIS

TISAVE
LIS

SETCOMMAN
LIS

TIAUTO
LIS

TIDELETE
LIS

TILINE
LIS

TRACEMAC
LIS

UFBUFFER
LIS

SCRZAPIN
LIS

UEXCASE
LIS

SCRUPDATM
LIS

TITYPAID
LIS

TSTKEYDEF
LIS

TICLRAD
LIS

SUPPORTS
LIS

TICHR
LIS

TIECHO
LIS

TRAROUNAM
LIS

TRANSLATE
LIS

UFSTRING
LIS

SYSUAX
LIS

SCRWID
LIS

TRACELIT
LIS

UEVCASE
LIS