





1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49

```

0001 0 XTITLE 'EDT$WFCLEAR - empty the current buffer'
0002 0 MODULE EDT$WFCLEAR ( ! Empty the current buffer
0003 0 IDENT = 'V04-000' ! File: WFCLEAR.BLI Edit: JBS1003
0004 0 ) =
0005 1 BEGIN
0006 1
0007 1 *****
0008 1 *
0009 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *
0010 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *
0011 1 * ALL RIGHTS RESERVED. *
0012 1 *
0013 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *
0014 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *
0015 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *
0016 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *
0017 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *
0018 1 * TRANSFERRED. *
0019 1 *
0020 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *
0021 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *
0022 1 * CORPORATION. *
0023 1 *
0024 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *
0025 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *
0026 1 *
0027 1 *
0028 1 *****
0029 1
0030 1
0031 1 ++
0032 1 FACILITY: EDT -- The DEC Standard Editor
0033 1
0034 1 ABSTRACT:
0035 1
0036 1 Empty the current buffer.
0037 1
0038 1 ENVIRONMENT: Runs at any access mode - AST reentrant
0039 1
0040 1 AUTHOR: Bob Kushlis, CREATION DATE: October 16, 1978
0041 1
0042 1 MODIFIED BY:
0043 1
0044 1 1-001 - Original. DJS 23-Feb-1981. This module was created by
0045 1 extracting routine EDT$$WF_CLRBUF from module EDTWF.
0046 1 1-002 - Regularize headers. JBS 16-Mar-1981
0047 1 1-003 - Improve the appearance of the listing. JBS 20-Jun-1983
0048 1 --
0049 1

```

```
: 51      0050 1 %SBTTL 'Declarations'  
: 52      0051 1  
: 53      0052 1 | TABLE OF CONTENTS:  
: 54      0053 1 |  
: 55      0054 1  
: 56      0055 1 REQUIRE 'EDT$SRC:TRAROUNAM';  
: 57      0494 1  
: 58      0495 1 FORWARD ROUTINE  
: 59      0496 1     EDT$WF_CLRBUF : NOVALUE;  
: 60      0497 1  
: 61      0498 1 |  
: 62      0499 1 | INCLUDE FILES:  
: 63      0500 1 |  
: 64      0501 1  
: 65      0502 1 REQUIRE 'EDT$SRC:EDTREQ';  
: 66      0637 1  
: 67      0638 1 |  
: 68      0639 1 | MACROS:  
: 69      0640 1 |  
: 70      0641 1 |     NONE  
: 71      0642 1 |  
: 72      0643 1 | EQUATED SYMBOLS:  
: 73      0644 1 |  
: 74      0645 1 |     NONE  
: 75      0646 1 |  
: 76      0647 1 | OWN STORAGE:  
: 77      0648 1 |  
: 78      0649 1 |     NONE  
: 79      0650 1 |  
: 80      0651 1 | EXTERNAL REFERENCES:  
: 81      0652 1 |  
: 82      0653 1 |     In the routine
```

```

: 84 0654 1 %SBTTL 'EDT$$WF_CLRBUF - empty the current buffer'
: 85 0655 1
: 86 0656 1 GLOBAL ROUTINE EDT$$WF_CLRBUF ! Empty the current buffer
: 87 0657 1 : NOVALUE =
: 88 0658 1
: 89 0659 1 !++
: 90 0660 1 ! FUNCTIONAL DESCRIPTION:
: 91 0661 1
: 92 0662 1 ! Clear the entire current buffer. The first bucket of the buffer is
: 93 0663 1 ! updated to be empty, and, if there is more than one, the rest of the
: 94 0664 1 ! bucket is placed on the available bucket list. Note that since the
: 95 0665 1 ! buckets are already linked together, we need only link the last bucket
: 96 0666 1 ! in the buffer to the current available bucket, then make avail the
: 97 0667 1 ! first bucket we are releasing.
: 98 0668 1
: 99 0669 1 ! FORMAL PARAMETERS:
100 0670 1
101 0671 1 ! NONE
102 0672 1
103 0673 1 ! IMPLICIT INPUTS:
104 0674 1
105 0675 1 ! EDT$$A_CUR_BUF
106 0676 1 ! EDT$$G_WK_AVAIL
107 0677 1 ! EDT$$A_WK_BUK
108 0678 1 ! EDT$$G_WK_CURBUK
109 0679 1 ! EDT$$L_LNO_ZERO
110 0680 1
111 0681 1 ! IMPLICIT OUTPUTS:
112 0682 1
113 0683 1 ! EDT$$G_WK_AVAIL
114 0684 1 ! EDT$$A_WK_BUK
115 0685 1 ! EDT$$A_CUR_BUF
116 0686 1 ! EDT$$G_WK_MODFD
117 0687 1
118 0688 1 ! ROUTINE VALUE:
119 0689 1
120 0690 1 ! NONE
121 0691 1
122 0692 1 ! SIDE EFFECTS:
123 0693 1
124 0694 1 ! NONE
125 0695 1
126 0696 1 ! --
127 0697 1
128 0698 2 ! BEGIN
129 0699 2
130 0700 2 ! EXTERNAL ROUTINE
131 0701 2 ! EDT$$WF_BOT : NOVALUE,
132 0702 2 ! EDT$$TOP_BUF : NOVALUE;
133 0703 2
134 0704 2 ! EXTERNAL
135 0705 2 ! EDT$$A_CUR_BUF : REF TBCB_BLOCK, ! Current text buffer control block
136 0706 2 ! EDT$$G_WK_AVAIL, ! Pointer to next available deleted bucket
137 0707 2 ! EDT$$A_WK_BUK : ! Pointer to current bucket
138 0708 2 ! REF BLOCK [WF_BUKT_SIZE, BYTE] FIELD (WFB_FIELDS),
139 0709 2 ! EDT$$G_WK_CURBUK, ! Number of the current bucket
: 140 0710 2 ! EDT$$G_WK_MODFD, ! Flag indicating bucket was modified
```

```

: 141 0711 2          EDTSSL_LNO_ZERO : LN_BLOCK;
: 142 0712 2
: 143 0713 2          EDTSTOP_BUF ();
: 144 0714 2          !+
: 145 0715 2          !- Release remaining buckets if there are more than one.
: 146 0716 2
: 147 0717 2
: 148 0718 2          IF (.EDTSSA_WK_BUK [WFB_NEXT_BUKT] NEQ 0)
: 149 0719 2          THEN
: 150 0720 2          BEGIN
: 151 0721 2          EDTSWF BOT ();
: 152 0722 2          EDTSSA_WK_BUK [WFB_NEXT_BUKT] = .EDTSSG_WK_AVAIL;
: 153 0723 2          EDTSSG_WK_MODFD = T;
: 154 0724 2          EDTSTOP_BUF ();
: 155 0725 2          EDTSSG_WK_AVAIL = .EDTSSA_WK_BUK [WFB_NEXT_BUKT];
: 156 0726 2          END;
: 157 0727 2
: 158 0728 2          EDTSSA_CUR_BUF [TBCB_LINE_ADDR] = WFB_FIXED_SIZE;
: 159 0729 2          EDTSSA_WK_BUK [WFB_END] = WFB_FIXED_SIZE;
: 160 0730 2          EDTSSA_WK_BUK [WFB_NEXT_BUKT] = 0;
: 161 0731 2          EDTSSG_WK_MODFD = T;
: 162 0732 2          MOVELINE (EDTSSL_LNO_ZERO, EDTSSA_CUR_BUF [TBCB_LINE_COUNT]);
: 163 0733 2          EDTSSA_CUR_BUF [TBCB_CHAR_COUNT] = 0;
: 164 0734 2          EDTSSA_CUR_BUF [TBCB_LAST_BUKT] = .EDTSSG_WK_CURBUK;
: 165 0735 1          END;

```

T of routine EDTSSWF\_CLRBUF

```

.TITLE EDTSWFCLEAR EDTSWFCLEAR - empty the current buf
fer
.IDENT \V04-000\
.EXTRN EDTSWF BOT, EDTSTOP_BUF
.EXTRN EDTSSA_CUR_BUF, EDTSSG_WK_AVAIL
.EXTRN EDTSSA_WK_BUK, EDTSSG_WK_CURBUK
.EXTRN EDTSSG_WK_MODFD
.EXTRN EDTSSL_LNO_ZERO
.PSECT _EDTSCODE,NOWRT, SHR, PIC,2
.ENTRY EDTSSWF_CLRBUF, Save R2,R3,R4,R5,R6,R7,R8,- ; 0656
R9,R10
MOVAB EDTSTOP_BUF, R10
MOVAB EDTSSG_WK_MODFD, R9
MOVAB EDTSSG_WK_AVAIL, R8
MOVAB EDTSSA_WK_BUK, R7
CALLS #0, EDTSTOP_BUF ; 0713
MOVL EDTSSA_WK_BUK, R0 ; 0718
TSTW 2(R0)
BEQL 1$
CALLS #0, EDTSWF BOT ; 0721
MOVL EDTSSA_WK_BUK, R0 ; 0722
MOVW EDTSSG_WK_AVAIL, 2(R0)
MOVL #1, EDTSSG_WK_MODFD ; 0723
CALLS #0, EDTSTOP_BUF ; 0724
MOVL EDTSSA_WK_BUK, R0 ; 0725
MOVZWL 2(R0), EDTSSG_WK_AVAIL
MOVL EDTSSA_CUR_BUF, R6 ; 0728

```

```

07FC 00000
5A 00000000G 00 9E 00002
59 00000000G 00 9E 00009
58 00000000G 00 9E 00010
57 00000000G 00 9E 00017
6A 00 00 FB 0001E
50 67 D0 00021
02 A0 B5 00024
1B 13 00027
00000000G 00 00 FB 00029
50 67 D0 00030
02 A0 68 B0 00033
69 01 D0 00037
6A 00 FB 0003A
50 67 D0 0003D
68 02 A0 3C 00040
56 00000000G 00 D0 00044 1$:

```



EDT\$WFCLEAR  
V04-000

EDT\$WFCLEAR - empty the current buffer  
EDT\$\$WF\_CLRBUF - empty the current buffer

N 4  
16-Sep-1984 02:03:35  
14-Sep-1984 12:25:27

VAX-11 Bliss-32 V4.0-742  
DISK\$VMSMASTER:[EDT.SRC]WFCLEAR.BLI;1 Page (4)

: 169 0738 1 END  
: 170 0739 1  
: 171 0740 0 ELUDOM

! of module EDT\$WFCLEAR

PSECT SUMMARY

Name Bytes Attributes  
\_EDT\$CODE 112 NOVEC,NCWRT, RD , EXE, SHR, LCL, REL, CON, PIC,ALIGN(2)

Library Statistics

File	Total	Symbols Loaded	Percent	Pages Mapped	Processing Time
_\$255\$DUA28:[EDT.SRC]EDT.L32:1	377	37	9	40	00:00.2
_\$255\$DUA28:[EDT.SRC]PSECTS.L32:1	2	1	50	7	00:00.1

COMMAND QUALIFIERS

BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/NOTRACEBACK/LIS=LISS:WFCLEAR/OBJ=OBJ\$:WFCLEAR MSRC\$:WFCLEAR.BLI/UPDATE=(ENH\$:WFCLEAR)

: Size: 112 code + 0 data bytes  
: Run Time: 00:11.5  
: Elapsed Time: 00:16.1  
: Lines/CPU Min: 3877  
: Lexemes/CPU-Min: 11937  
: Memory Used: 74 pages  
: Compilation Complete



UMSG LIS	WFCOPLIN LIS										
USSTRING LIS										WFSCOPY LIS	
			WFDELLIN LIS	WFGETBKT LIS	WFOPNBUF LIS	WFREABCK LIS	WFREAFWD LIS				
											WFSTRINS LIS
	WFAPPBKT LIS										
					WFCLEAR LIS						
UGBUFFER LIS											
	USSUBS LIS		WFDEL BKT LIS								WFSPLBKT LIS
						WFLOCLIN LIS	WFRBKT LIS				
						WFINSLIN LIS		WFREACUR LIS	WFREAINP LIS		WFTOP LIS
										WFREPLIN LIS	
	WFBOTTOM LIS										
			WFECOPY LIS								