



```

WW      WW  FFFFFFFF  TTTTTTTTTT  000000  PPPPPPPP
WW      WW  FFFFFFFF  TTTTTTTTTT  000000  PPPPPPPP
WW      WW  FF          TT          00      00  PP      PP
WW      WW  FF          TT          00      00  PP      PP
WW      WW  FF          TT          00      00  PP      PP
WW      WW  FF          TT          00      00  PP      PP
WW      WW  FFFFFFFF  TT          00      00  PPPPPPPP
WW      WW  FFFFFFFF  TT          00      00  PPPPPPPP
WW  WW  WW  FF          TT          00      00  PP
WW  WW  WW  FF          TT          00      00  PP
WWWW  WWW  FF          TT          00      00  PP
WWWW  WWW  FF          TT          00      00  PP
WW      WW  FF          TT          000000  PP
WW      WW  FF          TT          000000  PP

```

```

....
....
....
....

```

```

LL      IIIIII  SSSSSSSS
LL      IIIIII  SSSSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SSSSSS
LL      II      SSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LLLLLLLL  IIIIII  SSSSSSSS
LLLLLLLL  IIIIII  SSSSSSSS

```

```

1 0001 0 %TITLE 'EDT$WFTOP - go to top of current buffer'
2 0002 0 MODULE EDT$WFTOP ( ! Go to top of current buffer
3 0003 0 IDENT = 'V04-000' ! File: WFTOP.BLI Edit: JBS1003
4 0004 0 ) =
5 0005 1 BEGIN
6 0006 1
7 0007 1 *****
8 0008 1 *
9 0009 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *
10 0010 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *
11 0011 1 * ALL RIGHTS RESERVED. *
12 0012 1 *
13 0013 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *
14 0014 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *
15 0015 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *
16 0016 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *
17 0017 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *
18 0018 1 * TRANSFERRED. *
19 0019 1 *
20 0020 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *
21 0021 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *
22 0022 1 * CORPORATION. *
23 0023 1 *
24 0024 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *
25 0025 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *
26 0026 1 *
27 0027 1 *
28 0028 1 *****
29 0029 1
30 0030 1
31 0031 1 ++
32 0032 1 FACILITY: EDT -- The DEC Standard Editor
33 0033 1
34 0034 1 ABSTRACT:
35 0035 1
36 0036 1 Go to the top of the current buffer.
37 0037 1
38 0038 1 ENVIRONMENT: Runs at any access mode - AST reentrant
39 0039 1
40 0040 1 AUTHOR: Bob Kushlis, CREATION DATE: October 16, 1978
41 0041 1
42 0042 1 MODIFIED BY:
43 0043 1
44 0044 1 1-001 - Original. DJS 23-Feb-1981. This module was created by
45 0045 1 extracting routine EDT$STOP BUF from module EDTWF.
46 0046 1 1-002 - Regularize headers. JBS T9-Mar-1981
47 0047 1 1-003 - Improve listing appearance. JBS 20-Jun-1983
48 0048 1 --
49 0049 1

```

EDT\$WFTOP  
V04-000

EDT\$WFTOP - go to top of current buffer  
Declarations

M 16  
16-Sep-1984 02:16:09  
14-Sep-1984 12:25:46

VAX-11 Bliss-32 V4.0-742  
DISK\$VMMASTER:[EDT.SRC]WFTOP.BLI;1 Page 2  
(2)

```
: 51      0050 1 %SBTTL 'Declarations'  
: 52      0051 1 :  
: 53      0052 1 : TABLE OF CONTENTS:  
: 54      0053 1 :  
: 55      0054 1 :  
: 56      0055 1 REQUIRE 'EDT$SRC:TRAROUNAM';  
: 57      0494 1 :  
: 58      0495 1 FORWARD ROUTINE  
: 59      0496 1     EDT$STOP_BUF : NOVALUE;  
: 60      0497 1 :  
: 61      0498 1 :  
: 62      0499 1 : INCLUDE FILES:  
: 63      0500 1 :  
: 64      0501 1 :  
: 65      0502 1 REQUIRE 'EDT$SRC:EDTREQ';  
: 66      0637 1 :  
: 67      0638 1 :  
: 68      0639 1 : MACROS:  
: 69      0640 1 :  
: 70      0641 1 :     NONE  
: 71      0642 1 :  
: 72      0643 1 : EQUATED SYMBOLS:  
: 73      0644 1 :  
: 74      0645 1 :     NONE  
: 75      0646 1 :  
: 76      0647 1 : OWN STORAGE:  
: 77      0648 1 :  
: 78      0649 1 :     NONE  
: 79      0650 1 :  
: 80      0651 1 : EXTERNAL REFERENCES:  
: 81      0652 1 :  
: 82      0653 1 :     In the routine
```

```
84 0654 1 %SBTTL 'EDT$$STOP_BUF - go to top of current buffer'
85 0655 1
86 0656 1 GLOBAL ROUTINE EDT$$STOP_BUF ! Go to top of current buffer
87 0657 1 : NOVALUE =
88 0658 1
89 0659 1 **
90 0660 1 FUNCTIONAL DESCRIPTION:
91 0661 1
92 0662 1 Position to the top of the current buffer.
93 0663 1
94 0664 1 FORMAL PARAMETERS:
95 0665 1
96 0666 1 NONE
97 0667 1
98 0668 1 IMPLICIT INPUTS:
99 0669 1
100 0670 1 EDT$$A_CUR_BUF
101 0671 1 EDT$$L_LNO_ZERO
102 0672 1
103 0673 1 IMPLICIT OUTPUTS:
104 0674 1
105 0675 1 EDT$$A_CUR_BUF
106 0676 1
107 0677 1 ROUTINE VALUE:
108 0678 1
109 0679 1 NONE
110 0680 1
111 0681 1 SIDE EFFECTS:
112 0682 1
113 0683 1 May read a bucket
114 0684 1
115 0685 1 --
116 0686 1
117 0687 2 BEGIN
118 0688 2
119 0689 2 EXTERNAL ROUTINE
120 0690 2 EDT$$RD_CURLN : NOVALUE;
121 0691 2
122 0692 2 EXTERNAL
123 0693 2 EDT$$A_CUR_BUF : REF TBCB_BLOCK, ! Current text buffer control block
124 0694 2 EDT$$L_LNO_ZERO : LN_BLOCK;
125 0695 2
126 0696 2 LOCAL
127 0697 2 FIRST;
128 0698 2
129 0699 2 EDT$$A_CUR_BUF [TBCB_CUR_BUKT] = FIRST = .EDT$$A_CUR_BUF [TBCB_FIRST_BUKT];
130 0700 2 EDT$$A_CUR_BUF [TBCB_LINE_ADDR] = WFB_FIXED_SIZE;
131 0701 2 EDT$$A_CUR_BUF [TBCB_CHAR_POS] = 0;
132 0702 2 MOVELINE (EDT$$L_LNO_ZERO, EDT$$A_CUR_BUF [TBCB_CUR_LIN]);
133 0703 2 EDT$$RD_CURLN ();
134 0704 1 END; ! of routine EDT$$STOP_BUF
```

```
.TITLE EDT$WFTOP EDT$WFTOP - go to top of current buff
.IDENT \V04-000\er
```

EDT\$WFTOP  
V04-000

EDT\$WFTOP - go to top of current buffer  
EDT\$\$STOP\_BUF - go to top of current buffer

C 1  
16-Sep-1984 02:16:09  
14-Sep-1984 12:25:46

VAX-11 Bliss-32 V4.0-742  
DISK\$VMSMASTER:[EDT.SRC]WFTOP.BLI;1

Page 4  
(3)

EDT\$  
V04.

.EXTRN EDT\$\$RD\_CURLN, EDT\$\$A\_CUR\_BUF  
.EXTRN EDT\$\$L\_LNO\_ZERO

.PSECT \_EDT\$CODE, NOWRT, SHR, PIC, 2

.ENTRY EDT\$\$STOP\_BUF, Save R2,R3,R4,R5  
MOVL EDT\$\$A\_CUR\_BUF, R0  
MOVZWL 14(R0), FIRST  
MOVW FIRST, 4(R0)  
MOVL #8, (R0)  
CLRW 12(R0)  
MOVCL #6, EDT\$\$L\_LNO\_ZERO, 6(R0)  
CALLS #0, EDT\$\$RD\_CURLN  
RLT

: 0656  
: 0699  
:  
:  
: 0700  
: 0701  
: 0702  
: 0703  
: 0704

003C 00000  
50 00000000G 00 20 00002  
51 0E A0 3C 00009  
04 A0 51 B0 0000D  
60 08 D0 00011  
0C A0 B4 00014  
06 A0 00000000G 00 06 28 00017  
00000000G 00 00 FB 00020  
04 00027

; Routine Size: 40 bytes, Routine Base: \_EDT\$CODE + 0000

: 135 0705 1  
: 136 0706 1 !<BLF/PAGE>

: R

:  
:

EDT\$WFTOP  
V04-000

EDT\$WFTOP - go to top of current buffer  
EDT\$\$TOP\_BUF - go to top of current buffer

D 1  
16-Sep-1984 02:16:09  
14-Sep-1984 12:25:46

VAX-11 Bliss-32 V4.0-742  
DISK\$VMSMASTER:[EDT.SRC]WFTOP.BLI;1

Page 5  
(4)

EDT  
V04

: 138  
: 139  
: 140

0707 1 END  
0708 1  
0709 0 ELUDOM

! of module EDT\$WFTOP

PSECT SUMMARY

Name	Bytes	Attributes
_EDT\$CODE	40	NOVEC,NOWRT, RD, EXE, SHR, LCL, REL, CON, PIC,ALIGN(2)

Library Statistics

File	Total	Symbols Loaded	Percent	Pages Mapped	Processing Time
_\$255\$DUA28:[EDT.SRC]EDT.L32;1	377	31	8	40	00:00.2
_\$255\$DUA28:[EDT.SRC]PSECTS.L32;1	2	1	50	7	00:00.1

COMMAND QUALIFIERS

BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/NOTRACEBACK/LIS=LIS\$:WFTOP/OBJ=OBJ\$:WFTOP MSRC\$:WFTOP.BLI/UPDATE=(ENH\$:WFTOP)

: Size: 40 code + 0 data bytes  
: Run Time: 00:09.5  
: Elapsed Time: 00:10.9  
: Lines/CPU Min: 4468  
: Lexemes/CPU-Min: 13121  
: Memory Used: 62 pages  
: Compilation Complete

S  
R  
E  
L  
L  
M  
C





