

C
C Version: 'V04-000'

```

C*****
C*
C* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
C* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
C* ALL RIGHTS RESERVED.
C*
C* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
C* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
C* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
C* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
C* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
C* TRANSFERRED.
C*
C* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
C* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
C* CORPORATION.
C*
C* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
C* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
C*
C*
C*****

```

C Author Brian Porter Creation date 05-APR-1982

```

C++
C Function description:
C This is an include file that lists all device QIO strings.

```

```

C Modified by:
C
C V03-003 SAR0275 Sharon A. Reynolds 20-June-1984
C Added new function code for TMSCP support.
C
C V03-002 EAD0002 Elliott A. Drayton 16-DEC-1982
C Moved data statements which initilized the common to
C ERRPRT.
C
C v03-001 BP0001 Brian Porter, 05-APR-1982
C Added new string.

```

```

C++
C--
C
C character*13 io$_nop
C common /qiocommon/ io$_nop
C
C character*7 io$_unload
C common /qiocommon/ io$_unload

```

```
character*16   io$_loadmcode
common /qiocommon/   io$_loadmcode

character*5    io$_seek
common /qiocommon/   io$_seek

character*14   io$_spacefile
common /qiocommon/   io$_spacefile

character*22   io$_startmproc
common /qiocommon/   io$_startmproc

character*12   io$_recal
common /qiocommon/   io$_recal

character*12   io$_stop
common /qiocommon/   io$_stop

character*12   io$_drvclr
common /qiocommon/   io$_drvclr

character*11   io$_initialize
common /qiocommon/   io$_initialize

character*12   io$_release
common /qiocommon/   io$_release

character*21   io$_setclockp
common /qiocommon/   io$_setclockp

character*12   io$_offset
common /qiocommon/   io$_offset

character*11   io$_erasetape
common /qiocommon/   io$_erasetape

character*22   io$_startdatap
common /qiocommon/   io$_startdatap

character*22   io$_retcenter
common /qiocommon/   io$_retcenter

character*11   io$_qstop
common /qiocommon/   io$_qstop

character*17   io$_packack
common /qiocommon/   io$_packack

character*18   io$_search
common /qiocommon/   io$_search

character*16   io$_spacerrecord
common /qiocommon/   io$_spacerrecord

character*12   io$_writecheck
common /qiocommon/   io$_writecheck
```

```
character*21  io$_writepblk
common /qiocommon/  io$_writepblk

character*20  io$_readpblk
common /qiocommon/  io$_readpblk

character*22  io$_writehead
common /qiocommon/  io$_writehead

character*21  io$_readhead
common /qiocommon/  io$_readhead

character*23  io$_writetrackd
common /qiocommon/  io$_writetrackd

character*22  io$_readtrackd
common /qiocommon/  io$_readtrackd

character*13  io$_rereadn
common /qiocommon/  io$_rereadn

character*17  io$_rereadp
common /qiocommon/  io$_rereadp

character*27  io$_writeret
common /qiocommon/  io$_writeret

character*28  io$_writecheckh
common /qiocommon/  io$_writecheckh

character*15  io$_readpreset
common /qiocommon/  io$_readpreset

character*14  io$_startspndl
common /qiocommon/  io$_startspndl

character*20  io$_setchar
common /qiocommon/  io$_setchar

character*22  io$_sensechar
common /qiocommon/  io$_sensechar

character*16  io$_writemark
common /qiocommon/  io$_writemark

character*22  io$_wrttmkr
common /qiocommon/  io$_wrttmkr

character*9   io$_diagnose
common /qiocommon/  io$_diagnose

character*33  io$_format
common /qiocommon/  io$_format

character*11  io$_clean
```


