

ERFCOMVEC
Symbol table

EMB 00000000 RG 02
SYECOM 00000000 RG 01

! Psect synopsis !

PSECT name	Allocation	PSECT No.	Attributes
. ABS .	00000000 (0.)	00 (0.)	NOPIC USR CON ABS LCL NOSHR NOEXE NORD NOWRT NOVEC BYTE
SYECOM	00000004 (4.)	01 (1.)	PIC USR OVR REL GBL NOSHR NOEXE RD WRT NOVEC BYTE
EMB	00000004 (4.)	02 (2.)	PIC USR OVR REL GBL NOSHR NOEXE RD WRT NOVEC BYTE

! Performance indicators !

Phase	Page faults	CPU Time	Elapsed Time
Initialization	32	00:00:00.08	00:00:00.63
Command processing	132	00:00:00.44	00:00:02.43
Pass 1	58	00:00:00.28	00:00:00.57
Symbol table sort	0	00:00:00.00	00:00:00.00
Pass 2	28	00:00:00.18	00:00:00.55
Symbol table output	2	00:00:00.01	00:00:00.01
Psect synopsis output	1	00:00:00.02	00:00:00.02
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	256	00:00:01.01	00:00:04.21

The working set limit was 600 pages.
380 bytes (1 page) of virtual memory were used to buffer the intermediate code.
There were 10 pages of symbol table space allocated to hold 2 non-local and 0 local symbols.
41 source lines were read in Pass 1, producing 13 object records in Pass 2.
0 pages of virtual memory were used to define 0 macros.

! Macro library statistics !

Macro library name Macros defined

_ \$255\$DUA28:[SYSLIB]STARLET.MLB;2 0

0 GETS were required to define 0 macros.

There were no errors, warnings or information messages.

MACRO/LIS=LIS\$:ERFCOMVEC/OBJ=OBJ\$:ERFCOMVEC MSRCS\$:ERFCOMVEC/UPDATE=(ENH\$:ERFCOMVEC)

