


```

EEEEEEEEEE RRRRRRRR FFFFFFFFFF TTTTTTTTTT AAAAAA PPPPPPPP EEEEEEEEEE VV VV EEEEEEEEEE
EEEEEEEEEE RRRRRRRR FFFFFFFFFF TTTTTTTTTT AAAAAA PPPPPPPP EEEEEEEEEE VV VV EEEEEEEEEE
EE RR RR FF TT AA AA PP PP EE VV VV EE
EE RR RR FF TT AA AA PP PP EE VV VV EE
EE RR RR FF TT AA AA PP PP EE VV VV EE
EEEEEEEE RRRRRRRR FFFFFFFF TT AA AA PPPPPPPP EEEEEEEEE VV VV EEEEEEEEE
EEEEEEEE RRRRRRRR FFFFFFFF TT AA AA PPPPPPPP EEEEEEEEE VV VV EEEEEEEEE
EE RR RR FF TT AAAAAAAAAA PP EEEEEEEEE VV VV EE
EE RR RR FF TT AAAAAAAAAA PP EEEEEEEEE VV VV EE
EE RR RR FF TT AA AA PP EEEEEEEEE VV VV EE
EE RR RR FF TT AA AA PP EEEEEEEEE VV VV EE
EEEEEEEEEE RR RR FF TT AA AA PP EEEEEEEEEEE VV VV EEEEEEEEEEE
EEEEEEEEEE RR RR FF TT AA AA PP EEEEEEEEEEE VV VV EEEEEEEEEEE

```

```

LL          IIIIII SSSSSSSS
LL          IIIIII SSSSSSSS
LL          II     SS
LL          II     SS
LL          II     SS
LL          II     SS
LL          II     SSSSSS
LL          II     SSSSSS
LL          II     SS
LL          II     SS
LL          II     SS
LL          II     SS
LLLLLLLLLLL IIIIII SSSSSSSS
LLLLLLLLLLL IIIIII SSSSSSSS

```

```
0000 1  
0000 2 .TITLE ERFTAPEVECT - Transfer vectors for ERFTAPE module.  
0000 3 .IDENT /V04-000/  
0000 4  
0000 5 :*****  
0000 6 :*  
0000 7 :* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *  
0000 8 :* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *  
0000 9 :* ALL RIGHTS RESERVED. *  
0000 10 :*  
0000 11 :* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *  
0000 12 :* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *  
0000 13 :* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *  
0000 14 :* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *  
0000 15 :* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *  
0000 16 :* TRANSFERRED. *  
0000 17 :*  
0000 18 :* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *  
0000 19 :* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *  
0000 20 :* CORPORATION. *  
0000 21 :*  
0000 22 :* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *  
0000 23 :* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *  
0000 24 :*  
0000 25 :*  
0000 26 :*****  
0000 27 :  
0000 28 :
```

ER
LA
FU
CO
CO

```
00000000 30 .PSECT $$ERFTAPEVECT,EXE,NOWRT
0000 31
0000 32 TAPEINIT::
0000 33
0000 34 .TRANSFER ERFTAPINI
0000' 0000 35 .MASK ERFTAPINI
0000C002'EF 17 0002 36 JMP L^ERFTAPINI+2
0008 37
0008 38 .TRANSFER MASSTAPE
0000' 0008 39 .MASK MASSTAPE
00000002'EF 17 000A 40 JMP L^MASSTAPE+2
0010 41
0010 42 .TRANSFER TSTAPE
0000' 0010 43 .MASK TSTAPE
00000002'EF 17 0012 44 JMP L^TSTAPE+2
0018 45
0018 46 .TRANSFER MFTAPE
0000' 0018 47 .MASK MFTAPE
00000002'EF 17 001A 48 JMP L^MFTAPE+2
0020 49
0020 50 .END TAPEINIT
```

ERFTAPEVECT
Symbol table

- Transfer vectors for ERFTAPE module. ^{H 5}

15-SEP-1984 23:57:11 VAX/VMS Macro V04-00
5-SEP-1984 00:52:57 [ERF.SRC]ERFTAPEVE.MAR;1

Page 3
(2)

```
ERFTAPINI ***** X 01
MASSTAPE ***** X 01
MFTAPE ***** X 01
TAPEINIT 00000000 RG 01
TSTAPE ***** X 01
```

! Psect synopsis !

PSECT name	Allocation	PSECT No.	Attributes
ABS	00000000 (0.)	00 (0.)	NOPIC USR CON ABS LCL NOSHR NOEXE NORD NOWRT NOVEC BYTE
\$\$\$ERFTAPEVECT	00000020 (32.)	01 (1.)	NOPIC USR CON REL LCL NOSHR EXE RD NOWRT NOVEC BYTE

! Performance indicators !

Phase	Page faults	CPU Time	Elapsed Time
Initialization	36	00:00:00.08	00:00:00.34
Command processing	123	00:00:00.43	00:00:01.85
Pass 1	66	00:00:00.26	00:00:00.76
Symbol table sort	0	00:00:00.00	00:00:00.00
Pass 2	26	00:00:00.18	00:00:00.63
Symbol table output	2	00:00:00.01	00:00:00.01
Psect synopsis output	1	00:00:00.02	00:00:00.02
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	257	00:00:00.98	00:00:03.61

The working set limit was 750 pages.
562 bytes (2 pages) of virtual memory were used to buffer the intermediate code.
There were 10 pages of symbol table space allocated to hold 5 non-local and 0 local symbols.
50 source lines were read in Pass 1, producing 11 object records in Pass 2.
0 pages of virtual memory were used to define 0 macros.

! Macro library statistics !

Macro library name	Macros defined
_\$255\$DUA28:[SYSLIB]STARLET.MLB;2	0

0 GETS were required to define 0 macros.

There were no errors, warnings or information messages.

MACRC/LIS=LIS\$:ERFTAPEVE/OBJ=OBJ\$:ERFTAPEVE MSRC\$:ERFTAPEVE/UPDATE=(ENH\$:ERFTAPEVE)

This image displays a grid of 144 small, faint screenshots of VAX/VMS system screens, arranged in 12 rows and 12 columns. Each screenshot shows a different system utility or its output, with titles such as:

- GETCODE LIS
- INITPROC1 LIS
- INITREAL LIS
- EXECIMAGE LIS
- ERFSUMM LIS
- ERFSTAPEVE LIS
- FILES LIS
- ERLOGSTS LIS
- ERLOGMSG LIS
- IMAGLOAD LIS
- INITDISK LIS
- INITPROC2 LIS
- INITPROC3 LIS
- INITPROC4 LIS
- INITPROC5 LIS
- INIT_TAPE LIS
- INTERVENE LIS
- ERFRTVEC LIS
- ERFSUMVEC LIS
- RM53271 LIS

The screens contain various data, including lists of files, system parameters, and status information, though the text is too small to read clearly.