

0000 1
0000 2
0000 3
0000 4
0000 5
0000 6
0000 7
0000 8
0000 9
0000 10
0000 11
0000 12
0000 13
0000 14
0000 15
0000 16
0000 17
0000 18
0000 19
0000 20
0000 21
0000 22
0000 23
0000 24
0000 25
0000 26
0000 27
0000 28
0000 29
0000 30
0000 31
0000 32
0000 33
0000 34
0000 35
0000 36
0000 37
0000 38
0000 39
0000 40
003C 0000 41
0002 0002 42
10 AC 0C AC 08 BC 04 AC 2C 0002 43
14 BC 000B
000D 44
04 000D 45
000E 46
003C 000E 47
0010 48
0C BC 08 BC 04 AC 28 0010 49
0017 50
04 0017 51
0018 52
0009 0018 53
001A 54
08 BC 04 BC 7D 001A 55
001F 56

.title movxx
.ident /V04-000/

```
*****
*
* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
* ALL RIGHTS RESERVED.
*
* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
* TRANSFERRED.
*
* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
* CORPORATION.
*
* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
*
*****
```

AUTHOR BRIAN PORTER CREATION DATE 17-DEC-1979

Modified by:

V01-001 EAD0102 Elliott A. Drayton 29-Feb-1984
Added psect statement to place this code in the \$CODE PSECT.

```
.psect $CODE,PIC,NOSHR,NOWRT
.entry movc5 ^m<r2,r3,r4,r5>
movc5 4(ap),a8(ap),12(ap),16(ap),a20(ap)

ret

.entry movc3 ^m<r2,r3,r4,r5>
movc3 4(ap),a8(ap),a12(ap)

ret

.entry movq ^m<>
movq a4(ap),a8(ap)
```


The image displays a grid of 150 terminal windows, arranged in 10 rows and 15 columns. Each window shows a different system utility or data view. The windows are organized into several groups:

- Message and Mail Utilities:** Includes windows for MESSAGE LIS, MLI LIS, MSCP LIS, MFTAPE LIS, and MOUNT LIS.
- Memory and Storage Utilities:** Includes MEMORYS LIS and MCHK.DISP LIS.
- System and Configuration Utilities:** Includes windows for MOUNTX LIS, MOUNTY LIS, MOUNTZ LIS, MOUNTA LIS, MOUNTB LIS, MOUNTC LIS, MOUNTD LIS, MOUNTE LIS, MOUNTF LIS, MOUNTG LIS, MOUNTH LIS, MOUNTI LIS, MOUNTJ LIS, MOUNTK LIS, MOUNTL LIS, MOUNTM LIS, MOUNTN LIS, MOUNTO LIS, MOUNTP LIS, MOUNTQ LIS, MOUNTR LIS, MOUNTS LIS, MOUNTT LIS, MOUNTU LIS, MOUNTV LIS, MOUNTW LIS, MOUNTX LIS, MOUNTY LIS, MOUNTZ LIS, MOUNTA LIS, MOUNTB LIS, MOUNTC LIS, MOUNTD LIS, MOUNTE LIS, MOUNTF LIS, MOUNTG LIS, MOUNTH LIS, MOUNTI LIS, MOUNTJ LIS, MOUNTK LIS, MOUNTL LIS, MOUNTM LIS, MOUNTN LIS, MOUNTO LIS, MOUNTP LIS, MOUNTQ LIS, MOUNTR LIS, MOUNTS LIS, MOUNTT LIS, MOUNTU LIS, MOUNTV LIS, MOUNTW LIS.
- System Status and Performance:** Includes windows for SYSTEM STATUS, PERFORMANCE, and various system configuration screens.
- Data and Reports:** Includes windows for data listings, reports, and system logs.

Each window contains text-based data, including headers, lists of entries, and status indicators. The text is rendered in a monospaced font, typical of early computer terminals.