

```

EEEEEEEEEEEEEEEEEE RRRRRRRRRRRR FFFFFFFF
EEEEEEEEEEEEEEEEEE RRRRRRRRRRRR FFFFFFFF
EEEEEEEEEEEEEEEEEE RRRRRRRRRRRR FFFFFFFF
EEE RRR RRR FFF
EEE RRR RRR FFF
EEE RRR RRR FFF
EEE RRR RRR FFF
EEE RRR RRR FFF
EEE RRR RRR FFF
EEEEEEEEEEEEEEEEEE RRRRRRRRRRRR FFFFFFFF
EEEEEEEEEEEEEEEEEE RRRRRRRRRRRR FFFFFFFF
EEEEEEEEEEEEEEEEEE RRRRRRRRRRRR FFFFFFFF
EEE RRR RRR FFF
EEE RRR RRR FFF
EEE RRR RRR FFF
EEE RRR RRR FFF
EEE RRR RRR FFF
EEE RRR RRR FFF
EEEEEEEEEEEEEEEEEE RRRRRRRRRRRR FFFF
EEEEEEEEEEEEEEEEEE RRRRRRRRRRRR FFFF
EEEEEEEEEEEEEEEEEE RRRRRRRRRRRR FFFF

```

[illegible]

[illegible]

E 14
16-Sep-1984 00:27:09
5-Sep-1984 14:10:01

VAX-11 FORTRAN V3.4-56
DISK\$VMSMASTER:[ERF.SRC]OUTPUT.FOR;1

Page 1

```
0001 C
0002 C Version: 'V04-000'
0003 C
0004 C*****
0005 C*
0006 C* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0007 C* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0008 C* ALL RIGHTS RESERVED.
0009 C*
0010 C* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0011 C* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0012 C* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0013 C* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0014 C* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0015 C* TRANSFERRED.
0016 C*
0017 C* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0018 C* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0019 C* CORPORATION.
0020 C*
0021 C* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0022 C* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0023 C*
0024 C*
0025 C*****
0026 C
0027 C
0028 C
0029 C AUTHOR BRIAN PORTER CREATION DATE 07-MAR-79
0030 C
0031 C
0032 C
0033 C++
0034 C Functional description:
0035 C
0036 C This routine outputs the bit-to-text translation for a given
0037 C register bit field. The bit-to-text translation is controlled by
0038 C argument FLAG. If FLAG is '0' then all set bits are translated.
0039 C If FLAG is '1' then all clear bits are translated. If FLAG is '2'
0040 C then all bits are translated according to their polarity.
0041 C
0042 C Modified by:
0043 C
0044 C v03-001 BP0001 Brian Porter, 20-AUG-1982
0045 C Added some definitions.
0046 C**
0047 C--
0048 C
0049 C
0050 C
0051 C subroutine output (lun,register_mask,text_array,text_array_base,
0052 C 1 translation_start_bit,translation_end_bit,translation_control_flag)
0053 C
0054 C
0055 C
0056 C
0057 C byte lun
```



```
0058
0059      byte      translation_control_flag
0060
0061      integer*4   text_array_base
0062
0063      integer*4   translation_start_bit
0064
0065      integer*4   translation_end_bit
0066
0067      integer*4   register_mask
0068
0069      integer*4   polarity
0070
0071      integer*4   lib$extzv
0072
0073      integer*4   compressc
0074
0075      character*(*) text_array(text_array_base:translation_end_bit,0:1)
0076
0077
0078
0079
0080      do 100,i = translation_start_bit,translation_end_bit
0081
0082      polarity = lib$extzv (i,1,register_mask)
0083
0084      if ((translation_control_flag .eq. '0'
0085      1 .and.
0086      1 polarity .eq. 1)
0087      1 .or.
0088      1 (translation_control_flag .eq. '1'
0089      1 .and.
0090      1 polarity .eq. 0)) then
0091
0092      call linchk (lun,1)
0093
0094      write(lun,10) text_array(i,0)
0095 10      format(' ',t40,a<compressc (text_array(i,0))>)
0096
0097      else if (translation_control_flag .eq. '2') then
0098
0099      call linchk (lun,1)
0100
0101      write(lun,20) text_array(i,polarity)
0102 20      format(' ',t40,a<compressc (text_array(i,polarity))>)
0103      endif
0104
0105 100      continue
0106
0107      return
0108
0109      end
```

OUTPUT

G 14
16-Sep-1984 00:27:09
5-Sep-1984 14:10:01

VAX-11 FORTRAN V3.4-56
DISK\$VMSMASTER:[ERF.SRC]OUTPUT.FOR;1

Page 3

PROGRAM SECTIONS

Name	Bytes	Attributes
0 \$CODE	375	PIC CON REL LCL SHR EXE RD NOWRT LONG
1 \$PDATA	28	PIC CON REL LCL SHR NOEXE RD NOWRT LONG
2 \$LOCAL	108	PIC CON REL LCL NOSHR NOEXE RD WRT LONG
Total Space Allocated	511	

ENTRY POINTS

Address	Type	Name
0-00000000		OUTPUT

VARIABLES

Address	Type	Name	Address	Type	Name
2-00000004	I*4	I	AP-00000004a	L*1	LUN
2-00000000	I*4	POLARITY	AP-00000008a	I*4	REGISTER_MASK
AP-00000010a	I*4	TEXT_ARRAY_BASE	AP-0000001Ca	L*1	TRANSLATION_CONTROL_FLAG
AP-00000018a	I*4	TRANSLATION_END_BIT	AP-00000014a	I*4	TRANSLATION_START_BIT

ARRAYS

Address	Type	Name	Bytes	Dimensions
2-00000008a	CHAR	TEXT_ARRAY	**	(*:*, 0:1)

LABELS

Address	Label	Address	Label	Address	Label
1-00000004	10'	1-00000010	20'	**	100

FUNCTIONS AND SUBROUTINES REFERENCED

Type	Name	Type	Name	Type	Name
I*4	COMPRESSC	I*4	LIB\$EXTZV		LINCHK


```
0001
0002
0003
0004 Subroutine OUTPUT_MLINES (lun,string,sub_string,field_length)
0005
0006
0007
0008 C++
0009 C Author: Sharon Reynolds Creation date: 19-Mar-1981
0010 C
0011 C
0012 C Functional description:
0013 C
0014 C This module will take the passed character string and separate
0015 C it at the delimiting character(s) and output it. If there are
0016 C no delimiting characters found, the string will be output
0017 C on one line.
0018 C Because this routine is an interim solution for outputting
0019 C multiple lines of text, there are two restrictions; (1) the
0020 C passed string will only be separated into six lines and (2) the
0021 C passed string can only be 192 characters in length (six lines for
0022 C 32 character field). These restrictions may be changed by manipulating
0023 C the size of 'array' and 'c_string'.
0024 C
0025 C Modified by:
0026 C++
0027 C--
0028
0029
0030 Byte lun
0031
0032
0033 Integer*4 field_length
0034 Integer*4 cnt
0035 Integer*4 num_lines
0036 Integer*4 sub_string_pos
0037 Integer*4 ret_status
0038 Integer*4 rstatus
0039 Integer*4 I
0040
0041 integer*4 str$left
0042
0043 integer*4 str$right
0044
0045 Character*(*) string
0046
0047 Character*80 array(0:5)
0048 Character*1 sub_string
0049 Character*192 c_string
0050
0051
0052 C
0053 C Initialize necessary variables
0054 C
0055
0056 Cnt = 0
0057
```

```
0058      C_string = string
0059
0060      C
0061      C      Locate the first occurrence of the delimiter symbol in the string
0062      C
0063
0064      Sub_string_pos = INDEX (c_string,sub_string)
0065
0066      C
0067      C      If there was no delimiter symbol in the string then output it
0068      C      on one line using the field length that was passed via the call
0069      C
0070
0071      If (sub_string_pos .eq. 0) then
0072
0073      Call LINCHK (lun,1)
0074      Write (lun,10) string
0075      10      Format (' ',T40,A<field_length>)
0076
0077      Return
0078      Endif
0079
0080      C
0081      C      There was a delimiter symbol found in the string; separate the
0082      C      string at the delimiter
0083      C
0084
0085      20      Ret_status = STR$LEFT (array(cnt),c_string,(sub_string_pos - 1))
0086
0087      Cnt = cnt + 1
0088
0089      Rstatus = STR$RIGHT (array(cnt),c_string,(sub_string_pos + 1))
0090
0091      C
0092      C      See if there is another delimiter symbol in the second portion
0093      C      of the string and make a copy of the string
0094      C
0095
0096      Sub_string_pos = INDEX (array(cnt),sub_string)
0097
0098      C_String = array(cnt)
0099
0100      C
0101      C      Check to see if the string has been separated into the maximum
0102      C      number of lines and if so, output the strings
0103      C
0104
0105      If (cnt .eq. 5) then
0106
0107      Goto 25
0108      Endif
0109
0110      C
0111      C      Check to see if a delimiter symbol was found in the second
0112      C      portion of the string and if so, go separate the string
0113      C      again
0114      C
```



```
0115
0116      If (sub_string_pos .ne. 0) then
0117
0118      Goto 20
0119
0120      Endif
0121
0122      C
0123      C      The strings are ready to be output so do it.
0124      C
0125
0126      25      Num_lines = cnt
0127             Cnt = 0
0128
0129             Call LINCHK (lun,(num_lines))
0130
0131             Write (lun,27) array(cnt)
0132      27      Format (' ',T40,A<field_length>)
0133
0134             Do 40, I=1, num_lines
0135
0136             Cnt = cnt + 1
0137
0138             Write (lun,30) array(cnt)
0139      30      Format (' ',T40,'-',A<field_length>)
0140
0141      40      Continue
0142
0143      100     Return
0144      END
```


OUTPUT_MLINES

K 14
16-Sep-1984 00:27:09
5-Sep-1984 14:10:01

VAX-11 FORTRAN V3.4-56
DISK\$VMSMASTER:[ERF.SRC]OUTPUT.FOR;1

Page 7

PROGRAM SECTIONS

Name	Bytes	Attributes									
0 \$CODE	414	PIC	CON	REL	LCL	SHR	EXE	RD	NOWRT	LONG	
1 \$PDATA	44	PIC	CON	REL	LCL	SHR	NOEXE	RD	NOWRT	LONG	
2 \$LOCAL	804	PIC	CON	REL	LCL	NOSHR	NOEXE	RD	WRT	LONG	
Total Space Allocated	1262										

ENTRY POINTS

Address	Type	Name
0-00000000		OUTPUT_MLINES

VARIABLES

Address	Type	Name	Address	Type	Name
2-000002A0	I*4	CNT	2-000001E0	CHAR	C_STRING
2-000002B8a	I*4	FIELD_LENGTH	2-000002B4	I*4	I
AP-00000004a	L*1	LUN	2-000002A4	I*4	NUM_LINES
2-000002AC	I*4	RET_STATUS	2-000002B0	I*4	RSTATUS
AP-00000008a	CHAR	STRING	AP-0000000Ca	CHAR	SUB_STRING
2-000002A8	I*4	SUB_STRING_POS			

ARRAYS

Address	Type	Name	Bytes	Dimensions
2-00000000	CHAR	ARRAY	480	(0:5)

LABELS

Address	Label	Address	Label	Address	Label	Address	Label	Address	Label	Address	Label
1-00000004	10'	0-0000006E	20	0-000000EE	25	1-00000010	27'	1-0000001C	30'	**	40
**	100										

FUNCTIONS AND SUBROUTINES REFERENCED

Type	Name	Type	Name	Type	Name	Type	Name
I*4	LIB\$INDEX		LINCHK	I*4	STR\$LEFT	I*4	STR\$RIGHT

OUTPUT_MLINES

L 14
16-Sep-1984 00:27:09
5-Sep-1984 14:10:01

VAX-11 FORTRAN V3.4-56
DISK\$VMSMASTER:[ERF.SRC]OUTPUT.FOR;1 Page 8

COMMAND QUALIFIERS

FORTRAN /LIS=LISS:OUTPUT/OBJ=OBJ\$:OUTPUT MSRC\$:OUTPUT

/CHECK=(NOBOUNDS,OVERFLOW,NOUNDERFLOW)

/DEBUG=(NOSYMBOLS,TRACEBACK)

/STANDARD=(NOSYNTAX,NOSOURCE FORM)

/SHOW=(NOPREPROCESSOR,NOINCLUDE,MAP)

/F77 /NOG_FLOATING /14 /OPTIMIZE /WARNINGS /NOD_LINES /NOCROSS_REFERENCE /NOMACHINE_CODE /CONTINUATIONS=19

COMPILATION STATISTICS

Run Time:	2.62 seconds
Elapsed Time:	8.29 seconds
Page Faults:	130
Dynamic Memory:	174 pages

0152 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

