


```

EEEEEEEEEE VV VV LL IIIIII BBBB BBBB RRRRRRRR AAAAAA RRRRRRRR YY YY
EEEEEEEEEE VV VV LL IIIIII BBBB BBBB RRRRRRRR AAAAAA RRRRRRRR YY YY
EE VV VV LL II BBBB BB RR RR AA AA RR RR YY YY
EE VV VV LL II BBBB BB RR RR AA AA RR RR YY YY
EE VV VV LL II BBBB BB RR RR AA AA RR RR YY YY
EEEEEEEEEE VV VV LL IIIIII BBBB BBBB RRRRRRRR AAAAAA RRRRRRRR YY YY
EEEEEEEEEE VV VV LL IIIIII BBBB BBBB RRRRRRRR AAAAAA RRRRRRRR YY YY
EE VV VV LL II BBBB BB RR RR AA AA RR RR YY YY
EE VV VV LL II BBBB BB RR RR AA AA RR RR YY YY
EE VV VV LL IIIIII BBBB BBBB RRRRRRRR AAAAAA RRRRRRRR YY YY
EEEEEEEEEE VV VV LLLLLLLLLL IIIIII BBBB BBBB RRRRRRRR AAAAAA RRRRRRRR YY YY
EEEEEEEEEE VV VV LLLLLLLLLL IIIIII BBBB BBBB RRRRRRRR AAAAAA RRRRRRRR YY YY

```

```

BBBBBBBB 333333 222222
BBBBBBBB 333333 222222
BB BB 33 33 22 22
BB BB 33 33 22 22
BB BB 33 33 22 22
BBBBBBBB 33 22 22
BBBBBBBB 33 22 22
BB BB 33 22 22
BB BB 33 22 22
BB BB 33 22 22
BBBBBBBB 333333 2222222222
BBBBBBBB 333333 2222222222

```

```

....
....
....
....

```

.....

XTITLE 'EVLIBRARY Symbol Definition Library'

MODULE EVLIBRARY (
LANGUAGE (BLISS32),
IDENT = 'V04-000'
) =

BEGIN

```

*****
*
* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
* ALL RIGHTS RESERVED.
*
* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
* TRANSFERRED.
*
* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
* CORPORATION.
*
* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
*
*****

```

```

++
FACILITY: DECnet Event Logging (EVL)
ABSTRACT:
Event Logging Library of Common Definitions
ENVIRONMENT: VAX/VMS Operating System
AUTHOR: Darrell Duffy , CREATION DATE: 15-June-1980
MODIFIED BY:
V001 TMH0001 Tim Halvorsen 25-Jun-1981
Remove some obsolete definitions
--

```

```
%SBTTL 'Definitions'
```

```
Structure declarations used for system defined structures to  
save typing. These structures are byte sized.  
(Thanks to A. Goldstein)
```

```
STRUCTURE  
  BBLOCK [O, P, S, E; N] =  
    [N]  
    (BBLOCK+O)<P,S,E>,  
  BBLOCKVECTOR [I, O, P, S, E; N, BS] =  
    [N*BS]  
    ((BBLOCKVECTOR+I*BS)+O)<P,S,E>  
  ;
```

```
Macro to create a bit id value for net control qio macros
```

```
$BITID  
(  
  Component prefix LNI, NDI, OBI, DLI, ...  
  Type of parameter V, L, S  
  Identifier for bit  
)
```

```
MACRO
```

```
$BITID (COMP, TYP, ID) =  
(  
  ( %NAME (COMP, '%C_', TYP, '_MASK') ) ^16 +  
  ( $BITPOSITION (%NAME (COMP, '%V_', TYP, '_'), ID) ) )  
)  
%;
```

%SBTTL 'Equated Symbols'

! EQUATED SYMBOLS:

LITERAL	TRUE	= 1;
	FALSE	= 0;
	SUCCESS	= 1;
	FAILURE	= 0;

!END
!ELUDOM

.....

