

```

EEEEEEEEEE XX XX AAAAAA MM MM PPPPPPPP LL EEEEEEEEEE SSSSSSSS
EEEEEEEEEE XX XX AAAAAA MM MM PPPPPPPP LL EEEEEEEEEE SSSSSSSS
EEEEEEEEEE XX XX AAAAAA MM MM PPPPPPPP LL EEEEEEEEEE SSSSSSSS
EE XX XX AA AA MMMM MMMM PP PP LL EE SS
EE XX XX AA AA MMMM MMMM PP PP LL EE SS
EE XX XX AA AA MMMM MMMM PP PP LL EE SS
EE XX XX AA AA MM MM MM PP PP LL EE SS
EE XX XX AA AA MM MM MM PP PP LL EE SS
EE XX XX AA AA MM MM MM PP PP LL EE SS
EEEEEEEEEE XX XX AA AA MM MM PPPPPPPP LL EEEEEEEEEE SSSSSSSS
EEEEEEEEEE XX XX AA AA MM MM PPPPPPPP LL EEEEEEEEEE SSSSSSSS
EEEEEEEEEE XX XX AA AA MM MM PPPPPPPP LL EEEEEEEEEE SSSSSSSS
EE XX XX AAAAAAAAAA MM MM PP LL EE SS
EE XX XX AAAAAAAAAA MM MM PP LL EE SS
EE XX XX AAAAAAAAAA MM MM PP LL EE SS
EE XX XX AA AA MM MM PP LL EE SS
EE XX XX AA AA MM MM PP LL EE SS
EE XX XX AA AA MM MM PP LL EE SS
EEEEEEEEEE XX XX AA AA MM MM PP LLLLLLLLLL EEEEEEEEEE SSSSSSSS
EEEEEEEEEE XX XX AA AA MM MM PP LLLLLLLLLL EEEEEEEEEE SSSSSSSS
EEEEEEEEEE XX XX AA AA MM MM PP LLLLLLLLLL EEEEEEEEEE SSSSSSSS

```


!FILE:CONNECT.COM

! This command file loads the connect-to-interrupt handler (CONINTERR) and
! then connects the KW11-K to to it.

\$ R SYS\$SYSTEM:SYSGEN

LOAD CONINTERR

CONNECT KWA0 /ADAPTER=3/CSR=%0770444/VEC=%0404/DRIVER=CONINTERR

\$ Exit

