

```

EEEEEEEEEE XX XX AAAAAA MM MM PPPPPPPP LL EEEEEEEEE SSSSSSSS
EEEEEEEEEE XX XX AAAAAA MM MM PPPPPPPP LL EEEEEEEEE SSSSSSSS
EEEEEEEEEE XX XX AAAAAA MM MM PPPPPPPP LL EEEEEEEEE SSSSSSSS
EE XX XX AA AA MMMM MMMM PP PP LL EE SS
EE XX XX AA AA MMMM MMMM PP PP LL EE SS
EE XX XX AA AA MMMM MMMM PP PP LL EE SS
EE XX XX AA AA MM MM MM PP PP LL EE SS
EE XX XX AA AA MM MM MM PP PP LL EE SS
EEEEEEEE XX XX AA AA MM MM PPPPPPPP LL EEEEEEEEE SSSSSSS
EEEEEEEE XX XX AA AA MM MM PPPPPPPP LL EEEEEEEEE SSSSSSS
EEEEEEEE XX XX AA AA MM MM PPPPPPPP LL EEEEEEEEE SSSSSSS
EE XX XX AAAAAAAAAA MM MM PP LL EE SS
EE XX XX AAAAAAAAAA MM MM PP LL EE SS
EE XX XX AAAAAAAAAA MM MM PP LL EE SS
EE XX XX AA AA MM MM PP LL EE SS
EE XX XX AA AA MM MM PP LL EE SS
EE XX XX AA AA MM MM PP LL EE SS
EEEEEEEEEE XX XX AA AA MM MM PP LLLLLLLLLL EEEEEEEEE SSSSSSSS
EEEEEEEEEE XX XX AA AA MM MM PP LLLLLLLLLL EEEEEEEEE SSSSSSSS
EEEEEEEEEE XX XX AA AA MM MM PP LLLLLLLLLL EEEEEEEEE SSSSSSSS

```



```

++
MAILCVT.COM - Convert multiple V3 sequential files into V4 folders

```

```

ABSTRACT: Sample command procedure to convert multiple
V3 sequential files into V4 folders.

```

```

To add the messages from a single V3 sequential
mail file into a V4 mail file folder, issue the
follow sequence of commands in MAIL.

```

```

MAIL> SET FILE v3-sequential-file-name
MAIL> COPY /ALL folder-name v4-isam-file-name

```

#### INPUT PARAMETERS:

- p1 - the file specification of the V3 mail files to convert. Wildcards are allowed. The default file specification applied is \*.MAI
- p2 - the V4 ISAM format output file. the default file specification applied is SYSS\$LOGIN:MAIL.MAI.

```

OUTPUT: V4 ISAM format MAIL file.

```

#### IMPLICIT OUTPUT:

```

The old version of the output file, if it exists, will
be deleted.

```

```

--
set = "SET"
if = "IF"
write = "WRITE"
open = "OPEN"
goto = "GOTO"
close = "CLOSE"
delete = "DELETE"
convert = "CONVERT"
exit = "EXIT"
v = f$verify(0)
set noon
if p1 .eqs. "" then p1 = "*.mai"
outfile = f$parse(p2,"sys$login:mail.mai")
write sys$output "%MAILCVT-I-Output file will be ",outfile
lastfile = ""
mypid = f$getjpi(0,"pid")
tmpfile = "sys$login:cvt" + mypid + ".tmp"
open /write f1 'tmpfile'
write f1 '$ mail'
search_string = f$parse(p1,"sys$login:.mai")
$convert:

```



MAILCUT  
COM

SYSGTTSTR  
MSG

USSLNK  
COM

EXCDEF5  
SDL

EXCLIB  
B32

EXCREQ  
R32

EXCCOPY  
LIS

MAILUAF  
COM

USSTLNK  
COM

EXCHNG

EXCLDTBL  
LIS

XATEST  
COM

EXCHANGE  
MAP

LABIO  
OPT

MSCPMOUNT  
COM

LABIOCIN  
OPT

EXCCMD  
LIS

DRCOPY  
PRM