

```

EEEEEEEEEE XX XX AAAAAA MM MM PPPPPPPP LL EEEEEEEEE SSSSSSSS
EEEEEEEEEE XX XX AAAAAA MM MM PPPPPPPP LL EEEEEEEEE SSSSSSSS
EEEEEEEEEE XX XX AAAAAA MM MM PPPPPPPP LL EEEEEEEEE SSSSSSSS
EE XX XX AA AA MMMM MMMM PP PP LL EE SS
EE XX XX AA AA MMMM MMMM PP PP LL EE SS
EE XX XX AA AA MMMM MMMM PP PP LL EE SS
EE XX XX AA AA MM MM MM PP PP LL EE SS
EE XX XX AA AA MM MM MM PP PP LL EE SS
EEEEEEEEEE XX XX AA AA MM MM PPPPPPPP LL EEEEEEEEE SSSSSSS
EEEEEEEEEE XX XX AA AA MM MM PPPPPPPP LL EEEEEEEEE SSSSSSS
EEEEEEEEEE XX XX AA AA MM MM PPPPPPPP LL EEEEEEEEE SSSSSSS
EE XX XX AAAAAAAAAA MM MM PP LL EE SS
EE XX XX AAAAAAAAAA MM MM PP LL EE SS
EE XX XX AAAAAAAAAA MM MM PP LL EE SS
EE XX XX AA AA MM MM PP LL EE SS
EE XX XX AA AA MM MM PP LL EE SS
EE XX XX AA AA MM MM PP LL EE SS
EEEEEEEEEE XX XX AA AA MM MM PP LLLLLLLLLL EEEEEEEEE SSSSSSSS
EEEEEEEEEE XX XX AA AA MM MM PP LLLLLLLLLL EEEEEEEEE SSSSSSSS
EEEEEEEEEE XX XX AA AA MM MM PP LLLLLLLLLL EEEEEEEEE SSSSSSSS

```



```
$!  
$! Command file to link User System Service example.  
$!  
$ LINK/PROTECT/NOSYSSHR/SHARE=USS/MAP=USS/FULL SYSS$INPUT/OPTIONS  
$ Options file for the Link of User System Service example.  
$ SYSS$SYSTEM:SYS.STB/SELECTIVE  
$ Create a separate cluster for the transfer vector.  
$ CLUSTER=TRANSTER_VECTOR,,,SYSS$DISK:[ ]USSDISP.OBJ  
$ GSMATCH=LEQUAL,1,1
```

MAILCUT
COM

SYSGTTSTR
MSG

USSLNK
COM

EXCDEF5
SDL

EXCLIB
B32

EXCREQ
R32

EXCCOPY
LIS

MAILUAF
COM

USSTLNK
COM

EXCHNG

EXCLDTBL
LIS

XATEST
COM

EXCHANGE
MAP

EXCCMD
LIS

LABIO
OPT

MSCPMOUNT
COM

LABIOCIN
OPT

DRCOPY
PRM