

FFFFFFFFFFFFFFFF	111	111	AAAAAAAAA	
FFFFFFFFFFFFFFFF	111	111	AAAAAAAAA	
FFFFFFFFFFFFFFFF	111	111	AAAAAAAAA	
FFF	111111	111111	AAA	AAA
FFF	111111	111111	AAA	AAA
FFF	111111	111111	AAA	AAA
FFF	111	111	AAA	AAA
FFF	111	111	AAA	AAA
FFF	111	111	AAA	AAA
FFFFFFFFFFFFFF	111	111	AAA	AAA
FFFFFFFFFFFFFF	111	111	AAA	AAA
FFFFFFFFFFFFFF	111	111	AAA	AAA
FFF	111	111	AAAAAAAAAAAAAAAA	
FFF	111	111	AAAAAAAAAAAAAAAA	
FFF	111	111	AAAAAAAAAAAAAAAA	
FFF	111	111	AAA	AAA
FFF	111	111	AAA	AAA
FFF	111	111	AAA	AAA
FFF	111	111	AAA	AAA
FFF	111111111	111111111	AAA	AAA
FFF	111111111	111111111	AAA	AAA
FFF	111111111	111111111	AAA	AAA


```
LL      000000      GGGGGGGG      DDDDDDDD      EEEEEEEEEEE      LL
LL      000000      GGGGGGGG      DDDDDDDD      EEEEEEEEEEE      LL
LL      00      00      GG      DD      DD      EE      LL
LL      00      00      GG      DD      DD      EE      LL
LL      00      00      GG      DD      DD      EE      LL
LL      00      00      GG      DD      DD      EE      LL
LL      00      00      GG      DD      DD      EE      LL
LL      00      00      GG      DD      DD      EE      LL
LL      00      00      GG      DD      DD      EE      LL
LL      00      00      GG      DD      DD      EE      LL
LL      00      00      GG      DD      DD      EE      LL
LLLLLLLLLL      000000      GGGGGG      DDDDDDDD      EEEEEEEEEEE      LLLLLLLLLLL
LLLLLLLLLL      000000      GGGGGG      DDDDDDDD      EEEEEEEEEEE      LLLLLLLLLLL
```

```
LL      IIIIII      SSSSSSSS
LL      IIIIII      SSSSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SSSSSS
LL      II      SSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LLLLLLLLLL      IIIIII      SSSSSSSS
LLLLLLLLLL      IIIIII      SSSSSSSS
```

```
1 0001 0 MODULE LOGDEL (
2 0002 0 LANGUAGE (BLISS32),
3 0003 0 IDENT = 'V04-000'
4 0004 0 ) =
5 0005 1 BEGIN
6 0006 1
7 0007 1
8 0008 1 *****
9 0009 1 *
10 0010 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
11 0011 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
12 0012 1 * ALL RIGHTS RESERVED.
13 0013 1 *
14 0014 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
15 0015 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
16 0016 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
17 0017 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
18 0018 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
19 0019 1 * TRANSFERRED.
20 0020 1 *
21 0021 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
22 0022 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
23 0023 1 * CORPORATION.
24 0024 1 *
25 0025 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
26 0026 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
27 0027 1 *
28 0028 1 *
29 0029 1 *****
30 0030 1
31 0031 1 ++
32 0032 1
33 0033 1 FACILITY: F11ACP Structure Level 1
34 0034 1
35 0035 1 ABSTRACT:
36 0036 1
37 0037 1 This routine sends a message to log each delete operation that takes
38 0038 1 place.
39 0039 1
40 0040 1 ENVIRONMENT:
41 0041 1
42 0042 1 STARLET operating system, including privileged system services
43 0043 1 and internal exec routines.
44 0044 1
45 0045 1 --
46 0046 1
47 0047 1
48 0048 1 AUTHOR: Andrew C. Goldstein, CREATION DATE: 21-Jul-1978 13:10
49 0049 1
50 0050 1 MODIFIED BY:
51 0051 1
52 0052 1 A0100 ACG0001 Andrew C. Goldstein, 10-Oct-1978 20:01
53 0053 1 Previous revision history moved to F11A.REV
54 0054 1
55 0055 1 **
56 0056 1
57 0057 1
```


LOGDEL
V04-000

: 58
: 59

0058 1 LIBRARY 'SYS\$LIBRARY:LIB;L32';
0059 1 REQUIRE 'SRC\$FCPDEF.B32';

L 16
16-Sep-1984 01:08:59
14-Sep-1984 12:29:41

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[F11A.SRC]LOGDEL.B32;1 Page (1)

LOGDEL
V04-000

M 16
16-Sep-1984 01:08:59
14-Sep-1984 12:29:41

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[F11A.SRC]LOGDEL.B32;1
Page 3
(2)

```

: 61      0374 1  !+
: 62      0375 1  !
: 63      0376 1  ! Format of message to the delete logger
: 64      0377 1  !
: 65      0378 1  !-
: 66      0379 1  !
: 67      0380 1  MACRO
: 68      0381 1      MSG_TIME      = 00, 0, 0, 0%, ! time of day (8 bytes)
: 69      0382 1      MSG_DEVNAME   = 08, 0, 32, 0%, ! device name (counted ascii)
: 70      0383 1      MSG_UNIT      = 12, 0, 16, 0%, ! unit number
: 71      0384 1      MSG_DID       = 14, 0, 0, 0%, ! directory ID (6 bytes)
: 72      0385 1      MSG_FILENAME  = 20, 0, 0, 0%, ! file name (20 bytes)
: 73      0386 1      MSG_OWNER     = 40, 0, 32, 0%, ! file owner UIC
: 74      0387 1      MSG_PROCNAME  = 44, 0, 0, 0%, ! process name (16 bytes)
: 75      0388 1      MSG_UIC      = 60, 0, 32, 0%, ! process UIC
: 76      0389 1
: 77      0390 1  LITERAL
: 78      0391 1      MESSAGE_LENGTH = 64;           ! length of message
```



```

80 0392 1 GLOBAL ROUTINE LOG_DELETE (FIB, HEADER) : NOVALUE =
81 0393 1
82 0394 1 ++
83 0395 1
84 0396 1 FUNCTIONAL DESCRIPTION:
85 0397 1
86 0398 1 This routine sends a message to log each delete operation that takes
87 0399 1 place.
88 0400 1
89 0401 1
90 0402 1 CALLING SEQUENCE:
91 0403 1 LOG_DELETE (ARG1, ARG2)
92 0404 1
93 0405 1 INPUT PARAMETERS:
94 0406 1 ARG1: address of user FIB
95 0407 1 ARG2: address of file header
96 0408 1
97 0409 1 IMPLICIT INPUTS:
98 0410 1 IO_PACKET: address of I/O request packet
99 0411 1
100 0412 1 OUTPUT PARAMETERS:
101 0413 1 NONE
102 0414 1
103 0415 1 IMPLICIT OUTPUTS:
104 0416 1 NONE
105 0417 1
106 0418 1 ROUTINE VALUE:
107 0419 1 NONE
108 0420 1
109 0421 1 SIDE EFFECTS:
110 0422 1 message sent to delete logger mailbox
111 0423 1
112 0424 1 --
113 0425 1
114 0426 2 BEGIN
115 0427 2
116 0428 2 MAP
117 0429 2 FIB : REF BBLOCK, ! user FIB
118 0430 2 HEADER : REF BBLOCK; ! file header arg
119 0431 2
120 0432 2 LOCAL
121 0433 2 MESSAGE : BBLOCK [MESSAGE_LENGTH], ! message buffer
122 0434 2 IDENT_AREA : REF BBLOCK, ! address of header ident area
123 0435 2 PCB : REF BBLOCK, ! address of caller PCB
124 0436 2 CHANNEL : WORD; ! channel assigned to mailbox
125 0437 2
126 0438 2 EXTERNAL
127 0439 2 IO_PACKET : REF BBLOCK, ! address of I/O packet
128 0440 2 CURRENT_UCB : REF BBLOCK, ! address of device UCB
129 0441 2 SCH$GL_PCBVEC : REF VECTOR ADDRESSING_MODE (ABSOLUTE);
130 0442 2 ! system PCB vector
131 0443 2
132 0444 2 EXTERNAL ROUTINE
133 0445 2 MAKE_STRING; ! make string from RAD-50 file name
134 0446 2
135 0447 2
136 0448 2 ! Assign a channel to the mailbox. If the assignment fails, the logger is not
```



```
137 0449 2 ! running. Then build the message and send it.
138 0450 2 !
139 0451 2
140 0452 2 IF NOT $ASSIGN (CHAN = CHANNEL, DEVNAM = DESCRIPTOR ('ACP$DELLOG_MBX'))
141 0453 2 THEN RETURN;
142 0454 2
143 0455 2 $GETTIM (TIMADR = MESSAGE[MSG TIME]); ! time of day
144 0456 2 MESSAGE[MSG_DEVNAME] = .(BLOCK [.CURRENT_UCB[UCB$L_DDB], DDB$T_NAME])<0,32>;
145 0457 2 MESSAGE[MSG_UNIT] = .CURRENT_UCB[UCB$W_UNIT];
146 0458 2 CH$MOVE (FIB$S DID, FIB[FIB$W DID], MESSAGE[MSG DID]);
147 0459 2 IDENT AREA = .HEADER + .HEADER[FH1$B IDOFFSET]*2;
148 0460 2 CH$FICL (' ', 20, MESSAGE[MSG_FILENAME]);
149 0461 2 MAKE STRING (IDENT AREA[FH1$W_FILENAME]-6, MESSAGE[MSG_FILENAME]);
150 0462 2 MESSAGE[MSG_OWNER] = .(HEADER[FH1$W_FILEOWNER])<0,8>;
151 0463 2 (MESSAGE[MSG_OWNER])<16,8> = .(HEADER[FH1$W_FILEOWNER])<8,8>;
152 0464 2 PCB = .SCH$G[PCBVEC[.IO_PACKET[IRPS$L_PID]]<0,16>];
153 0465 2 CH$MOVE (PCB$S LNAME, PCB[PCB$T LNAME], MESSAGE[MSG_PROCNAME]);
154 0466 2 MESSAGE[MSG_UIC] = .PCB[PCB$L_UIC];
155 0467 2
156 P 0468 2 $QIOW (
157 P 0469 2     CHAN = .CHANNEL,
158 P 0470 2     FUNC = IOS$WRITEVBLK OR IOS$M_NOW,
159 P 0471 2     P1 = MESSAGE,
160 P 0472 2     P2 = MESSAGE_LENGTH
161 0473 2 );
162 0474 2
163 0475 2 $DASSGN (CHAN = .CHANNEL);
164 0476 2
165 0477 1 END; ! end of routine LOG_DELETE
```

.TITLE LOGDEL
.IDENT \V04-000\

.PSECT \$CODE\$,NOWRT,2

.ASCII \ACP\$DELLOG_MBX\

.BLKB 2

.LONG 14

.ADDRESS P.AAB

.EXTRN IO_PACKET, CURRENT_UCB
.EXTRN SCH\$GL PCBVEC, MAKE_STRING
.EXTRN SYSS\$ASSIGN, SYSS\$GETTIM
.EXTRN SYSS\$QIOW, SYSS\$DASSGN

.ENTRY LOG_DELETE, Save R2,R3,R4,R5,R6,R7

MOVAB -68(SP), SP

CLRQ -(SP)

PUSHAB CHANNEL

PUSHAB P.AAA

CALLS #4, SYSS\$ASSIGN

BLBS R0, 1\$

RET

PUSHAB MESSAGE

CALLS #1, SYSS\$GETTIM

MOVL CURRENT_UCB, R1

```
58 42 4D 5F 47 4F 4C 4C 45 44 24 50 43 41 00000 P.AAB:
0000E
0000000E 00010 P.AAA:
00000000 00014
```

5E	BC	AE	9E	00002
		7E	7C	00006
	08	AE	9F	00008
	EA	AF	9F	0000B
00000000G	00	04	FB	0000E
	01	50	E8	00015
			04	00018
	04	AE	9F	00019 1\$:
00000000G	00	01	FB	0001C
	51	0000G	CF	D0 00023

: 0392

: 0452

: 0455

: 0456

			50	28	A1	D0	00028	MOVL	40(R1), R0	:	
		0C	AE	14	A0	D0	0002C	MOVL	20(R0), MESSAGE+8	:	
		10	AE	54	A1	B0	00031	MOVW	84(R1), MESSAGE+12	:	0457
			50	04	AC	D0	00036	MOVL	FIB, R0	:	0458
	12	AE	0A		06	28	0003A	MOVC3	#6, 10(R0), MESSAGE+14	:	
			57	08	AC	D0	00040	MOVL	HEADER, R7	:	0459
			50		67	9A	00044	MOVZBL	(R7), R0	:	
			56		6740	3E	00047	MOVW	(R7)(R0), IDENT AREA	:	
14		20	6E		00	2C	0004B	MOVC5	#0, (SP), #32, #20, MESSAGE+20	:	0460
				18	AE		00050			:	
				18	AE	9F	00052	PUSHAB	MESSAGE+20	:	0461
				FA	A6	9F	00055	PUSHAB	-6(IDENT AREA)	:	
		0000G	CF		02	FB	00058	CALLS	#2, MAKE-STRING	:	
		2C	AE	08	A7	9A	0005D	MOVZBL	8(R7), MESSAGE+40	:	0462
		2E	AE	09	A7	90	00062	MOVB	9(R7), MESSAGE+42	:	0463
			51	00000000G	9F	D0	00067	MOVL	@#SCH\$GL PCBVEC, R1	:	0464
			50	0000G	CF	D0	0006E	MOVL	IO PACKET, R0	:	
			50		0C	C0	00073	ADDL2	#12, R0	:	
			50		60	3C	00076	MOVZWL	(R0), R0	:	
			56		6140	D0	00079	MOVL	(R1)(R0), PCB	:	
	30	AE	70		10	28	0007D	MOVC3	#16, 112(PCB), MESSAGE+44	:	0465
			40	AE	00BC	C6	00083	MOVL	188(PCB), MESSAGE+60	:	0466
					7E	7C	00089	CLRQ	-(SP)	:	0473
					7E	7C	0008B	CLRQ	-(SP)	:	
			7E	40	8F	9A	0008D	MOVZBL	#64, -(SP)	:	
				18	AE	9F	00091	PUSHAB	MESSAGE	:	
					7E	7C	00094	CLRQ	-(SP)	:	
					7E	D4	00096	CLRL	-(SP)	:	
			7E	70	8F	9A	00098	MOVZBL	#112, -(SP)	:	
			7E	28	AE	3C	0009C	MOVZWL	CHANNEL, -(SP)	:	
					7E	D4	000A0	CLRL	-(SP)	:	
		00000000G	00		0C	FB	000A2	CALLS	#12, SYSS\$QIOW	:	
			7E		6E	3C	000A9	MOVZWL	CHANNEL, -(SP)	:	0475
		00000000G	00		01	FB	000AC	CALLS	#1, SYSS\$DASSGN	:	
					04	000B3	RET			:	0477

; Routine Size: 180 bytes, Routine Base: \$CODE\$ + 0018

: 166 0478 1
: 167 0479 1 END
: 168 0480 0 ELUDOM

PSECT SUMMARY

Name	Bytes	Attributes
\$CODE\$	204	NOVEC,NOWRT, RD , EXE,NOSHR, LCL, REL, CON,NOPI,ALIGN(2)

LOGDEL
V04-000

E 1
16-Sep-1984 01:08:59
14-Sep-1984 12:29:41

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[F11A.SRC]LOGDEL.B32;1 Page 7 (3)

Library Statistics

File	----- Total	Symbols Loaded	----- Percent	Pages Mapped	Processing Time
_\$255\$DUA28:[SYSLIB]LIB.L32;1	18619	21	0	1000	00:01.8

COMMAND QUALIFIERS

BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/LIS=LISS:LOGDEL/OBJ=OBJ\$:LOGDEL MSRC\$:LOGDEL/UPDATE=(ENH\$:LOGDEL)

; Size: 180 code + 24 data bytes
; Run Time: 00:07.8
; Elapsed Time: 00:24.7
; Lines/CPU Min: 3697
; Lexemes/CPU-Min: 21288
; Memory Used: 103 pages
; Compilation Complete

0165 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

0166 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

MODIFY
LIS

REQUEU
LIS

RWATTR
LIS

SCHFCB
LIS

MAKACC
LIS

MPWIND
LIS

MAPUBN
LIS

PMS
LIS

RDHEDR
LIS

RWUB
LIS

RETDIR
LIS

ROBLOK
LIS

SMALOC
LIS

MOUNT
LIS

MAKMB
LIS

MAKSTR
LIS

MAKTHOR
LIS