



```

CCCCCCCC 000000 MM MM EEEEEEEEE SSSSSSSS TTTT'TTTTT
CCCCCCCC 000000 MM MM EEEEEEEEE SSSSSSSS TTTT'TTTTT
CC        OO        MM MM EEEEEEEEE SS        TT
CC        OO        MM MM EEEEEEEEE SS        TT
CC        OO        MM MM EEEEEEEEE SS        TT
CC        OO        MM MM EEEEEEEEE SS        TT
CC        OO        MM MM EEEEEEEEE SS        TT
CC        OO        MM MM EEEEEEEEE SS        TT
CC        OO        MM MM EEEEEEEEE SS        TT
CC        OO        MM MM EEEEEEEEE SS        TT
CC        OO        MM MM EEEEEEEEE SS        TT
CCCCCCCC 000000 MM MM EEEEEEEEE SSSSSSSS TTTT'TTTTT
CCCCCCCC 000000 MM MM EEEEEEEEE SSSSSSSS TTTT'TTTTT

```

```

RRRRRRRR EEEEEEEEE QQQQQQ
RRRRRRRR EEEEEEEEE QQQQQQ
RR        RR      EE      QQ      QQ
RR        RR      EE      QQ      QQ
RR        RR      EE      QQ      QQ
RR        RR      EE      QQ      QQ
RRRRRRRR EEEEEEEEE QQ      QQ
RRRRRRRR EEEEEEEEE QQ      QQ
RR  RR      EE      QQ  QQ  QQ
RR  RR      EE      QQ  QQ  QQ
RR        RR      EE      QQ      QQ
RR        RR      EE      QQ      QQ
RR        RR      EEEEEEEEE QQQQ  QQ
RR        RR      EEEEEEEEE QQQQ  QQ

```

↑ REQUIRE file for FORTRAN ERRSET and ERRST compatibility routines.  
 Referenced only by modules COM\$ERRSET, COM\$ERRST, and COM\$\$ERRSET\_TST.

```
*****
*   COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
*   DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
*   ALL RIGHTS RESERVED.
*
```

```
* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
* TRANSFERRED.
*
```

```
* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
* CORPORATION.
*
```

```
* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
*
```

```
*****
Author:      J. Taylor
Change History:
0-1 - Original.  JMT 12-Jan-78
0-2 - Change name to COMEST.REQ JBS 14-NOV-78
1-001 - Change version number and add copyright notice  JBS 16-NOV-78
1-002 - Remove PRINT statement for new BLISS compiler.  JBS 02-OCT-1979
--
```

↑ Define macros for accessing fields of signaled condition value:

```
MACRO
STS_SEVERITY   = BLOCK[SIG_ARGS_ADR[CHF$SL_SIG_NAME], ST$SV_SEVERITY; , BYTE] %,      ! error severity
STS_FAC_NO    = BLOCK[SIG_ARGS_ADR[CHF$SL_SIG_NAME], ST$SV_FAC_NO; , BYTE] %,      ! facility number
STS_CODE      = BLOCK[SIG_ARGS_ADR[CHF$SL_SIG_NAME], ST$SV_CODE; , BYTE] %,      ! FORTRAN error number
STS_COND_ID   = BLOCK[SIG_ARGS_ADR[CHF$SL_SIG_NAME], ST$SV_COND_ID; , BYTE] %;    ! condition id
! (all but control bits and severity)
```

```
MACRO
CHF_SIG_TRAP_NO = 8, 0, 3, 0 %; ! arithmetic trap code is 2nd signal arg list entry (3 bits)
```

↑ Define error control status bits set by ERRSET and tested by ERRST.  
 Each error number has a byte in FORT\_ERR\_TAB table with the following bits defined:

```
MACRO
```

V\_EC\_CONTINUE = 0, 0, 1, 0 %; ! 1 = continuable (or ERR=), 0 = EXIT.  
V\_EC\_COUNT = 0, 1, 1, 0 %; ! 1 = count against image limit  
V\_EC\_CONT\_TYPE = 0, 2, 1, 0 %; ! 1 = take ERR= if present, else EXIT  
V\_EC\_LOG = 0, 3, 1, 0 %; ! 0 = continue  
V\_EC\_LOG = 0, 3, 1, 0 %; ! 1 = print error message  
V\_EC\_CONT\_ALLOW = 0, 5, 1, 0 %; ! 1 = continue allowed  
V\_EC\_EREQ\_ALLOW = 0, 6, 1, 0 %; ! 1 = ERR= allowed  
V\_EC\_OCCURRED = 0, 7, 1, 0 %; ! 1 = error occurred since last CALL ERTST  
B\_EC\_ANY = 0, 0, 8, 0 %; ! Legal error number if any bits are set

! End of file COMEST.REQ

