


```

FFFFFFFFF 000000 RRRRRRRR RRRRRRRR EEEEEEEEEE AAAAAA DDDDDDDD IIIIII LL
FFFFFFFFF 000000 RRRRRRRR RRRRRRRR EEEEEEEEEE AAAAAA DDDDDDDD IIIIII LL
FF 00 00 RR RR RR RR EE AA AA DD DD IIII LL
FF 00 00 RR RR RR RR EE AA AA DD DD IIII LL
FF 00 00 RR RR RR RR EE AA AA DD DD IIII LL
FF 00 00 RR RR RR RR EE AA AA DD DD IIII LL
FFFFFFFFF 00 00 RRRRRRRR RRRRRRRR EEEEEEEE AA AA DD DD IIII LL
FFFFFFFFF 00 00 RRRRRRRR RRRRRRRR EEEEEEEE AA AA DD DD IIII LL
FF 00 00 RR RR RR RR EE AAAAAAAAAA DD DD IIII LL
FF 00 00 RR RR RR RR EE AAAAAAAAAA DD DD IIII LL
FF 00 00 RR RR RR RR EE AA AA DD DD IIII LL
FF 00 00 RR RR RR RR EE AA AA DD DD IIII LL
FF 00 00 RR RR RR RR EE EEEEEEEEEE AA AA DDDDDDD IIIIII LL
FF 00 00 RR RR RR RR EE EEEEEEEEEE AA AA DDDDDDD IIIIII LL

```

```

LL IIIIII SSSSSSSS
LL IIIIII SSSSSSSS
LL II SS
LL II SS
LL II SS
LL II SS
LL II SSSSSS
LL II SSSSSS
LL II SS
LL II SS
LL II SS
LL IIIIII SSSSSSSS
LLLLLLLLLL IIIIII SSSSSSSS
LLLLLLLLLL IIIIII SSSSSSSS

```

(2) 58
(3) 102

DECLARATIONS
FOR\$READ_IL - READ internal list-directed

```
0000 1 .TITLE FOR$READ_IL - FORTRAN READ internal list-directed
0000 2 .IDENT /1-001/ File: FORREADIF.MAR Edit: SBL1001
0000 3
0000 4 *****
0000 5
0000 6 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *
0000 7 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *
0000 8 * ALL RIGHTS RESERVED. *
0000 9
0000 10 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *
0000 11 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *
0000 12 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *
0000 13 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *
0000 14 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *
0000 15 * TRANSFERRED. *
0000 16
0000 17 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *
0000 18 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *
0000 19 * CORPORATION. *
0000 20
0000 21 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *
0000 22 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *
0000 23
0000 24 *****
0000 25
0000 26
0000 27
0000 28 ++
0000 29 FACILITY: FORTRAN Support Library - user callable
0000 30
0000 31 ABSTRACT:
0000 32
0000 33 This module contains the entry point for the FORTRAN
0000 34 READ internal list-directed I/O statement. It is simply
0000 35 a call to FOR$$IO_BEG with bits in R0 which describe the
0000 36 parameter list. FOR$$IO_BEG interprets the parameters.
0000 37
0000 38 MAINTENANCE NOTE:
0000 39 The transfer vector (RTLVECTOR+ALLGBL) must have the following:
0000 40
0000 41 .TRANSFER FOR$READ IF
0000 42 .MASK FOR$$IO_BEG
0000 43 BRW FOR$READ_IF+2
0000 44
0000 45 This puts the correct mask in entry vector, that is FOR$$IO_BEG entry mask.
0000 46 Furthermore this module must only use R0 and R1
0000 47 since any other register might not be in the entry mask for FOR$$IO_BEG.
0000 48
0000 49 ENVIRONMENT: User access mode; mixture of AST level or not
0000 50
0000 51 AUTHOR: Steven B. Lionel, CREATION DATE: 21-April-1983
0000 52
0000 53
0000 54 Edit History:
0000 55
0000 56 1-001 - Original. SBL 21-April-1983
```

```
0000 58      .SBTTL  DECLARATIONS
0000 59
0000 60  :
0000 61  : INCLUDE FILES:
0000 62  :
0000 63
0000 64      $FORPAR      ; Define inter-module FORTRAN symbols
0000 65      $ISBDEF      ; Define statement type symbols
0000 66
0000 67  :
0000 68  : EXTERNAL SYMBOLS:
0000 69  :
0000 70
0000 71      .DSABL  GBL      ; Declare all external symbols
0000 72      .EXTRN  FOR$$IO_BEG      ; common I/O statement processing
0000 73  :+
0000 74  : The following references are to make sure the necessary UDF and REC
0000 75  : modules are loaded. These are the routines which are called through
0000 76  : the dispatch tables in FOR$$DISPAT.
0000 77  :-
0000 78      .EXTRN  FOR$$UDF_RLO, FOR$$UDF_RL1, FOR$$UDF_RL9
0000 79      .EXTRN  FOR$$REC_RILO, FOR$$REC_RIL1, FOR$$REC_RIL9
0000 80
0000 81  :
0000 82  : MACROS:
0000 83  :
0000 84      NONE
0000 85  :
0000 86  : PSECT DECLARATIONS:
0000 87  :
0000 88
0000 89      .PSECT  _FOR$CODE PIC,USR,CON,REL,LCL,SHR,EXE,RD,NOWRT,LONG
0000 90
0000 91  :
0000 92  : EQUATED SYMBOLS:
0000 93  :
0000 94
0000 95
0000 96  :
0000 97  : OWN STORAGE:
0000 98  :
0000 99      NONE
0000 100  :
```

```

0000 102      .SBTTL FOR$READ_IL - READ internal list-directed
0000 103
0000 104      :++
0000 105      : FUNCTIONAL DESCRIPTION:
0000 106      :
0000 107      :     Initialize the FORTRAN I/O system to perform
0000 108      :     a READ internal list-directed I/O statement.
0000 109      :
0000 110      : CALLING SEQUENCE:
0000 111      :
0000 112      :     CALL FOR$READ_IL (user_vbl.rt.dx [, err_adr.j.r [, end_adr.j.r]])
0000 113      :
0000 114      : INPUT PARAMETERS:
0000 115      :
0000 116      :     user_vbl.rt.dx      User's string variable
0000 117      :     [err_adr.j.r]      optional ERR= address
0000 118      :     [end_adr.j.r]      optional END= address
0000 119      :
0000 120      : IMPLICIT INPUTS:
0000 121      :
0000 122      :     NONE except those used by FOR$$IO_BEG.
0000 123      :
0000 124      : OUTPUT PARAMETERS:
0000 125      :
0000 126      :     NONE
0000 127      :
0000 128      : IMPLICIT OUTPUTS:
0000 129      :
0000 130      :     NONE except those left by FOR$$IO_BEG.
0000 131      :
0000 132      : COMPLETION CODES:
0000 133      :
0000 134      :     NONE
0000 135      :
0000 136      : SIDE EFFECTS:
0000 137      :
0000 138      :     NONE except those of FOR$$IO_BEG.
0000 139      :
0000 140      :--
0000 141
0000 142 FOR$READ_IL:: .MASK FOR$$IO_BEG
50 16 0000' 0002 143 MOVZBL #ISB$K_ST_TY_RIC, R0      ; Statement type
00000002'GF 17 0005 144 JMP G^FOR$$IO_BEG+2      ; branch past call mask
000B 145
000B 146
000B 147      .END
  
```

```

FOR$$IO_BEG          ***** X 00
FOR$$REC_RILO        ***** X 00
FOR$$REC_RIL1        ***** X 00
FOR$$REC_RIL9        ***** X 00
FOR$$UDF_RLO         ***** X 00
FOR$$UDF_RL1         ***** X 00
FOR$$UDF_RL9         ***** X 00
FOR$READ_IL          00000000 RG 01
ISB&K_ST_TY_RIL     = 00000016
    
```

+-----+
 ! Psect synopsis !
 +-----+

PSECT name	Allocation	PSECT No.	Attributes
ABS	00000000 (0.)	00 (0.)	NOPIC USR CON ABS LCL NOSHR NOEXE NORD NOWRT NOVEC BYTE
_FOR\$CODE	0000000B (11.)	01 (1.)	PIC USR CON REL LCL SHR EXE RD NOWRT NOVEC LONG

+-----+
 ! Performance indicators !
 +-----+

Phase	Page faults	CPU Time	Elapsed Time
Initialization	30	00:00:00.08	00:00:00.66
Command processing	121	00:00:00.63	00:00:03.24
Pass 1	133	00:00:01.26	00:00:04.64
Symbol table sort	0	00:00:00.18	00:00:00.49
Pass 2	51	00:00:00.46	00:00:01.91
Symbol table output	2	00:00:00.02	00:00:00.02
Psect synopsis output	3	00:00:00.03	00:00:00.05
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	342	00:00:02.66	00:00:11.02

The working set limit was 900 pages.
 6398 bytes (13 pages) of virtual memory were used to buffer the intermediate code.
 There were 20 pages of symbol table space allocated to hold 187 non-local and 0 local symbols.
 147 source lines were read in Pass 1, producing 8 object records in Pass 2.
 9 pages of virtual memory were used to define 2 macros.

+-----+
 ! Macro library statistics !
 +-----+

Macro library name	Macros defined
\$_255\$DUA28:[FORRTL.OBJ]FORRTL.MLB;1	2
\$_255\$DUA28:[SYSLIB]STARLET.MLB;2	0
TOTALS (all libraries)	2

183 GETS were required to define 2 macros.
 There were no errors, warnings or information messages.

MACRO/ENABLE=SUPPRESSION/DISABLE=(GLOBAL,TRACEBACK)/LIS=LIS\$:FORREADIL/OBJ=OBJ\$:FORREADIL MSRC\$:FORREADIL/UPDATE=(ENH\$:FORREADIL)+LI

