


```

FFFFFFFFF 000000 RRRRRRRR SSSSSSSS TTTTTTTTTT 000000 PPPPPPPP
FFFFFFFFF 000000 RRRRRRRR SSSSSSSS TTTTTTTTTT 000000 PPPPPPPP
FF         00      00 RR      RR SS      TT      00      00 PP      PP
FF         00      00 RR      RR SS      TT      00      00 PP      PP
FF         00      00 RR      RR SS      TT      00      00 PP      PP
FF         00      00 RR      RR SS      TT      00      00 PP      PP
FFFFFFFFF 00      00 RRRRRRRR SSSSSS  TT      00      00 PPPPPPPP
FFFFFFFFF 00      00 RRRRRRRR SSSSSS  TT      00      00 PPPPPPPP
FF         00      00 RR  RR   SS      TT      00      00 PP
FF         00      00 RR  RR   SS      TT      00      00 PP
FF         00      00 RR  RR   SS      TT      00      00 PP
FF         00      00 RR  RR   SS      TT      00      00 PP
FF         00      00 RR  RR   SS      TT      00      00 PP
FF         000000 RR      RR SSSSSSSS TT      000000 PP
FF         000000 RR      RR SSSSSSSS TT      000000 PP

```

```

LL         111111 SSSSSSSS
LL         111111 SSSSSSSS
LL         11      SS
LL         11      SS
LL         11      SS
LL         11      SS
LL         11      SSSSSS
LL         11      SSSSSS
LL         11      SS
LL         11      SS
LL         11      SS
LL         11      SS
LLLLLLLLLL 111111 SSSSSSSS
LLLLLLLLLL 111111 SSSSSSSS

```

FOR
Sym
FOR
SYS
PSE

_FC
Pha

Ini
Com
Pas
Sym
Pas
Sym
Pse
Cro
Ass

The
159
The
131
2 p

Mac

_S2
15
The
MAC

```

1 0001 0 MODULE FOR$STOP ( ! FORTRAN STOP statement
2 0002 0 IDENT = '1-004' ! File: FORSTOP.B32 Edit:DGP1004
3 0003 0 ) =
4 0004 1 BEGIN
5 0005 1
6 0006 1
7 0007 1 *****
8 0008 1 *
9 0009 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
10 0010 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
11 0011 1 * ALL RIGHTS RESERVED.
12 0012 1 *
13 0013 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
14 0014 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
15 0015 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
16 0016 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
17 0017 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
18 0018 1 * TRANSFERRED.
19 0019 1 *
20 0020 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
21 0021 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
22 0022 1 * CORPORATION.
23 0023 1 *
24 0024 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
25 0025 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
26 0026 1 *
27 0027 1 *
28 0028 1 *****
29 0029 1
30 0030 1
31 0031 1 ++
32 0032 1 FACILITY: FORTRAN Support Library
33 0033 1
34 0034 1 ABSTRACT:
35 0035 1
36 0036 1 Output optional string and suspend process
37 0037 1
38 0038 1 ENVIRONMENT: User Mode - AST re-entrant
39 0039 1
40 0040 1 AUTHOR: Thomas N. Hastings, CREATION DATE: 8-Aug-1977
41 0041 1
42 0042 1 MODIFIED BY:
43 0043 1
44 0044 1 Thomas N. Hastings, 8-Aug-1977: VERSION 0
45 0045 1 01 - original
46 0046 1 0-3 - Print FORTRAN STOP if no arg. TNH 13-Dec-77
47 0047 1 0-04 - Change to STARLET library. DGP 20-Apr-78
48 0048 1 0-05 - Change REQUIRE files for VAX system build. DGP 28-Apr-78
49 0049 1 0-06 - Change STARLET to RTLSTARLE to avoid conflicts. DGP 1-May-78
50 0050 1 0-07 - Make PIC. TNH 30-June-78
51 0051 1 0-08 - Change file name to FORSTOP.B32, and change the name of the
52 0052 1 REQUIRE file similarly. JBS 14-NOV-78
53 0053 1 1-001 - Update version number and copyright notice. JBS 16-NOV-78
54 0054 1 1-002 - Return a value to keep BLISS compiler happy. JBS 27-NOV-78
55 0055 1 1-003 - Change REQUIRE file names from FOR... to OTS... JSB 06-DEC-78
56 0056 1 1-004 - Move ACTUALCOUNT into body of routine and initialize the class
57 0057 1 and d_type of default descriptor. DGP 28-Oct-1981

```

FOR\$STOP
1-004

: 58

0058 1 !--

^{E 2}
~~16-Sep-1984~~ 00:45:46
14-Sep-1984 12:32:45

VAX-11 Bliss-32 V4.0-742
[FORRTL.SRC]FORSTOP.B32;1

Page 2
(1)

FOR
at

```
60 0059 1 |
61 0060 1 | TABLE OF CONTENTS:
62 0061 1 |
63 0062 1 |
64 0063 1 | FORWARD ROUTINE
65 0064 1 |     FOR$STOP;           ! STOP statement
66 0065 1 |
67 0066 1 |
68 0067 1 | INCLUDE FILES:
69 0068 1 |
70 0069 1 | REQUIRE 'RTLIN:OTSMAC';  ! Define macros
71 0263 1 | REQUIRE 'RTLIN:RTLPSECT'; ! Define DECLARE_PSECTS macro
72 0358 1 | LIBRARY 'RTLSTARLE';    ! STARLET library for macros and symbols
73 0359 1 |
74 0360 1 | MACROS:
75 0361 1 |
76 0362 1 |
77 0363 1 |
78 0364 1 | EQUATED SYMBOLS:
79 0365 1 |
80 0366 1 |
81 0367 1 |
82 0368 1 | PSECT DECLARATIONS:
83 0369 1 |
84 0370 1 |
85 0371 1 |     DECLARE_PSECTS (FOR); ! declare PSECTs for FOR$ facility
86 0372 1 |
87 0373 1 |
88 0374 1 | OWN STORAGE:
89 0375 1 |
90 0376 1 |
91 0377 1 |
92 0378 1 | EXTERNAL REFERENCES:
93 0379 1 |
94 0380 1 |
95 0381 1 | EXTERNAL ROUTINE
96 0382 1 |     LIB$PUT_OUTPUT: NOVALUE ADDRESSING_MODE(GENERAL); ! Output on device $OUTPUT
```

```

98 0383 1 GLOBAL ROUTINE FOR$STOP (      ! FORTRAN STOP statement
99 0384 1     MESSAGE_DSC_ADR)          ! Adr. of optional string descriptor to output
100 0385 1     =                        ! Value returned is $SUSPND completion code
101 0386 1 !+
102 0387 1 ! FUNCTIONAL DESCRIPTION:
103 0388 1
104 0389 1     FORTRAN STOP outputs an optional string on device $OUTPUT
105 0390 1     and calls $EXIT with a success completion status.
106 0391 1     If no argument is present, 'FORTRAN STOP' is printed.
107 0392 1
108 0393 1 ! FORMAL PARAMETERS:
109 0394 1
110 0395 1     message_dsc_adr.rt.dx      ! Adr. of optional string descriptor to output
111 0396 1
112 0397 1 ! IMPLICIT INPUTS:
113 0398 1
114 0399 1     Logical device assignment for $OUTPUT (see LIB$PUT_OUTPUT)
115 0400 1
116 0401 1 ! IMPLICIT OUTPUTS:
117 0402 1
118 0403 1     NONE
119 0404 1
120 0405 1 ! COMPLETION CODES:
121 0406 1
122 0407 1     NONE
123 0408 1
124 0409 1 ! SIDE EFFECTS:
125 0410 1
126 0411 1     Outputs message on device $OUTPUT and calls $EXIT with success code 1.
127 0412 1
128 0413 1 !--
129 0414 1
130 0415 2     BEGIN
131 0416 2
132 0417 2     BUILTIN
133 0418 2     ACTUALCOUNT;          ! Return the number of actual parameters
134 0419 2     LOCAL
135 0420 2     DESCR: DSC$DESCRIPTOR; ! descriptor (needed to be PIC)
136 0421 2
137 0422 2     !+
138 0423 2     ! Output optional message on device $OUTPUT, if arg present.
139 0424 2     !-
140 0425 2
141 0426 2     IF ACTUALCOUNT() GEQ 1
142 0427 2     THEN
143 0428 2     LIB$PUT_OUTPUT (.MESSAGE_DSC_ADR)
144 0429 2     ELSE
145 0430 3     BEGIN
146 0431 3     DESCR[DSC$B_CLASS] = DSC$K_CLASS_S;
147 0432 3     DESCR[DSC$B_DTYPE] = DSC$K_DTYPE_T;
148 0433 3     DESCR[DSC$W_LENGTH] = 12;
149 0434 3     DESCR[DSC$A_POINTER] = UPLIT ('FORTRAN STOP');
150 0435 3     LIB$PUT_OUTPUT (DESCR);
151 0436 2     END;
152 0437 2
153 0438 2
154 0439 2     !+

```

```

: 155      0440 2      ! EXIT with success completion status code of 1.
: 156      0441 2      !-
: 157      0442 2
: 158      0443 3      $EXIT (CODE=1)
: 159      0444 1      END;

```

! End of routine FOR\$STOP

```

                                .TITLE FOR$STOP
                                .IDENT \1-004\
                                .PSECT _FOR$CODE,NOWRT, SHR, PIC,2
50 4F 54 53 20 4E 41 52 54 52 4F 46 0000 P.AAA: .ASCII \FORTRAN STOP\
                                .EXTRN LIB$PUT_OUTPUT, SYS$EXIT
                                .ENTRY FOR$STOP, Save nothing
                                SUBL2 #8, SP
                                TSTB (AP)
                                BEQL 1$
                                PUSHL MESSAGE_DSC_ADR
                                BRB 2$
                                MOVL #17694732, DESCR
                                MOVAB P.AAA, DESCR+4
                                PUSHL SP
                                CALLS #1, LIB$PUT_OUTPUT
                                PUSHL #1
                                CALLS #1, SYS$EXIT
                                RET

```

: Routine Size: 45 bytes. Routine Base: _FOR\$CODE + 000C

```

: 160      0445 1 END      ! End of module FOR$STOP
: 161      0446 0 ELUDOM

```

PSECT SUMMARY

Name	Bytes	Attributes
_FOR\$CODE	57	NOVEC,NOWRT, RD, EXE, SHR, LCL, REL, CON, PIC,ALIGN(2)

Library Statistics

File	Total	Symbols Loaded	Percent	Pages Mapped	Processing Time
_\$255\$DUA28:[SYSLIB]STARLET.L32;1	9776	8	0	581	00:01.0

COMMAND QUALIFIERS

```
:  
:      BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/NOTRACE/LIS=LIS$:FORSTOP/OBJ=OBJ$:FORSTOP MSRC$:FORSTOP/UPDATE=(ENH$:FORSTOP)  
: Size:          45 code + 12 data bytes  
: Run Time:      00:04.4  
: Elapsed Time: 00:18.5  
: Lines/CPU Min: 6054  
: Lexemes/CPU-Min: 22656  
: Memory Used:  49 pages  
: Compilation Complete
```


0184 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

A grid of 10 columns and 10 rows of small, faint terminal window screenshots. Each window displays text-based data, including headers like 'FORSTOP LIS', 'FORLDFR LIS', 'FORTMEDS LIS', 'FORLDFW LIS', 'FORLDFN LIS', 'FORLDFU LIS', 'FORTIME LIS', and 'FORLDFE LIS'. The content within these windows appears to be lists or tables of data, possibly representing medical or administrative records, though the text is too small to read clearly. The overall appearance is that of a multi-screen terminal session or a printed output of a data processing application.