


```

FFFFFFFFF  00000  RRRRRRR  WW      WW  RRRRRRR  IIIII  TTTTTTTTT  SSSSSSS  NN      NN
FFFFFFFFF  00000  RRRRRRR  WW      WW  RRRRRRR  IIIII  TTTTTTTTT  SSSSSSS  NN      NN
FF         00     00  RR      RR  WW      WW  RR      RR  II     TT     SS     NN      NN
FF         00     00  RR      RR  WW      WW  RR      RR  II     TT     SS     NN      NN
FF         00     00  RR      RR  WW      WW  RR      RR  II     TT     SS     NNNN   NN
FF         00     00  RR      RR  WW      WW  RR      RR  II     TT     SS     NNNN   NN
FFFFFFFFF  00     00  RRRRRRR  WW      WW  RRRRRRR  IIIII  TT     TT     SSSSS  NN  NN  NN
FFFFFFFFF  00     00  RRRRRRR  WW      WW  RRRRRRR  IIIII  TT     TT     SSSSS  NN  NN  NN
FF         00     00  RR  RR    WW  WW  WW  RR  RR    II     TT     SS     NN  NNNN
FF         00     00  RR  RR    WW  WW  WW  RR  RR    II     TT     SS     NN  NNNN
FF         00     00  RR  RR    WWW  WWW  RR  RR    II     TT     SS     NN  NN
FF         00     00  RR  RR    WWW  WWW  RR  RR    II     TT     SS     NN  NN
FF         00000  RR      RR  WW      WW  RR      RR  IIIII  TT     TT     SSSSSSS  NN  NN
FF         00000  RR      RR  WW      WW  RR      RR  IIIII  TT     TT     SSSSSSS  NN  NN

```

```

LL         IIIII  SSSSSSS
LL         IIIII  SSSSSSS
LL         II     SS
LL         II     SS
LL         II     SS
LL         II     SS
LL         II     SSSSS
LL         II     SSSSS
LL         II     SS
LL         II     SS
LL         II     SS
LL         II     SS
LLLLLLLLL  IIIII  SSSSSSS
LLLLLLLLL  IIIII  SSSSSSS

```

(2) 59
(3) 91

DECLARATIONS
FOR\$WRITE_SN - Write sequential NAMELIST

```
0000 1 .TITLE FOR$WRITE_SN - FORTRAN WRITE Sequential NAMELIST
0000 2 .IDENT /1-002/ ; File: FORWRITSN.MAR, Edit: SBL1002
0000 3
0000 4
0000 5 :*****
0000 6 :*
0000 7 :* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0000 8 :* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0000 9 :* ALL RIGHTS RESERVED.
0000 10 :*
0000 11 :* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0000 12 :* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0000 13 :* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0000 14 :* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0000 15 :* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0000 16 :* TRANSFERRED.
0000 17 :*
0000 18 :* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0000 19 :* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0000 20 :* CORPORATION.
0000 21 :*
0000 22 :* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0000 23 :* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0000 24 :*
0000 25 :*
0000 26 :*****
0000 27 :
0000 28 :
0000 29 :++
0000 30 : FACILITY: FORTRAN Language Support
0000 31 :
0000 32 : ABSTRACT:
0000 33 :
0000 34 : This module contains FOR$WRITE_SN, the user interface to the FORTRAN
0000 35 : I/O Run-Time Library which begins a WRITE NAMELIST statement.
0000 36 :
0000 37 : ENVIRONMENT: Runs at any access mode, AST Reentrant
0000 38 :
0000 39 : MAINTENANCE NOTE:
0000 40 : The transfer vector (RTLVECTOR+ALLGBL) must have the following:
0000 41 :
0000 42 : .TRANSFER FOR$WRITE_SN
0000 43 : .MASK FOR$$IO_BEG
0000 44 : JMP FOR$WRITE_SN+2
0000 45 :
0000 46 : This puts the correct mask in entry vector, that is FOR$$IO_BEG entry mask.
0000 47 : Furthermore this module must only use R0 and R1
0000 48 : since any other register might not be in the entry mask for FOR$$IO_BEG.
0000 49 :
0000 50 : AUTHOR: Steven B. Lionel, CREATION DATE: 21-July-1980
0000 51 :
0000 52 : MODIFIED BY:
0000 53 :
0000 54 : 1-001 - Original. SBL 21-July-1980
0000 55 : 1-002 - Second column aster entry point name accidentally left off; replace.
0000 56 : SBL 11-Nov-1980
0000 57 :--
```

```
0000 59      .SBTTL  DECLARATIONS
0000 60      :
0000 61      : LIBRARY MACRO CALLS:
0000 62      :
0000 63      :     $ISBDEF                ; Intra-statement block definitions
0000 64      :
0000 65      : EXTERNAL DECLARATIONS:
0000 66      :
0000 67      :     .DSABL  GBL                ; Force all external symbols to be declared
0000 68      :     .EXTRN  FOR$$IO_BEG        ; Common initialization routine
0000 69      :     .EXTRN  FOR$$UDF_WN0, FOR$$UDF_WN9 ; To pull in weak references
0000 70      :     .EXTRN  FOR$$REC_WSN0, FOR$$REC_WSN1 ; To pull in weak references
0000 71      :
0000 72      :
0000 73      : MACROS:
0000 74      :
0000 75      :     NONE
0000 76      :
0000 77      : EQUATED SYMBOLS:
0000 78      :
0000 79      :     NONE
0000 80      :
0000 81      : OWN STORAGE:
0000 82      :
0000 83      :     NONE
0000 84      :
0000 85      : PSECT DECLARATIONS:
0000 86      :
0000 87      :     .PSECT _FOR$CODE PIC, USR, CON, REL, LCL, SHR, -
0000 88      :     EXE, RD, NOWRT, LONG
0000 89      :
```

```
0000 91 .SBTTL FOR$WRITE_SN - Write sequential NAMELIST
0000 92 :++
0000 93 : FUNCTIONAL DESCRIPTION:
0000 94 :
0000 95 : This routine begins a FORTRAN WRITE NAMELIST statement.
0000 96 :
0000 97 : CALLING SEQUENCE:
0000 98 :
0000 99 : CALL FOR$WRITE_SN (unit.rl.v, namelist.rlu.ra [, err_eql.j.r])
0000 100 :
0000 101 : FORMAL PARAMETERS:
0000 102 :
0000 103 : unit - logical unit number
0000 104 : namelist - address of namelist descriptor block (see below)
0000 105 : err_eql - address of instruction to branch to if an error occurs
0000 106 :
0000 107 : IMPLICIT INPUTS:
0000 108 :
0000 109 : NONE
0000 110 :
0000 111 : IMPLICIT OUTPUTS:
0000 112 :
0000 113 : NONE
0000 114 :
0000 115 : COMPLETION STATUS:
0000 116 :
0000 117 : NONE
0000 118 :
0000 119 : SIDE EFFECTS:
0000 120 :
0000 121 : One WRITE NAMELIST statement will be executed.
0000 122 :
0000 123 :--
0000 124 :
0000 125 FOR$WRITE SN::
0000 126 .MASK FOR$$IO_BEG
50 13 0000' 0002 127 MOVZBL #ISBK ST TY WSN, R0 ; Move statement type
00000002'GF 17 0005 128 JMP G^FOR$$IO_BEG+2 ; Jump to FOR$$IO_BEG
000B 129
000B 130 .END ; End of module FOR$WRITE_SN
```

```

FOR$$IO BEG          ***** X 00
FOR$$REC_WSNO       ***** X 00
FOR$$REC_WSN1       ***** X 00
FOR$$UDF_WNO        ***** X 00
FOR$$UDF_WN9        ***** X 00
FORWRITE SN         00000000 RG 01
ISB$K_ST_TY_WSN    = 00000013
    
```

 ! Psect synopsis !

PSECT name	Allocation	PSECT No.	Attributes
ABS	00000000 (0.)	00 (0.)	NOPIC USR CON ABS LCL NOSHR NOEXE NORD NOWRT NOVEC BYTE
_FOR\$CODE	0000000B (11.)	01 (1.)	PIC USR CON REL LCL SHR EXE RD NOWRT NOVEC LONG

 ! Performance indicators !

Phase	Page faults	CPU Time	Elapsed Time
Initialization	37	00:00:00.09	00:00:00.91
Command processing	121	00:00:00.50	00:00:04.09
Pass 1	122	00:00:01.13	00:00:04.89
Symbol table sort	0	00:00:00.17	00:00:00.47
Pass 2	38	00:00:00.39	00:00:01.81
Symbol table output	2	00:00:00.02	00:00:00.02
Psect synopsis output	2	00:00:00.02	00:00:00.08
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	324	00:00:02.32	00:00:12.27

The working set limit was 1050 pages.
 5742 bytes (12 page.) of virtual memory were used to buffer the intermediate code.
 There were 10 pages of symbol table space allocated to hold 168 non-local and 0 local symbols.
 130 source lines were read in Pass 1, producing 8 object records in Pass 2.
 8 pages of virtual memory were used to define 1 macro.

 ! Macro library statistics !

Macro library name	Macros defined
_\$255\$DUA28:[FORRTL.OBJ]FORRTL.MLB;1	1
-\$255\$DUA28:[SYSLIB]STARLET.MLB;2	0
TOTALS (all libraries)	1

164 GETS were required to define 1 macros.

There were no errors, warnings or information messages.

MACRO/ENABLE=SUPPRESSION/DISABLE=(GLOBAL,TRACEBACK)/LIS=LIS\$:FORWRITSN/OBJ=OBJ\$:FORWRITSN MSRC\$:FORWRITSN/UPDATE=(ENH\$:FORWRITSN)+L I

