





```
0000 1  
0000 2          .TITLE LBR_TRANSFER  transfer vectors for library access procedures  
0000 3          .IDENT 'V04-000'  
0000 4  
0000 5  *****  
0000 6  *  
0000 7  *   COPYRIGHT (c) 1978, 1980, 1982, 1984 BY  
0000 8  *   DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.  
0000 9  *   ALL RIGHTS RESERVED.  
0000 10 *  
0000 11 *   THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED  
0000 12 *   ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE  
0000 13 *   INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER  
0000 14 *   COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY  
0000 15 *   OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY  
0000 16 *   TRANSFERRED.  
0000 17 *  
0000 18 *   THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE  
0000 19 *   AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT  
0000 20 *   CORPORATION.  
0000 21 *  
0000 22 *   DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS  
0000 23 *   SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.  
0000 24 *  
0000 25 *  
0000 26  *****  
0000 27  :  
0000 28  ++  
0000 29  FACILITY:  
0000 30  
0000 31      Library access procedure set  
0000 32  
0000 33  ABSTRACT:  
0000 34  
0000 35      The library access procedure set provides a standard method  
0000 36      for accessing libraries.  
0000 37  
0000 38  ENVIRONMENT:  
0000 39  
0000 40      Native mode, user mode  
0000 41  
0000 42  AUTHOR:  
0000 43  
0000 44      Tim Halvorsen, Benn Schreiber  August 1979  
0000 45  
0000 46  MODIFIED BY:  
0000 47  
0000 48      V03-003  JWT0124          Jim Teague          01-Jun-1983  
0000 49                  Add entry point LBR$FLUSH.  
0000 50  
0000 51      V03-002  JWT0100          Jim Teague          03-Mar-1983  
0000 52                  Change psect name.  
0000 53  
0000 54      V03-001  JWT0056          Jim Teague          22-Sep-1982  
0000 55                  Add lbr$dcx_map.  
0000 56  
0000 57  :--
```

\_\$21

Sym1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1

LIB1



LBR TRANSFER  
Symbol table

```

LBR$CLOSE          ***** X 01
LBR$DCX_MAP        ***** X 01
LBR$DELETE_DATA    ***** X 01
LBR$DELETE_KEY     ***** X 01
LBR$FIND           ***** X 01
LBR$FLUSH          ***** X 01
LBR$GET_HEADER     ***** X 01
LBR$GET_HELP       ***** X 01
LBR$GET_HISTORY    ***** X 01
LBR$GET_INDEX      ***** X 01
LBR$GET_RECORD     ***** X 01
LBR$INI_CONTROL    ***** X 01
LBR$INSERT_KEY     ***** X 01
LBR$INSERT_TIME    ***** X 01
LBR$LOOKUP_KEY     ***** X 01
LBR$OPEN           ***** X 01
LBR$OUTPUT_HELP    ***** X 01
LBR$PUT_END        ***** X 01
LBR$PUT_HISTORY    ***** X 01
LBR$PUT_RECORD     ***** X 01
LBR$REPLACE_KEY    ***** X 01
LBR$RET_RMSSTV     ***** X 01
LBR$SEARCH         ***** X 01
LBR$SET_INDEX      ***** X 01
LBR$SET_LOCATE     ***** X 01
LBR$SET_MODULE     ***** X 01
LBR$SET_MOVE       ***** X 01
LBR_TRANSFER       00000000 R 01
  
```

-----  
! Psect synopsis !  
-----

PSECT name	Allocation	PSECT No.	Attributes
ABS	00000000 ( 0.)	00 ( 0.)	NOPIC USR CON ABS LCL NOSHR NOEXE NORD NOWRT NOVEC BYTE
\$\$VECTOR_0_LBR	00000200 ( 512.)	01 ( 1.)	PIC USR CON REL LCL SHR EXE RD NOWRT NOVEC BYTE

-----  
! Performance indicators !  
-----

Phase	Page faults	CPU Time	Elapsed Time
Initialization	33	00:00:00.11	00:00:00.44
Command processing	131	00:00:00.48	00:00:02.59
Pass 1	84	00:00:00.62	00:00:01.42
Symbol table sort	0	00:00:00.01	00:00:00.01
Pass 2	39	00:00:00.30	00:00:00.77
Symbol table output	4	00:00:00.04	00:00:00.04
Psect synopsis output	1	00:00:00.02	00:00:00.02
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	295	00:00:01.58	00:00:05.29

The working set limit was 750 pages.  
2779 bytes (6 pages) of virtual memory were used to buffer the intermediate code.  
There were 10 pages of symbol table space allocated to hold 28 non-local and 0 local symbols.

-\$2

Sym  
---

LIB

LIB

LIB

LIB

LIB

LIB

LIB

LIB

LIB

LIB

LIB

LIB

LIB

LIB

LIB

LIB

LIB

LIB

LIB

LIB

LIB

LIB

LIB

LIB

LIB

LIB

LIB

LIB

LIB



