



```

LL      IIIIII  BBBB8888  DDDDDDDD  CCCCCCCC  FFFFFFFFFF  DDDDDDDD  EEEEEEEEE  FFFFFFFFFF
LL      IIIIII  BBBB8888  DDDDDDDD  CCCCCCCC  FFFFFFFFFF  DDDDDDDD  EEEEEEEEE  FFFFFFFFFF
LL      II      BB      BB  DD      DD  CC      FF      DD      DD  EE      FF
LL      II      BB      BB  DD      DD  CC      FF      DD      DD  EE      FF
LL      II      BB      BB  DD      DD  CC      FF      DD      DD  EE      FF
LL      II      BB      BB  DD      DD  CC      FF      DD      DD  EE      FF
LL      II      BB      BB  DD      DD  CC      FF      DD      DD  EE      FF
LL      II      BB      BB  DD      DD  CC      FF      DD      DD  EE      FF
LL      II      BB      BB  DD      DD  CC      FF      DD      DD  EE      FF
LL      II      BB      BB  DD      DD  CC      FF      DD      DD  EE      FF
LL      II      BB      BB  DD      DD  CC      FF      DD      DD  EE      FF
LLLLLLLL  IIIIII  BBBB8888  DDDDDDDD  CCCCCCCC  FFFFFFFFFF  DDDDDDDD  EEEEEEEEE  FFFFFFFFFF
LLLLLLLL  IIIIII  BBBB8888  DDDDDDDD  CCCCCCCC  FFFFFFFFFF  DDDDDDDD  EEEEEEEEE  FFFFFFFFFF

```

```

SSSSSSSS  DDDDDDDD  LL
SSSSSSSS  DDDDDDDD  LL
SS      DD      DD  LL
SS      DD      DD  LL
SS      DD      DD  LL
SS      DD      DD  LL
SSSSSS  DD      DD  LL
SSSSSS  DD      DD  LL
SS      DD      DD  LL
SS      DD      DD  LL
SS      DD      DD  LL
SS      DD      DD  LL
SSSSSSSS  DDDDDDDD  LLLLLLLLLL
SSSSSSSS  DDDDDDDD  LLLLLLLLLL

```

```

....
....
....
....

```

```
MODULE $LIBDCFDEF;      /* Definitions for LIB$DECODE_FAULT
```

```
{*****  
{*  
{* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *  
{* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *  
{* ALL RIGHTS RESERVED. *  
{* *  
{* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *  
{* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *  
{* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *  
{* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *  
{* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *  
{* TRANSFERRED. *  
{* *  
{* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *  
{* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *  
{* CORPORATION. *  
{* *  
{* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *  
{* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *  
{* *  
{*****
```

```
/*  
/* Operand definition codes  
/*  
AGGREGATE LIB$B_DCF_OPERAND STRUCTURE PREFIX LIB$;  
    DCFACC      BITFIELD LENGTH 3 MASK; /* Operand access type  
    DCFTYP      BITFIELD LENGTH 5 MASK; /* Operand data type  
END LIB$B_DCF_OPERAND;
```

```
/*  
/* Operand access type codes  
/*  
CONSTANT (  
    DCFACC_R      /* Operand is to be read  
    . DCFACC_M      /* Operand is to be modified  
    . DCFACC_W      /* Operand is to be written  
    . DCFACC_A      /* Operand is an address  
    . DCFACC_V      /* Operand is a field (may be register or address)  
    . DCFACC_B      /* Operand is a branch displacement  
) EQUALS 1 INCREMENT 1 PREFIX LIB$;
```

```
/*  
/* Operand data type codes  
/*  
CONSTANT (  
    DCFTYP_B      /* Operand is a byte  
    . DCFTYP_W      /* Operand is a word  
    . DCFTYP_L      /* Operand is a longword  
    . DCFTYP_Q      /* Operand is a quadword  
    . DCFTYP_O      /* Operand is an octaword  
    . DCFTYP_F      /* Operand is an F_floating  
    . DCFTYP_D      /* Operand is a D_floating
```

```
  , DCFTYP_G      /* Operand is a G floating  
  , DCFTYP_H      /* Operand is an H floating  
  ) EQUALS 1 INCREMENT 1 PREFIX LIBS;
```

```
/*  
/* Combined operand access and data type codes  
/*
```

```
#ACC_A = 0:  
#ACC_R = 1:  
#ACC_M = 2:  
#ACC_W = 3:  
#ACC_V = 4:  
#ACC_B = 5:  
#TYP_B = 1@3:  
#TYP_W = 2@3:  
#TYP_L = 3@3:  
#TYP_Q = 4@3:  
#TYP_O = 5@3:  
#TYP_F = 6@3:  
#TYP_D = 7@3:  
#TYP_G = 8@3:  
#TYP_H = 9@3:
```

```
CONSTANT DCFOPR_AB EQUALS #ACC_A+#TYP_B PREFIX LIBS;  
CONSTANT DCFOPR_RB EQUALS #ACC_R+#TYP_B PREFIX LIBS;  
CONSTANT DCFOPR_MB EQUALS #ACC_M+#TYP_B PREFIX LIBS;  
CONSTANT DCFOPR_WB EQUALS #ACC_W+#TYP_B PREFIX LIBS;  
CONSTANT DCFOPR_VB EQUALS #ACC_V+#TYP_B PREFIX LIBS;  
CONSTANT DCFOPR_BB EQUALS #ACC_B+#TYP_B PREFIX LIBS;
```

```
CONSTANT DCFOPR_AW EQUALS #ACC_A+#TYP_W PREFIX LIBS;  
CONSTANT DCFOPR_RW EQUALS #ACC_R+#TYP_W PREFIX LIBS;  
CONSTANT DCFOPR_MW EQUALS #ACC_M+#TYP_W PREFIX LIBS;  
CONSTANT DCFOPR_WW EQUALS #ACC_W+#TYP_W PREFIX LIBS;  
CONSTANT DCFOPR_VW EQUALS #ACC_V+#TYP_W PREFIX LIBS;  
CONSTANT DCFOPR_BW EQUALS #ACC_B+#TYP_W PREFIX LIBS;
```

```
CONSTANT DCFOPR_AL EQUALS #ACC_A+#TYP_L PREFIX LIBS;  
CONSTANT DCFOPR_RL EQUALS #ACC_R+#TYP_L PREFIX LIBS;  
CONSTANT DCFOPR_ML EQUALS #ACC_M+#TYP_L PREFIX LIBS;  
CONSTANT DCFOPR_WL EQUALS #ACC_W+#TYP_L PREFIX LIBS;  
CONSTANT DCFOPR_VL EQUALS #ACC_V+#TYP_L PREFIX LIBS;  
CONSTANT DCFOPR_BL EQUALS #ACC_B+#TYP_L PREFIX LIBS;
```

```
CONSTANT DCFOPR_AQ EQUALS #ACC_A+#TYP_Q PREFIX LIBS;  
CONSTANT DCFOPR_RQ EQUALS #ACC_R+#TYP_Q PREFIX LIBS;  
CONSTANT DCFOPR_MQ EQUALS #ACC_M+#TYP_Q PREFIX LIBS;  
CONSTANT DCFOPR_WQ EQUALS #ACC_W+#TYP_Q PREFIX LIBS;  
CONSTANT DCFOPR_VQ EQUALS #ACC_V+#TYP_Q PREFIX LIBS;
```

```
CONSTANT DCFOPR_AO EQUALS #ACC_A+#TYP_O PREFIX LIBS;  
CONSTANT DCFOPR_RO EQUALS #ACC_R+#TYP_O PREFIX LIBS;  
CONSTANT DCFOPR_MO EQUALS #ACC_M+#TYP_O PREFIX LIBS;  
CONSTANT DCFOPR_WO EQUALS #ACC_W+#TYP_O PREFIX LIBS;  
CONSTANT DCFOPR_VO EQUALS #ACC_V+#TYP_O PREFIX LIBS;
```

```
CONSTANT DCFOPR_AF EQUALS #ACC_A+#TYP_F PREFIX LIBS:
CONSTANT DCFOPR_RF EQUALS #ACC_R+#TYP_F PREFIX LIBS:
CONSTANT DCFOPR_MF EQUALS #ACC_M+#TYP_F PREFIX LIBS:
CONSTANT DCFOPR_WF EQUALS #ACC_W+#TYP_F PREFIX LIBS:
CONSTANT DCFOPR_VF EQUALS #ACC_V+#TYP_F PREFIX LIBS:
```

```
CONSTANT DCFOPR_AD EQUALS #ACC_A+#TYP_D PREFIX LIBS:
CONSTANT DCFOPR_RD EQUALS #ACC_R+#TYP_D PREFIX LIBS:
CONSTANT DCFOPR_MD EQUALS #ACC_M+#TYP_D PREFIX LIBS:
CONSTANT DCFOPR_WD EQUALS #ACC_W+#TYP_D PREFIX LIBS:
CONSTANT DCFOPR_VD EQUALS #ACC_V+#TYP_D PREFIX LIBS:
```

```
CONSTANT DCFOPR_AG EQUALS #ACC_A+#TYP_G PREFIX LIBS:
CONSTANT DCFOPR_RG EQUALS #ACC_R+#TYP_G PREFIX LIBS:
CONSTANT DCFOPR_MG EQUALS #ACC_M+#TYP_G PREFIX LIBS:
CONSTANT DCFOPR_WG EQUALS #ACC_W+#TYP_G PREFIX LIBS:
CONSTANT DCFOPR_VG EQUALS #ACC_V+#TYP_G PREFIX LIBS:
```

```
CONSTANT DCFOPR_AH EQUALS #ACC_A+#TYP_H PREFIX LIBS:
CONSTANT DCFOPR_RH EQUALS #ACC_R+#TYP_H PREFIX LIBS:
CONSTANT DCFOPR_MH EQUALS #ACC_M+#TYP_H PREFIX LIBS:
CONSTANT DCFOPR_WH EQUALS #ACC_W+#TYP_H PREFIX LIBS:
CONSTANT DCFOPR_VH EQUALS #ACC_V+#TYP_H PREFIX LIBS:
```

```
CONSTANT DCFOPR_END EQUALS 0 PREFIX LIBS:
```

```
/*
END_MODULE;
```

This image shows a grid of 100 small, illegible document thumbnails arranged in 10 rows and 10 columns. The thumbnails are too small to read, but several larger, semi-transparent labels are overlaid on the grid, identifying specific sections or files:

- BRARMSG LIS (top left)
- LIBRTL (middle left)
- LIBRTL2 MAP (top right)
- LIBRTL MAP (middle right)
- LIBBMTDEF SDL (top right)
- LIBPROLOG REQ (middle right)
- OTSL5B SDL (middle right)
- SUBS LIS (middle right)
- OTSCCBREQ REQ (bottom right)
- OTSMAC REQ (bottom right)
- LIBCLIB LIS (middle left)
- LIBCLIBDEF SDL (middle right)
- LIBLNK REQ (bottom right)
- OTSLNK REQ (bottom right)
- LIBOCFDEF SDL (bottom right)
- LIBMACROS REQ (bottom right)
- RTLIB REQ (bottom right)
- PROCMO LIS (bottom left)
- OTSLUB SDL (bottom right)