



```

LL      IIIIII  BBBB8888  IIIIII  NN      NN  SSSSSSSS  VV      VV
LL      IIIIII  BBBB8888  IIIIII  NN      NN  SSSSSSSS  VV      VV
LL      II      BB      BB      NN      NN  SS      SS  VV      VV
LL      II      BB      BB      NN      NN  SS      SS  VV      VV
LL      II      BB      BB      NNNN   NN  SS      SS  VV      VV
LL      II      BB      BB      NNNN   NN  SS      SS  VV      VV
LL      II      BBBB8888  II      NN  NN  NN  SSSSSS  VV      VV
LL      II      BBBB8888  II      NN  NN  NN  SSSSSS  VV      VV
LL      II      BB      BB      NN  NN  NN  SS      SS  VV      VV
LL      II      BB      BB      NN  NN  NN  SS      SS  VV      VV
LL      II      BB      BB      NN  NN  NN  SS      SS  VV      VV
LL      II      BB      BB      NN  NN  NN  SS      SS  VV      VV
LL      II      BB      BB      NN  NN  NN  SS      SS  VV      VV
LLLLLLLLLLLL  IIIIII  BBBB8888  IIIIII  NN      NN  SSSSSSSS  VV      VV
LLLLLLLLLLLL  IIIIII  BBBB8888  IIIIII  NN      NN  SSSSSSSS  VV      VV

```

```

LL      IIIIII  SSSSSSSS
LL      IIIIII  SSSSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SSSSSS
LL      II      SSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LLLLLLLLLLLL  IIIIII  SSSSSSSS
LLLLLLLLLLLL  IIIIII  SSSSSSSS

```



(2) 49  
(3) 72

DECLARATIONS  
LIB\$INSV - insert a field



```
0000 1 .TITLE LIB$INSV - insert a variable length bit field
0000 2 .IDENT /1-002/ ; File: LIBINSV.MAR
0000 3
0000 4
0000 5 :*****
0000 6 :*
0000 7 :* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0000 8 :* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0000 9 :* ALL RIGHTS RESERVED.
0000 10 :*
0000 11 :* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0000 12 :* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0000 13 :* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0000 14 :* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0000 15 :* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0000 16 :* TRANSFERRED.
0000 17 :*
0000 18 :* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0000 19 :* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0000 20 :* CORPORATION.
0000 21 :*
0000 22 :* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0000 23 :* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0000 24 :*
0000 25 :*
0000 26 :*****
0000 27 :
0000 28 :
0000 29 :++
0000 30 : FACILITY: General Utility Library
0000 31 :
0000 32 : ABSTRACT:
0000 33 :
0000 34 : Insert a portion of the source into an area determined by the base,
0000 35 : position, and size.
0000 36 :
0000 37 : ENVIRONMENT: User Mode, AST Reentrant
0000 38 :
0000 39 :--
0000 40 : AUTHOR: Donald G. Petersen, CREATION DATE: 30-Dec-77
0000 41 :
0000 42 : MODIFIED BY:
0000 43 :
0000 44 : DGP, 30-Dec-77 : VERSION 00
0000 45 : 01 - Original
0000 46 : 1-001 - Update version number and copyright notice. JBS 16-NOV-78
0000 47 : 1-002 - Add "" to PSECT directives. JBS 21-DEC-78
```



```
0000 49      .SBTTL  DECLARATIONS
0000 50      :
0000 51      : INCLUDE FILES:
0000 52      :
0000 53      :
0000 54      :
0000 55      : MACROS:
0000 56      :
0000 57      :
0000 58      :
0000 59      : EQUATED SYMBOLS:
0000 60      :
0000 61      :
0000 62      :
0000 63      : OWN STORAGE:
0000 64      :
0000 65      :
0000 66      :
0000 67      : PSECT DECLARATIONS:
0000 68      :
00000000 69      : .PSECT _LIB$CODE PIC, SHR, LONG, EXE, NOWRT
0000 70
```

```

0000 72 .SBTTL LIB$INSV - insert a field
0000 73 :++
0000 74 : FUNCTIONAL DESCRIPTION:
0000 75 :
0000 76 : The field specified by the base, position, and size is replaced by bits
0000 77 : size-i : 0 of the source. If the size is zero, no insertion is performed.
0000 78 : A reserved operand fault occurs if a size greater than 32 is specified.
0000 79 :
0000 80 : CALLING SEQUENCE:
0000 81 :
0000 82 : CALL LIB$INSV (src.rl.r, pos.rl.r, size.rbu.r, base.wv.r)
0000 83 :
00000004 0000 84 : SOURCE = 4 ; Adr. of source
00000008 0000 85 : POSITION = 8 ; Adr. of beginning position
0000000C 0000 86 : SIZE = 12 ; Adr. of size to insert
00000010 0000 87 : BASE = 16 ; Adr. of base to insert into
0000 88 : INPUT PARAMETERS:
0000 89 :
0000 90 : NONE
0000 91 :
0000 92 : IMPLICIT INPUTS:
0000 93 :
0000 94 : NONE
0000 95 :
0000 96 : OUTPUT PARAMETERS:
0000 97 :
0000 98 : NONE
0000 99 :
0000 100 : IMPLICIT OUTPUTS:
0000 101 :
0000 102 : NONE
0000 103 :
0000 104 : COMPLETION CODES:
0000 105 :
0000 106 : NONE
0000 107 :
0000 108 : SIDE EFFECTS:
0000 109 :
0000 110 : SSS_ROPRAND - a reserved operand fault occurs if:
0000 111 : 1.) a size greater than 32 is specified
0000 112 : 2.) a position greater is greater than 31 and the field is in
0000 113 : registers
0000 114 :
0000 115 :--
0000 116 :
0000 117 : .ENTRY LIB$INSV , ^M< > ; Entry point
10 BC 0C BC 08 BC 04 BC F0 0002 118
0000 119 : INSV @SOURCE(AP), @POSITION(AP), -
0000 120 : @SIZE(AP), @BASE(AP) ; insert source field
04 000B 121
0000 122 : RET
0000 : .END

```



BASE = 00000010  
 LIB\$INSV = 00000000 RG 01  
 POSITION = 00000008  
 SIZE = 0000000C  
 SOURCE = 00000004

-----  
 ! Psect synopsis !  
 -----

PSECT name	Allocation	PSECT No.	Attributes
ABS	00000000 ( 0.)	00 ( 0.)	NOPIC USR CON ABS LCL NOSHR NOEXE NORD NOWRT NOVEC BYTE
LIB\$CODE	0000000C ( 12.)	01 ( 1.)	PIC USR CON REL LCL SHR EXE RD NOWRT NOVEC LONG

-----  
 ! Performance indicators !  
 -----

Phase	Page faults	CPU Time	Elapsed Time
Initialization	29	00:00:00.07	00:00:02.33
Command processing	102	00:00:00.35	00:00:04.44
Pass 1	64	00:00:00.22	00:00:02.96
Symbol table sort	0	00:00:00.00	00:00:00.00
Pass 2	38	00:00:00.16	00:00:00.87
Symbol table output	1	00:00:00.01	00:00:00.01
Psect synopsis output	2	00:00:00.02	00:00:00.02
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	238	00:00:00.83	00:00:10.63

The working set limit was 750 pages.  
 1169 bytes (3 pages) of virtual memory were used to buffer the intermediate code.  
 There were 10 pages of symbol table space allocated to hold 5 non-local and 0 local symbols.  
 122 source lines were read in Pass 1, producing 10 object records in Pass 2.  
 0 pages of virtual memory were used to define 0 macros.

-----  
 ! Macro library statistics !  
 -----

Macro library name	Macros defined
_\$255\$DUA28:[SYSLIB]STARLET.MLB;2	0

0 GETS were required to define 0 macros.

There were no errors, warnings or information messages.

MACRO/ENABLE=SUPPRESSION/DISABLE=(GLOBAL,TRACEBACK)/LIS=LIS\$:LIBINSV/OBJ=OBJ\$:LIBINSV MSRC\$:LIBINSV/UPDATE=(ENH\$:LIBINSV)



