


```

LL      IIIIII  BBBB8888  SSSSSSSS  YY      YY  MM      MM  BBBB8888  000000  LL
LL      IIIIII  BBBB8888  SSSSSSSS  YY      YY  MM      MM  BBBB8888  000000  LL
LL      II      BB      BB  SS      YY      YY  MMMM  MMMM  BB      BB  00      00  LL
LL      II      BB      BB  SS      YY      YY  MMMM  MMMM  BB      BB  00      00  LL
LL      II      BB      BB  SS      YY      YY  MM      MM  BB      BB  00      00  LL
LL      II      BBBB8888  SSSSSS      YY      YY  MM      MM  BBBB8888  00      00  LL
LL      II      BBBB8888  SSSSSS      YY      YY  MM      MM  BBBB8888  00      00  LL
LL      II      BB      BB          SS      YY      YY  MM      MM  BB      BB  00      00  LL
LL      II      BB      BB          SS      YY      YY  MM      MM  BB      BB  00      00  LL
LL      II      BB      BB          SS      YY      YY  MM      MM  BB      BB  00      00  LL
LL      II      BB      BB          SS      YY      YY  MM      MM  BB      BB  00      00  LL
LL      II      BBBB8888  SSSSSSSS      YY      YY  MM      MM  BBBB8888  000000  LL
LL      IIIIII  BBBB8888  SSSSSSSS      YY      YY  MM      MM  BBBB8888  000000  LL
LL      IIIIII  BBBB8888  SSSSSSSS      YY      YY  MM      MM  BBBB8888  000000  LL
LL      IIIIII  BBBB8888  SSSSSSSS      YY      YY  MM      MM  BBBB8888  000000  LL
LL      IIIIII  BBBB8888  SSSSSSSS      YY      YY  MM      MM  BBBB8888  000000  LL
LLLLLLLLLLLL IIIIII  BBBB8888  SSSSSSSS      YY      YY  MM      MM  BBBB8888  000000  LLLLLLLLLL
LLLLLLLLLLLL IIIIII  BBBB8888  SSSSSSSS      YY      YY  MM      MM  BBBB8888  000000  LLLLLLLLLL

```

```

LL      IIIIII  SSSSSSSS
LL      IIIIII  SSSSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SSSSSS
LL      II      SSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LL      IIIIII  SSSSSSSS
LL      IIIIII  SSSSSSSS

```

: R
:

(2) 46

DECLARATIONS

.....

```
0000 1 .TITLE LIB$SYMBOL_DEF - Define LIB$K symbols as global
0000 2 .IDENT /1-001/ ; File: LIB$SYMBOL.MAR Edit: SBL1001
0000 3
0000 4
0000 5 *****
0000 6
0000 7 *
0000 8 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0000 9 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0000 10 * ALL RIGHTS RESERVED.
0000 11 *
0000 12 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0000 13 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0000 14 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0000 15 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0000 16 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0000 17 * TRANSFERRED.
0000 18 *
0000 19 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0000 20 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0000 21 * CORPORATION.
0000 22 *
0000 23 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0000 24 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0000 25 *
0000 26 *****
0000 27
0000 28
0000 29 ++
0000 30 FACILITY: General Utility Library
0000 31
0000 32 ABSTRACT:
0000 33
0000 34 This module defines as global symbols all symbols of the form
0000 35 LIB$K_XXX.
0000 36
0000 37 ENVIRONMENT: No executable code
0000 38
0000 39 AUTHOR: Steven B. Lionel, CREATION DATE: 14-Sept-1981
0000 40
0000 41 MODIFIED BY:
0000 42
0000 43 1-001 - Original. SBL 14-Sept-1981
0000 44 --
```

```
0000 46          .SBTTL  DECLARATIONS
0000 47          :
0000 48          : LIBRARY MACRO CALLS:
0000 49          :
0000 50          :
0000 51          $LIBCLIDF    ..EQU=<==>    ; Define LIB$K_CLxxxx symbols
0000 52          $LIBDCFDEF   ..EQU=<==>    ; Define LIB$K_DCFxxx symbols
0000 53          :
0000 54          :
0000 55          .END                ; End of module LIB$SYMBOL_DEF
```

```

+-----+
! Psect synopsis !
+-----+

```

| PSECT name | Allocation | PSECT No. | Attributes |
|------------|----------------|-----------|---|
| . ABS . | 00000000 (0.) | 00 (0.) | NOPIC USR CON ABS LCL NOSHR NOEXE NORD NOWRT NOVEC BYTE |

```

+-----+
! Performance indicators !
+-----+

```

| Phase | Page faults | CPU Time | Elapsed Time |
|------------------------|-------------|-------------|--------------|
| Initialization | 31 | 00:00:00.02 | 00:00:01.42 |
| Command processing | 114 | 00:00:00.32 | 00:00:02.60 |
| Pass 1 | 100 | 00:00:00.40 | 00:00:02.46 |
| Symbol table sort | 0 | 00:00:00.05 | 00:00:01.04 |
| Pass 2 | 30 | 00:00:00.13 | 00:00:01.08 |
| Symbol table output | 1 | 00:00:00.00 | 00:00:00.00 |
| Psect synopsis output | 2 | 00:00:00.01 | 00:00:00.01 |
| Cross-reference output | 0 | 00:00:00.00 | 00:00:00.00 |
| Assembler run totals | 280 | 00:00:00.93 | 00:00:08.62 |

The working set limit was 900 pages.

2673 bytes (6 pages) of virtual memory were used to buffer the intermediate code.

There were 10 pages of symbol table space allocated to hold 76 non-local and 0 local symbols.

55 source lines were read in Pass 1, producing 9 object records in Pass 2.

5 pages of virtual memory were used to define 2 macros.

```

+-----+
! Macro library statistics !
+-----+

```

| Macro library name | Macros defined |
|-------------------------------------|----------------|
| _\$255\$DUA28:[SYSLIB]STARLET.MLB;2 | 2 |

80 GETS were required to define 2 macros.

There were no errors, warnings or information messages.

MACRO/ENABLE=SUPPRESSION/DISABLE=(GLOBAL,TRACEBACK)/LIS=LIS\$:LIB\$SYMBOL/OBJ=OBJ\$:LIB\$SYMBOL MSRC\$:LIB\$SYMBOL/UPDATE=(ENH\$:LIB\$SYMBOL)

LIBSPAWN
LIS

LIBSTATUM
LIS

LIBTRAAZE
LIS

LIBSPANC
LIS

LIBSYMBOL
LIS

LIBTRNLOG
LIS

LIBSKPC
LIS

LIBTIMER
LIS

LIBTPARSE
LIS

LIBTRIMF1
LIS

LIBSTRET
LIS

LIBTRAE2A
LIS