


```

000000  TTTTTTTTT  SSSSSSSS  CCCCCCCC  VV  VV  TTTTTTTTT  FFFFFFFF  PPPPPPP
000000  TTTTTTTTT  SSSSSSSS  CCCCCCCC  VV  VV  TTTTTTTTT  FFFFFFFF  PPPPPPP
00  00  TT  SS  CC  VV  VV  TT  FF  PP  PP
00  00  TT  SS  CC  VV  VV  TT  FF  PP  PP
00  00  TT  SS  CC  VV  VV  TT  FF  PP  PP
00  00  TT  SS  CC  VV  VV  TT  FF  PP  PP
00  00  TT  SS  CC  VV  VV  TT  FF  PP  PP
00  00  TT  SS  CC  VV  VV  TT  FF  PP  PP
00  00  TT  SS  CC  VV  VV  TT  FF  PP  PP
00  00  TT  SS  CC  VV  VV  TT  FF  PP  PP
00  00  TT  SS  CC  VV  VV  TT  FF  PP  PP
00  00  TT  SS  CC  VV  VV  TT  FF  PP  PP
000000  TT  SSSSSSSS  CCCCCCCC  VV  TTTT  FFF  P
000000  TT  SSSSSSSS  CCCCCCCC  VV  TT  FF  PP

```

```

LL  I I I I I  SSSSSSSS
LL  I I I I I  SSSSSSSS
LL  I I  SS
LL  I I  SS
LL  I I  SS
LL  I I  SS
LL  I I  SSSSSS
LL  I I  SSSSSS
LL  I I  SS
LL  I I  SS
LL  I I  SS
LL  I I  SS
LLLLLLLLLL  I I I I I  SSSSSSSS
LLLLLLLLLL  I I I I I  SSSSSSSS

```

```

....
....
....
....

```

(2) 50
(3) 63
(4) 100

HISTORY ; Detailed Current Edit History
DECLARATIONS
OTSSCVTFP_R9

```

0000 1      .TITLE  OTSSCVTFP_R9   Convert Floating to Packed
0000 2      .IDENT  /1-005/      ; File: OTSCVTFP.MAR Edit: PLL1005
0000 3
0000 4
0000 5 :*****
0000 6 :*
0000 7 :*  COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0000 8 :*  DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0000 9 :*  ALL RIGHTS RESERVED.
0000 10 :*
0000 11 :*  THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0000 12 :*  ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0000 13 :*  INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0000 14 :*  COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0000 15 :*  OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0000 16 :*  TRANSFERRED.
0000 17 :*
0000 18 :*  THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0000 19 :*  AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0000 20 :*  CORPORATION.
0000 21 :*
0000 22 :*  DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0000 23 :*  SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0000 24 :*
0000 25 :*
0000 26 :*****
0000 27
0000 28
0000 29 : FACILITY: LANGUAGE INDEPENDENT SUPPORT
0000 30 : ++
0000 31 : ABSTRACT:
0000 32 :   This module contains the routine that converts floating
0000 33 :   numbers to packed.
0000 34 :
0000 35 :
0000 36 : --
0000 37 :
0000 38 : VERSION: 1
0000 39 :
0000 40 : HISTORY:
0000 41 :
0000 42 : AUTHOR:
0000 43 :   Marty Jack, 14-Mar-1979
0000 44 :
0000 45 : MODIFIED BY:
0000 46 :
0000 47 :
0000 48 :

```

```
0000 50 .SBTTL HISTORY ; Detailed Current Edit History
0000 51
0000 52
0000 53 ; Edit History for Version 1 of OTSCVTFP
0000 54 :
0000 55 : 1-001 - Original. MLJ 14-Mar-1979
0000 56 : 1-002 - Make external references explicit. RKR 17-JULY-1979
0000 57 : 1-003 - Change all references to FOR$CNV_OUT_E to COB$CNVOUT
0000 58 : RKR 27-SEPT-79
0000 59 : 1-004 - Cosmetic changes. RKR 18-OCT-79
0000 60 : 1-005 - Change source name to OTSS but retain old entry point name.
0000 61 : PLL 21-Jan-82
```

OT
Sy
DS
DS
LI
OT
OT
OT
PS
--
SA
_O
Ph
--
In
Co
Pa
Sy
Pa
Sy
Ps
Cr
As
Th
90
Th
22
8
Ma
--
_S
19
Th
MA

```
0000 63      .SBTTL  DECLARATIONS
0000 64
0000 65 :
0000 66 : INCLUDE FILES:
0000 67 :
0000 68      $DSCDEF
0000 69
0000 70 :
0000 71 : EXTERNAL SYMBOLS:
0000 72      .DSABL  GBL           ; Prevent undeclared symbols from being
0000 73      ; automatically global
0000 74      .EXTRN  OTSS$CNVOUT   ; E-format conversion
0000 75      .EXTRN  LIB$STOP     ; Error halt
0000 76      .EXTRN  OTSS$_FATINTERR ; Fatal internal error code
0000 77
0000 78 :
0000 79
0000 80 :
0000 81 : MACROS:
0000 82 :     NONE
0000 83 :
0000 84 :
0000 85 :
0000 86 : PSECT DECLARATIONS:
00000000 87      .PSECT  _OTSS$CODE      PIC, SHR, LONG, EXE, NOWRT,-
0000 88      ;                               USR, CON, REL, LCL, RD
0000 89
0000 90 :
0000 91 : EQUATED SYMBOLS:
0000 92 :     NONE
0000 93 :
0000 94 :
0000 95 :
0000 96 : OWN STORAGE:
0000 97 :     NONE
0000 98 :
```

```

0000 100      .SBTTL OTSSCVTFP_R9
0000 101
0000 102      :++
0000 103      : FUNCTIONAL DESCRIPTION:
0000 104      :
0000 105      :     Converts a floating number to packed.
0000 106      :
0000 107      : CALLING SEQUENCE:
0000 108      :
0000 109      :     JSB OTSSCVTFP_R9 (scale.rl.v, src.rf.r, dstlen.rl.v, dst.wp.r)
0000 110      :
0000 111      :     Arguments are passed in R6, R7, R8 and R9.
0000 112      :
0000 113      : INPUT PARAMETERS:
0000 114      :
0000 115      :     SCALE.rl.v           The power of ten by which the internal
0000 116      :                               representation of the source must be
0000 117      :                               multiplied to scale the same as the
0000 118      :                               internal representation of the dest.
0000 119      :     SRC.rf.r             The number to be converted
0000 120      :     DSTLEN.rl.v         The number of digits in the destination
0000 121      :
0000 122      : IMPLICIT INPUTS:
0000 123      :
0000 124      :     All of the trap bits in the PSL are assumed off.
0000 125      :
0000 126      : OUTPUT PARAMETERS:
0000 127      :
0000 128      :     DST.wp.r             The place to store the converted number
0000 129      :
0000 130      : IMPLICIT OUTPUTS:
0000 131      :
0000 132      :     NONE
0000 133      :
0000 134      : FUNCTION VALUE:
0000 135      :
0000 136      :     1 = SUCCESS, 0 = FAILURE
0000 137      :
0000 138      : SIDE EFFECTS:
0000 139      :
0000 140      :     Destroys registers R0 through R9.
0000 141      :
0000 142      :--
0000 143
0000 144
0000 145 OTSSCVTFP_R9::
0000 146 COBSCVTFP_R9::
5E  30  C2 0000 147      SOB L2 #48,SP           ; Allocate temp space
6E  67  56 0003 148      CVTFD (R7),(SP)         ; Get input number
0006 149      :
0006 150      : Make a descriptor for the temporary string.
0006 151      :
0006 152      :     PUSHAB 8(SP)           ; Address = space reserved
7E  08  AE  9F 0009 153      :     MOVB #DSC$K_CLASS_S,-(SP) ; Class = static
7E  01  90 000C 154      :     MOVB #DSC$K_DTYPE_T,-(SP) ; Data type = ASCII string
7E  0E  90 000F 155      :     MOVW #38,-(SP)          ; Length in bytes
0012 156      :

```

```

00000000'GF 04 AE 1F DD 0012 157 : Call OTSS$CNVOUT.
              10 AE 7F U014 158 :
              29 50 FB 0017 160 :   PUSHL   #31           ; Digits in fraction
              03 03 FB 001A 161 :   PUSHAB  4(SP)        ; Output string descriptor
              50 50 E9 0021 162 :   PUSHAB 16(SP)       ; Number to convert
              56 56 E9 001A 163 :   CALLS   #3,G^OTSS$CNVOUT ; Call conversion routine
              5E 5E E9 0021 164 :   BLBC    R0,20$      ; Should never fail
              5E 5E E9 0024 165 :
              5E 5E E9 0024 166 :   Convert the exponent and correct for scale factor.
              5E 5E E9 0024 167 :   CVTSP   #2,51(SP),#2,(SP) ; Make packed exponent
              5E 5E E9 002A 168 :   CVTPL   #2,(SP),R0      ; Make longword exponent
              5E 5E E9 002E 169 :   MOVAB   -31(R6)[R0],R6 ; Correct for fraction size and scale
              5E 5E E9 0033 170 :
              5E 5E E9 0033 171 :   Convert the fraction to packed.
              5E 5E E9 0033 172 :
              5E 5E E9 0033 173 :   MOVVB   16(SP),18(SP)   ; Move sign over "."
              5E 5E E9 0038 174 :   CVTSP   #31,18(SP),#31,(SP) ; Make packed fraction
              5E 5E E9 003E 175 :   ASHP    R6,#31,(SP),#0,R8,(R9) ; Scale to destination
              5E 5E E9 0045 176 :   ; (also clears R0)
              5E 5E E9 0045 177 :   BVS     10$           ; Branch if overflowed
              5E 5E E9 0047 178 :   INCL    R0           ; Indicate success, R0 = 1
              5E 5E E9 0049 179 :   ADDL2   #56,SP       ; Delete stack temps
              5E 5E E9 004C 180 :   RSB
              5E 5E E9 004D 181 :
              5E 5E E9 004D 182 :   Come here on failure of OTSS$CNVOUT. This should never happen.
              5E 5E E9 004D 183 :
              00000000'8F DD 004D 184 :   20$:  PUSHL   #OTSS$FATINTERR ; OTS fatal error message
              00000000'GF 01 FB 0053 185 :   CALLS   #1,G^LIB$STOP  ; Signal and don't return
              005A 186 :
              005A 187 :   .END

```


OTSSCVTFP R9
Symbol table

Convert Floating to Packed

K 13

16-SEP-1984 00:23:47 VAX/VMS Macro V04-00
6-SEP-1984 11:12:56 [LIBRTL.SRC]OTSCVTFP.MAR;1

Page 6
(4)

COBSCVTFP R9
DSCSK_CLASS_S
DSCSK_DTYPE_T
LIB\$STOP
OTSSCNVOUT
OTSSCVTFP R9
OTSS_FATINTERR

00000000 RG 02
= 00000001
= 0000000E
***** X 00
***** X 00
00000000 RG 02
***** X 00

! Psect synopsis !

PSECT name

Allocation

PSECT No.

Attributes

PSECT name	Allocation	PSECT No.	Attributes
. ABS .	00000000 (0.)	00 (0.)	NOPICT USR CON ABS LCL NOSHR NOEXE NORD NOWRT NOVEC BYTE
\$ABSS	00000000 (0.)	01 (1.)	NOPICT USR CON ABS LCL NOSHR EXE RD WRT NOVEC BYTE
_OTSSCODE	0000005A (90.)	02 (2.)	PIC USR CON REL LCL SHR EXE RD NOWRT NOVEC LONG

! Performance indicators !

Phase	Page faults	CPU Time	Elapsed Time
Initialization	29	00:00:00.03	00:00:00.58
Command processing	112	00:00:00.30	00:00:03.59
Pass 1	134	00:00:01.10	00:00:05.75
Symbol table sort	0	00:00:00.11	00:00:00.85
Pass 2	47	00:00:00.35	00:00:00.91
Symbol table output	3	00:00:00.01	00:00:00.01
Psect synopsis output	2	00:00:00.01	00:00:00.01
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	329	00:00:01.91	00:00:11.70

The working set limit was 900 pages.
8391 bytes (17 pages) of virtual memory were used to buffer the intermediate code.
There were 10 pages of symbol table space allocated to hold 136 non-local and 2 local symbols.
187 source lines were read in Pass 1, producing 10 object records in Pass 2.
8 pages of virtual memory were used to define 7 macros.

! Macro library statistics !

Macro library name

Macros defined

_\$255\$DUA28:[SYSLIB]STARLET.MLB;2

4

190 GETS were required to define 4 macros.

There were no errors, warnings or information messages.

MACRO/ENABLE=SUPPRESSION/DISABLE=(GLOBAL,TRACEBACK)/LIS=LIS\$:OTSCVTFP/OBJ=OBJ\$:OTSCVTFP MSRC\$:OTSCVTFP/UPDATE=(ENH\$:OTSCVTFP)

