
! Object Module Synopsis !

<u>Module Name</u>	<u>Ident</u>	<u>Bytes</u>	<u>File</u>	<u>Creation Date</u>	<u>Creator</u>
MMGSETPRT	V04-000	2523	[MMGTST.OBJ]MMGSETPRT.OBJ;1	16-SEP-1984 01:59	VAX/VMS Macro V04-00
SYSSP1_VECTOR	V04-000	0	_\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-SEP-1984 00:40	VAX/VMS Macro V04-00

! Image Section Synopsis !

Cluster	Type	Pages	Base Addr	Disk VBN	PFC	Protection and Paging	Global Sec. Name	Match	Majorid	Minorid
DEFAULT_CLUSTER	0	1	00000200	2	0	READ WRITE COPY ON REF				
	0	5	00000400	3	0	READ ONLY				
	0	1	00000E00	8	0	READ WRITE FIXUP VECTORS				
	253	20	7FFFD800	0	0	READ WRITE DEMAND ZERO				

Key for special characters above:

```

-----
! R - Relocatable !
! P - Protected   !
-----

```

↑-----↑
! Program Section Synopsis !
↓-----↓

<u>Psect Name</u>	<u>Module Name</u>	<u>Base</u>	<u>End</u>	<u>Length</u>	<u>Align</u>	<u>Attributes</u>
DATA0	MMGSETPRT	00000200 00000200	00000379 00000379	0000017A () 0000017A ()	378.) PAGE 9 378.) PAGE 9	NOPIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD, WRT,NOVEC
CODE	MMGSETPRT	00000400 00000400	00000C60 00000C60	00000861 () 00000861 ()	2145.) PAGE 9 2145.) PAGE 9	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD,NOWRT,NOVEC

! Symbol Cross Reference !

Symbol	Value	Defined By	Referenced By ...
-----	-----	-----	-----
SYSS\$CONNECT	7FFEE1C0	SYSSP1_VECTOR	MMGSETPRT
SYSS\$CRETVA	7FFEDEC8	SYSSP1_VECTOR	MMGSETPRT
SYSS\$DELTVA	7FFEDF10	SYSSP1_VECTOR	MMGSETPRT
SYSS\$EXIT	7FFEDF40	SYSSP1_VECTOR	MMGSETPRT
SYSS\$XPREG	7FFEDF48	SYSSP1_VECTOR	MMGSETPRT
SYSS\$FA0	7FFEDF50	SYSSP1_VECTOR	MMGSETPRT
SYSS\$OPEN	7FFEE208	SYSSP1_VECTOR	MMGSETPRT
SYSS\$PUT	7FFEE188	SYSSP1_VECTOR	MMGSETPRT
SYSS\$RESUME	7FFEDFD8	SYSSP1_VECTOR	MMGSETPRT
SYSS\$SETPRT	7FFEE030	SYSSP1_VECTOR	MMGSETPRT

↑-----↑
! Symbols By Value !
↑-----↑

Value	Symbols...
7FFEDEC8	SYSS\$CRETVA
7FFEDF10	SYSS\$DELTVA
7FFEDF40	SYSS\$EXIT
7FFEDF48	SYSS\$EXPREG
7FFEDF50	SYSS\$FA0
7FFEDFDB	SYSS\$RESUME
7FFEE030	SYSS\$SETPRT
7FFEE188	SYSS\$PUT
7FFEE1C0	SYSS\$CONNECT
7FFEE208	SYSS\$OPEN

Key for special characters above:

↑-----↑
: * - Undefined
: U - Universal
: R - Relocatable
: X - External
↑-----↑

+-----+
! Image Synopsis !
+-----+

Virtual memory allocated: 00000200 00000FFF 00000E00 (3584. bytes, 7. pages)
Stack size: 20. pages
Image header virtual block limits: 1. (1. block)
Image binary virtual block limits: 2. (7. blocks)
Image name and identification: MMGSETPRT V04-000
Number of files: 3.
Number of modules: 2.
Number of program sections: 5.
Number of global symbols: 10.
Number of cross references: 20.
Number of image sections: 4.
User transfer address: 00000790
Image type: EXECUTABLE.
Map format: FULL WITH CROSS REFERENCE in file _\$255\$DUA28:[MMGTST.LIS]MMGSETPRT.MAP;1
Estimated map length: 18. blocks

+-----+
! Link Run Statistics !
+-----+

Performance Indicators	Page Faults	CPU Time	Elapsed Time
Command processing:	64	00:00:00.20	00:00:00.44
Pass 1:	113	00:00:00.38	00:00:02.57
Allocation/Relocation:	25	00:00:00.12	00:00:02.18
Pass 2:	37	00:00:00.35	00:00:03.19
Map data after object module synopsis:	11	00:00:00.16	00:00:00.17
Symbol table output:	1	00:00:00.02	00:00:00.56
Total run values:	251	00:00:01.23	00:00:09.11

Using a working set limited to 750 pages and 33 pages of data storage (excluding image)

Total number object records read (both passes): 80
of which 19 were in libraries and 2 were DEBUG data records containing 58 bytes

Number of modules extracted explicitly = 0
with 1 extracted to resolve undefined symbols

10 library searches were for symbols not in the library searched

A total of 0 global symbol table records was written

LINK/USERLIB=PROC/NOSYSSHR/EXE=EXE\$:MMGSETPRT/MAP=MAP\$:MMGSETPRT/FULL/CROSS/NOTRACE OBJ\$:MMGSETPRT

