

MMM		MMM	PPPPPPPPPPPP	
MMM		MMM	PPPPPP-PPPPP	
MMM		MMM	PPPPPPPPPPPP	
MMMMMM		MMMMMM	PPP	PPP
MMMMMM		MMMMMM	PPP	PPP
MMMMMM		MMMMMM	PPP	PPP
MMM	MMM	MMM	PPP	PPP
MMM	MMM	MMM	PPP	PPP
MMM	MMM	MMM	PPP	PPP
MMM		MMM	PPPPPPPPPPPP	
MMM		MMM	PPPPPPPPPPPP	
MMM		MMM	PPPPPPPPPPPP	
MMM		MMM	PPP	
MMM		MMM	PPP	
MMM		MMM	PPP	
MMM		MMM	PPP	
MMM		MMM	PPP	
MMM		MMM	PPP	
MMM		MMM	PPP	
MMM		MMM	PPP	
MMM		MMM	PPP	

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

(1) 61 SCB

```

0000 1 :
0000 2 : Version: 'V04-000'
0000 3 :
0000 4 :
0000 5 : .MCALL MFPR
0000 6 : .TITLE MPSCBVEC - MULTI-PROCESSOR SCB VECTOR
0000 7 : .IDENT 'V04-000'
0000 8 :
0000 9 : *****
0000 10 : *
0000 11 : * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *
0000 12 : * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *
0000 13 : * ALL RIGHTS RESERVED. *
0000 14 : *
0000 15 : * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *
0000 16 : * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *
0000 17 : * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *
0000 18 : * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *
0000 19 : * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *
0000 20 : * TRANSFERRED. *
0000 21 : *
0000 22 : * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *
0000 23 : * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *
0000 24 : * CORPORATION. *
0000 25 : *
0000 26 : * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *
0000 27 : * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *
0000 28 : *
0000 29 : * *****
0000 30 : *
0000 31 : **
0000 32 : Facility: Executive , Hardware fault handling
0000 33 : Abstract: SCB vectors
0000 34 : Environment: MODE=Kernel
0000 35 : Author: RICHARD I. HUSTVEDT, Creation date: 15-MAY-1979
0000 36 :
0000 37 : Modified by:
0000 38 :
0000 39 :
0000 40 :
0000 41 : V03-005 KDM0030 Kathleen D. Morse 18-Nov-1982
0000 42 : Remove pagefault handler, as now primary can execute
0000 43 : secondary-specific code without turning into a secondary.
0000 44 :
0000 45 : V03-004 KDM0025 Kathleen D. Morse 10-Oct-1982
0000 46 : Change secondary specific routines to be MPSSxxx instead
0000 47 : of EXESxxx (MPSS$WTIMINT, MPSS$HWCLKINT).
0000 48 :
0000 49 : V03-003 KDM0018 Kathleen D. Morse 10-Oct-1982
0000 50 : Add CHMK routine for secondary processor.
0000 51 :
0000 52 : V03-002 KDM0005 Kathleen D. Morse 10-Oct-1982

```

MPSCBVEC
V04-000

- MULTI-PROCESSOR SCB VECTOR

E 15

16-SEP-1984 02:01:51 VAX/VMS Macro V04-00
5-SEP-1984 02:07:17 [MP.SRC]MPSCBVEC.MAR;1

Page 2
(1)

MP
VO

```
0000 53 :  
0000 54 :  
0000 55 :  
0000 56 :  
0000 57 : 01 -  
0000 58 :--  
0000 59
```

Add pagefault handler for secondary processor.

```
0000 61      .SBTTL  SCB
0000 62      :
0000 63      : INCLUDE FILES:
0000 64      :
0000 65      :
0000 66      :
0000 67      : MACROS:
0000 68      :
0000 69      :
0000 70      :
0000 71      : Macro DEFVEC defines an Unused vector.
0000 72      :
0000 73      :
0000 74      : .MACRO  DEFVEC,VNUM
0000 75      : .LONG  ERL$VEC'VNUM+INTSTK
0000 76      : .ENDM   DEFVEC
0000 77      :
0000 78      :
0000 79      : EQUATED SYMBOLS:
0000 80      :
0000 81      :
0000 82      : $IPLDEF      ; Define IPL levels
0000 83      : $PRDEF       ; Define processor registers
0000 84      :
00000001 0000 85 INTSTK = 1      ; Definition for interrupt stack
00000100 0000 86 VNUM = 256    ; Vectors ^X100-^X1FC for nexus devices
0000 87      :
0000 88      :
0000 89      : OWN STORAGE:
0000 90      :
0000 91      :
0000 92      :
```

```

0000 94 :+
0000 95 :
0000 96 : FUNCTIONAL DESCRIPTION:
0000 97 :
0000 98 : This module contains the SCB vectors which are copied into physically
0000 99 : contiguous space, replacing those used by a single processor VMS system.
0000 100 :-
0000 101 :-
00000000 102 .PSECT $$$00SCB,PAGE ;
0000 103 SCBSAL_BASE:: ; SCB base address
00000000' 0000 104 .LONG ERL$VECO ; Unused, reserved to Digital
00000001' 0004 105 .LONG MPSSMCHK+INTSTK ; Machine check handler. ^X004
00000001' 0008 106 .LONG MPSSKERSTKNV+INTSTK ; Kernel stack not valid halt. ^X008
00000001' 000C 107 .LONG MPSSPOWERFAIL+INTSTK ; Power fail interrupt. ^X00C
00000000' 0010 108 .LONG ERL$VEC16 ; Reserved/privileged instruction fault. ^X010
00000000' 0014 109 .LONG ERL$VEC20 ; Customer reserved instruction fault. ^X014
00000000' 0018 110 .LONG ERL$VEC24 ; Reserved operand fault/halt. ^X018
00000000' 001C 111 .LONG ERL$VEC28 ; Reserved addressing mode fault. ^X01C
00000000' 0020 112 .LONG ERL$VEC32 ; Access control violation fault. ^X020
00000000' 0024 113 .LONG ERL$VEC36 ; Translation not valid fault. ^X024
00000000' 0028 114 .LONG XDEL'BIT ; Tbit fault. ^X028
00000000' 002C 115 .LONG XDELBPT ; Breakpoint fault. ^X02C
00000000' 0030 116 .LONG MPSSCOMPAT ; Compatibility fault. ^X030
00000000' 0034 117 .LONG ERL$VEC52 ; Arithmetic trap. ^X034
00000000' 0038 118 .LONG ERL$VEC56 ; Unused. ^X038
00000000' 003C 119 .LONG ERL$VEC60 ; Unused. ^X03C
00000000' 0040 120 .LONG MPSSCMODKRNL ; CHMK trap. ^X040
00000000' 0044 121 .LONG EXE$CMODEXEC ; CHME trap. ^X044
00000000' 0048 122 .LONG EXE$CMODSUPR ; CHMS trap. ^X048
00000000' 004C 123 .LONG EXE$CMODUSER ; CHMU trap. ^X04C
00000000' 0050 124 .LONG ERL$VEC80 ; Unused. ^X050
00000001' 0054 125 .LONG MPSSINT54+INTSTK ; Cpu-dependent fault. ^X054
00000001' 0058 126 .LONG MPSSINT58+INTSTK ; Cpu-dependent fault. ^X058
00000001' 005C 127 .LONG MPSSINT5C+INTSTK ; Cpu-dependent fault. ^X05C
00000001' 0060 128 .LONG MPSSINT60+INTSTK ; Cpu-dependent fault. ^X060
00000000' 0064 129 .LONG ERL$VEC100 ; Unused. ^X064
00000000' 0068 130 .LONG ERL$VEC104 ; Unused. ^X068
00000000' 006C 131 .LONG ERL$VEC108 ; Unused. ^X06C
00000000' 0070 132 .LONG ERL$VEC112 ; Unused. ^X070
00000000' 0074 133 .LONG ERL$VEC116 ; Unused. ^X074
00000000' 0078 134 .LONG ERL$VEC120 ; Unused. ^X078
00000000' 007C 135 .LONG ERL$VEC124 ; Unused. ^X07C
00000000' 0080 136 .LONG ERL$VEC128 ; Unused. ^X080
00000000' 0084 137 .LONG ERL$VEC132 ; Software level 1 interrupt. ^X084
00000000' 0088 138 .LONG MPSSASTDEL ; Software level 2 interrupt. ^X088
00000000' 008C 139 .LONG MPSSMPSCHED ; Software level 3 interrupt. ^X08C
00000001' 0090 140 .LONG ERL$VEC144+INTSTK ; Software level 4 interrupt. ^X090
00000001' 0094 141 .LONG ERL$VEC148+INTSTK ; Software level 5 interrupt. ^X094
00000001' 0098 142 .LONG ERL$VEC152+INTSTK ; Software level 6 interrupt. ^X098
00000000' 009C 143 .LONG MPSSSWTIMINT ; Software level 7 interrupt. ^X09C
00000001' 00A0 144 .LONG ERL$VEC160+INTSTK ; Software level 8 interrupt. ^X0A0
00000001' 00A4 145 .LONG ERL$VEC164+INTSTK ; Software level 9 interrupt. ^X0A4
00000001' 00A8 146 .LONG ERL$VEC168+INTSTK ; Software level 10 interrupt. ^X0A8
00000001' 00AC 147 .LONG ERL$VEC172+INTSTK ; Software level 11 interrupt. ^X0AC
00000001' 00B0 148 .LONG ERL$VEC176+INTSTK ; Software level 12 interrupt. ^X0B0
00000001' 00B4 149 .LONG ERL$VEC180+INTSTK ; Software level 13 interrupt. ^X0B4
00000001' 00B8 150 .LONG ERL$VEC184+INTSTK ; Software level 14 interrupt. ^X0B8

```

```
00000000' 00BC 151 .LONG MPSSXDELTAINT ; Software level 15 interrupt. ^X0BC
00000001' 00C0 152 .LONG MPSSHWCLKINT+INTSTK ; Interval timer. ^X0C0
00000001' 00C4 153 .LONG ERL$VEC196+INTSTK ; Unused. ^X0C4
00000001' 00C8 154 .LONG ERL$VEC200+INTSTK ; Unused. ^X0C8
00000001' 00CC 155 .LONG ERL$VEC204+INTSTK ; Unused. ^X0CC
00000001' 00D0 156 .LONG ERL$VEC208+INTSTK ; Unused. ^X0D0
00000001' 00D4 157 .LONG ERL$VEC212+INTSTK ; Unused. ^X0D4
00000001' 00D8 158 .LONG ERL$VEC216+INTSTK ; Unused. ^X0D8
00000001' 00DC 159 .LONG ERL$VEC220+INTSTK ; Unused. ^X0DC
00000001' 00E0 160 .LONG ERL$VEC224+INTSTK ; Unused. ^X0E0
00000001' 00E4 161 .LONG ERL$VEC228+INTSTK ; Unused. ^X0E4
00000001' 00E8 162 .LONG ERL$VEC232+INTSTK ; Unused. ^X0E8
00000001' 00EC 163 .LONG ERL$VEC236+INTSTK ; Unused. ^X0EC
00000001' 00F0 164 .LONG ERL$VEC240+INTSTK ; Unused. ^X0F0
00000001' 00F4 165 .LONG ERL$VEC244+INTSTK ; Unused. ^X0F4
00000001' 00F8 166 .LONG ERL$VEC248+INTSTK ; Console interrupt for input ^X0F8
00000001' 00FC 167 .LONG ERL$VEC252+INTSTK ; Console interrupt for output ^X0FC
0100 168
0100 169
0100 170 .REPT 16 ; Nexus vectors, IPL ^X14
0100 171 DEFVEC \VNUM
0100 172 VNUM=VNUM+4
0100 173 .ENDR
0140 174
0140 175 .REPT 16 ; Nexus vectors, IPL ^X15
0140 176 DEFVEC \VNUM
0140 177 VNUM=VNUM+4
0140 178 .ENDR
0180 179
0180 180 .REPT 16 ; Nexus Vectors, IPL ^X16
0180 181 DEFVEC \VNUM
0180 182 VNUM=VNUM+4
0180 183 .ENDR
01C0 184
01C0 185 .REPT 16 ; Nexus vectors, IPL ^X17
01C0 186 DEFVEC \VNUM
01C0 187 VNUM=VNUM+4
01C0 188 .ENDR
0200 189
0200 190 .END
```


MPSCBVEC
Symbol table

- MULTI-PROCESSOR SCB VECTOR

1 15

16-SEP-1984 02:01:51
5-SEP-1984 02:07:17

VAX/VMS Macro V04-00
[MP.SRC]MPSCBVEC.MAR;1

ERL\$VEC0	*****	X	02	ERL\$VEC324	*****	X	02	MP\$CMODKRN	*****	X	02
ERL\$VEC100	*****	X	02	ERL\$VEC328	*****	X	02	MP\$COMPAT	*****	X	02
ERL\$VEC104	*****	X	02	ERL\$VEC332	*****	X	02	MP\$HWCLKINT	*****	X	02
ERL\$VEC108	*****	X	02	ERL\$VEC336	*****	X	02	MP\$INT54	*****	X	02
ERL\$VEC112	*****	X	02	ERL\$VEC340	*****	X	02	MP\$INT58	*****	X	02
ERL\$VEC116	*****	X	02	ERL\$VEC344	*****	X	02	MP\$INT5C	*****	X	02
ERL\$VEC120	*****	X	02	ERL\$VEC348	*****	X	02	MP\$INT60	*****	X	02
ERL\$VEC124	*****	X	02	ERL\$VEC352	*****	X	02	MP\$KERSTKNV	*****	X	02
ERL\$VEC128	*****	X	02	ERL\$VEC356	*****	X	02	MP\$MCHK	*****	X	02
ERL\$VEC132	*****	X	02	ERL\$VEC36	*****	X	02	MP\$MPSCHE	*****	X	02
ERL\$VEC144	*****	X	02	ERL\$VEC360	*****	X	02	MP\$POWERFAIL	*****	X	02
ERL\$VEC148	*****	X	02	ERL\$VEC364	*****	X	02	MP\$SWTIMINT	*****	X	02
ERL\$VEC152	*****	X	02	ERL\$VEC368	*****	X	02	MP\$XDELTAINT	*****	X	02
ERL\$VEC16	*****	X	02	ERL\$VEC372	*****	X	02	SCB\$AL_BASE	00000000	RG	02
ERL\$VEC160	*****	X	02	ERL\$VEC376	*****	X	02	VNUM	= 00000200		
ERL\$VEC164	*****	X	02	ERL\$VEC380	*****	X	02	XDELBPT	*****	X	02
ERL\$VEC168	*****	X	02	ERL\$VEC384	*****	X	02	XDELTBIT	*****	X	02
ERL\$VEC172	*****	X	02	ERL\$VEC388	*****	X	02				
ERL\$VEC176	*****	X	02	ERL\$VEC392	*****	X	02				
ERL\$VEC180	*****	X	02	ERL\$VEC396	*****	X	02				
ERL\$VEC184	*****	X	02	ERL\$VEC400	*****	X	02				
ERL\$VEC196	*****	X	02	ERL\$VEC404	*****	X	02				
ERL\$VEC20	*****	X	02	ERL\$VEC408	*****	X	02				
ERL\$VEC200	*****	X	02	ERL\$VEC412	*****	X	02				
ERL\$VEC204	*****	X	02	ERL\$VEC416	*****	X	02				
ERL\$VEC208	*****	X	02	ERL\$VEC420	*****	X	02				
ERL\$VEC212	*****	X	02	ERL\$VEC424	*****	X	02				
ERL\$VEC216	*****	X	02	ERL\$VEC428	*****	X	02				
ERL\$VEC220	*****	X	02	ERL\$VEC432	*****	X	02				
ERL\$VEC224	*****	X	02	ERL\$VEC436	*****	X	02				
ERL\$VEC228	*****	X	02	ERL\$VEC440	*****	X	02				
ERL\$VEC232	*****	X	02	ERL\$VEC444	*****	X	02				
ERL\$VEC236	*****	X	02	ERL\$VEC448	*****	X	02				
ERL\$VEC24	*****	X	02	ERL\$VEC452	*****	X	02				
ERL\$VEC240	*****	X	02	ERL\$VEC456	*****	X	02				
ERL\$VEC244	*****	X	02	ERL\$VEC460	*****	X	02				
ERL\$VEC248	*****	X	02	ERL\$VEC464	*****	X	02				
ERL\$VEC252	*****	X	02	ERL\$VEC468	*****	X	02				
ERL\$VEC256	*****	X	02	ERL\$VEC472	*****	X	02				
ERL\$VEC260	*****	X	02	ERL\$VEC476	*****	X	02				
ERL\$VEC264	*****	X	02	ERL\$VEC480	*****	X	02				
ERL\$VEC268	*****	X	02	ERL\$VEC484	*****	X	02				
ERL\$VEC272	*****	X	02	ERL\$VEC488	*****	X	02				
ERL\$VEC276	*****	X	02	ERL\$VEC492	*****	X	02				
ERL\$VEC28	*****	X	02	ERL\$VEC496	*****	X	02				
ERL\$VEC280	*****	X	02	ERL\$VEC500	*****	X	02				
ERL\$VEC284	*****	X	02	ERL\$VEC504	*****	X	02				
ERL\$VEC288	*****	X	02	ERL\$VEC508	*****	X	02				
ERL\$VEC292	*****	X	02	ERL\$VEC512	*****	X	02				
ERL\$VEC296	*****	X	02	ERL\$VEC516	*****	X	02				
ERL\$VEC300	*****	X	02	ERL\$VEC520	*****	X	02				
ERL\$VEC304	*****	X	02	ERL\$VEC524	*****	X	02				
ERL\$VEC308	*****	X	02	ERL\$VEC528	*****	X	02				
ERL\$VEC312	*****	X	02	ERL\$VEC532	*****	X	02				
ERL\$VEC316	*****	X	02	ERL\$VEC536	*****	X	02				
ERL\$VEC32	*****	X	02	ERL\$VEC540	*****	X	02				
ERL\$VEC320	*****	X	02	ERL\$VEC544	*****	X	02				
				EXE\$MODEXEC	*****	X	02				
				EXE\$MODSUPR	*****	X	02				
				EXE\$MODUSER	*****	X	02				
				INT\$TK	= 00000001						
				MP\$ASTDEL	*****	X	02				

0248 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

A grid of 100 small panels, each containing a different system log or diagnostic screen. The panels are arranged in a 10x10 grid. Each panel displays a unique set of data, including error messages, system status, and diagnostic information. The text is small and dense, typical of a technical manual or a collection of system logs. Some panels have larger, bolded titles, such as 'MPERRLOG LIS', 'MPINT LIS', 'MPPFM LIS', 'MPPWRFAIL LIS', 'MPPCHECK LIS', 'MPINTEXC LIS', 'MPPLOG LIS', 'MPPERRMSG LIS', 'MPPSCHED LIS', 'MPPSHWPFM LIS', and 'MPPLOAD LIS'. The overall appearance is that of a comprehensive reference or diagnostic tool for VAX/VMS systems.