


```
CCCCCCCC  AAAAAA  LL  DDDDDDDD  AAAAAA  YY  YY  NN  NN  000000
CCCCCCCC  AAAAAA  LL  DDDDDDDD  AAAAAA  YY  YY  NN  NN  000000
CC        AA  AA  LL  DD  DD  AA  AA  YY  YY  NN  NN  00  00
CC        AA  AA  LL  DD  DD  AA  AA  YY  YY  NN  NN  00  00
CC        AA  AA  LL  DD  DD  AA  AA  YY  YY  NN  NN  00  00
CC        AA  AA  LL  DD  DD  AA  AA  YY  YY  NN  NN  00  00
CC        AA  AA  LL  DD  DD  AA  AA  YY  YY  NN  NN  00  00
CC        AA  AA  LL  DD  DD  AA  AA  YY  YY  NN  NN  00  00
CC        AA  AA  LL  DD  DD  AA  AA  YY  YY  NN  NN  00  00
CC        AA  AA  LL  DD  DD  AA  AA  YY  YY  NN  NN  00  00
CC        AA  AA  LL  DD  DD  AA  AA  YY  YY  NN  NN  00  00
CC        AA  AA  LL  DD  DD  AA  AA  YY  YY  NN  NN  00  00
CCCCCCCC  AA  AA  LLLLLLLLLL  DDDDDDDD  AA  AA  YY  YY  NN  NN  000000
CCCCCCCC  AA  AA  LLLLLLLLLL  DDDDDDDD  AA  AA  YY  YY  NN  NN  000000
```

```
LL  IIIIII  SSSSSSSS
LL  IIIIII  SSSSSSSS
LL  II      SS
LL  II      SS
LL  II      SS
LL  II      SS
LL  II      SSSSSS
LL  II      SSSSSS
LL  II      SS
LL  II      SS
LL  II      SS
LL  II      SS
LLLLLLLLLL  IIIIII  SSSSSSSS
LLLLLLLLLL  IIIIII  SSSSSSSS
```

```
0000 1      .TITLE CALDAYNO
0000 2      .IDENT 'V04-000'
0000 3
0000 4
0000 5 *****
0000 6 *
0000 7 *  COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *
0000 8 *  DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *
0000 9 *  ALL RIGHTS RESERVED. *
0000 10 *
0000 11 *  THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *
0000 12 *  ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *
0000 13 *  INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *
0000 14 *  COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *
0000 15 *  OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *
0000 16 *  TRANSFERRED. *
0000 17 *
0000 18 *  THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *
0000 19 *  AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *
0000 20 *  CORPORATION. *
0000 21 *
0000 22 *  DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *
0000 23 *  SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *
0000 24 *
0000 25 *
0000 26 *****
0000 27
0000 28
0000 29 ++
0000 30
0000 31 Facility:      magnetic tape acp
0000 32
0000 33 Abstract:
0000 34     this module calculates the day number since the start date
0000 35
0000 36 Environment:
0000 37     starlet operating system, including privileged system services and
0000 38     internal exec routines.
0000 39 --
0000 40
0000 41
0000 42 Author:      Deborah H. Gillespie,      Creation Date: 23-JUN-1977
0000 43
0000 44 Modified By:
0000 45
0000 46     V002      REFORMAT      Ken Henderson      30-JUL-1980      8:00
0000 47     the code was reformatted
0000 48
0000 49 01 -
0000 50 --
0000 51
0000 52
0000 53
0000 54 Include Files:
0000 55
0000 56
0000 57
```

```
0000 58 : Macros:
0000 59 :
0000 60 :
0000 61 :
0000 62 : Equated Symbols:
0000 63 :
0000 64 :
00000004 0000 65          D1      = 4          ; first date address
00000008 0000 66          D2      = 8          ; second date address
0000 67 :
0000 68 :
0000 69 : Own Storage:
0000 70 :
0000 71 :
```

```

0000 73
0000 74 :++
0000 75 : CALDAYNO
0000 76 :
0000 77 :     this routine calculates the binary day number since start date
0000 78 :
0000 79 : Calling sequence:
0000 80 :     caldayno(arg1,arg2)
0000 81 :
0000 82 : Input Parameters:
0000 83 :     arg1 - address of first 64 bit date
0000 84 :     arg2 - address of second 64 bit date
0000 85 :
0000 86 : Implicit Inputs:
0000 87 :     none
0000 88 :
0000 89 : Output Parameters:
0000 90 :     arg1 - address of first date which receives binary day number
0000 91 :     arg2 - address of second date which receives binary day number
0000 92 :
0000 93 : Implicit Outputs:
0000 94 :     none
0000 95 :
0000 96 : Routine Value:
0000 97 :     none
0000 98 :
0000 99 : Side Effects:
0000 100 :     none
0000 101 :
0000 102 :--
0000 103 :
0000 104 :
0000 105 :     .PSECT $CODE$,NOWRT,LONG
0000 106 :
0000 107 :
0000 108 CALDAYNO::
0000 109 :
0000 110 :     .WORD ^M<R2>
50 04 AC 0004 0000 110 :     .WORD ^M<R2>
0000 111 :     MOVL D1(AP),R0
50 04 AC 0004 0002 111 :     MOVL D1(AP),R0
0000 112 :     BSBB CALDAY
50 07 10 0006 112 :     BSBB CALDAY
0000 113 :     MOVL D2(AP),R0
50 08 AC 0008 113 :     MOVL D2(AP),R0
0000 114 :     BSBB CALDAY
50 01 10 000C 114 :     BSBB CALDAY
0000 115 :     RET
50 04 01 000E 115 :     RET
0000 115 :     RET

```

```

000F 117
000F 118 :++
000F 119 : CALDAY
000F 120
000F 121 : this routine calculates the binary day number
000F 122
000F 123 : Calling sequence:
000F 124 : bsbb calday
000F 125
000F 126 : Input Parameters:
000F 127 : r0 - address of 64 bit date;
000F 128 : Implicit Inputs:
000F 129 : none
000F 130
000F 131 : Output Parameters:
000F 132 : quadword receives binary day number
000F 133
000F 134 : Implicit Outputs:
000F 135 : none
000F 136
000F 137 : Routine Value:
000F 138 : none
000F 139
000F 140 : Side Effects:
000F 141 : none
000F 142
000F 143 :--
000F 144
000F 145 CALDAY: ; calculate binary day number for one 64 bit
51 60 7D 000F 146 MOVQ (R0),R1 ; get quadword
0012 147
0012 148
0012 149 : 864000000000 is the number of tenths of a microsecond in a day
0012 150 : divide by 1024 and then 843750000
0012 151 :
0012 152
52 51 51 51 20 0A EF 0012 153 EXTZV #10,#32,R1,R1 ; divide by 1024
52 52 16 0A EF 0017 154 EXTZV #10,#22,R2,R2
52 51 51 324A9A70 8F 7B 001C 155 EDIV #843750000,R1,R1,R2
60 51 7D 0025 156 MOVQ R1,(R0) ; store quadword
05 0028 157 RSB ; return
0029 158
0029 159 .END

```

CALDAYNO
Symbol table

H 14

16-SEP-1984 02:03:53 VAX/VMS Macro V04-00
5-SEP-1984 02:10:32 [MTAACP.SRC]CALDAYNO.MAR;1

Page 5
(5)

```

AQB_TYPE      = 00000005
CALDAY        = 0000000F R    01
CALDAYNO      = 00000000 RG   01
D1            = 00000004
D2            = 00000008
FCB_TYPE      = 00000000
MVL_TYPE      = 00000004
RVT_TYPE      = 00000003
VCB_TYPE      = 00000002
WCB_TYPE      = 00000001

```

```

+-----+
! Psect synopsis !
+-----+

```

PSECT name	Allocation	PSECT No.	Attributes
. ABS	00000000 (0.)	00 (0.)	NOPIC USR CON ABS LCL NOSHR NOEXE NORD NOWRT NOVEC BYTE
\$CODE\$	00000029 (41.)	01 (1.)	NOPIC USR CON REL LCL NOSHR EXE RD NOWRT NOVEC LONG

```

+-----+
! Performance indicators !
+-----+

```

Phase	Page faults	CPU Time	Elapsed Time
Initialization	39	00:00:00.13	00:00:00.39
Command processing	136	00:00:00.68	00:00:04.49
Pass 1	85	00:00:00.76	00:00:02.91
Symbol table sort	0	00:00:00.00	00:00:00.00
Pass 2	41	00:00:00.59	00:00:03.20
Symbol table output	2	00:00:00.02	00:00:00.02
Psect synopsis output	2	00:00:00.02	00:00:00.02
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	308	00:00:02.20	00:00:11.03

The working set limit was 900 pages.
 2962 bytes (6 pages) of virtual memory were used to buffer the intermediate code.
 There were 10 pages of symbol table space allocated to hold 10 non-local and 0 local symbols.
 342 source lines were read in Pass 1, producing 11 object records in Pass 2.
 7 pages of virtual memory were used to define 6 macros.

```

+-----+
! Macro library statistics !
+-----+

```

Macro library name	Macros defined
_\$255\$DUA28:[SYS.OBJ]LIB.MLB;1	0
-\$255\$DUA28:[SYSLIB]STARLET.MLB;2	0
TOTALS (all libraries)	0

0 GETS were required to define 0 macros.

There were no errors, warnings or information messages.

MACRO/LIS=LIS\$:CALDAYNO/OBJ=OBJ\$:CALDAYNO MSRC\$:MTADEF1/UPDATE=(ENH\$:MTADEF1)+MSRC\$:CALDAYNO/UPDATE=(ENH\$:CALDAYNO)+EXECMLS/LIB

