


```

MM      MM      TTTTTTTTTT  HH      HH      CCCCCCCC  GGGGGGGG  AAAAAA  BBBB8888  SSSSSSSS
MM      MM      TTTTTTTTTT  HH      HH      CCCCCCCC  GGGGGGGG  AAAAAA  BBBB8888  SSSSSSSS
MMMM    MMMM    TT          HH      HH      CC          GG          AA      AA  BB      BB  SS
MMMM    MMMM    TT          HH      HH      CC          GG          AA      AA  BB      BB  SS
MM      MM      TT          HH      HH      CC          GG          AA      AA  BB      BB  SS
MM      MM      TT          HH      HH      CC          GG          AA      AA  BB      BB  SS
MM      MM      TT          HHHHHHHHHH  CC          GG          AA      AA  BBBB8888  SSSSSS
MM      MM      TT          HHHHHHHHHH  CC          GG          AA      AA  BBBB8888  SSSSSS
MM      MM      TT          HH      HH      CC          GG  GGGGGG  AAAAAAAAAA  BB      BB  SS
MM      MM      TT          HH      HH      CC          GG  GGGGGG  AAAAAAAAAA  BB      BB  SS
MM      MM      TT          HH      HH      CC          GG      GG          AA      AA  BB      BB  SS
MM      MM      TT          HH      HH      CC          GG      GG          AA      AA  BB      BB  SS
MM      MM      TT          HH      HH      CCCCCCCC  GGGGGG  AA      AA  BBBB8888  SSSSSSSS
MM      MM      TT          HH      HH      CCCCCCCC  GGGGGG  AA      AA  BBBB8888  SSSSSSSS

```

```

LL      IIIIII  SSSSSSSS
LL      IIIIII  SSSSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SSSSSS
LL      II      SSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LLLLLLLLLL  IIIIII  SSSSSSSS
LLLLLLLLLL  IIIIII  SSSSSSSS

```

(2)	51	HISTORY	; Detailed Current Edit History
(3)	58	DECLARATIONS	
(3)	86	MTH\$CGABS - G COMPLEX*16 Absolute Value	

MTH
Sym
ARC
MTH
MTH
MTH
MTH
RES

PSE

_M

Pha

Ini
Con
Pas
Syn
Pas
Syn
Pse
Cro
Ass

The
234
The
202
1 p

Mac

_S
0 C
The
MAC

```

0000 1 .TITLE MTHSCGABS G COMPLEX*16 Absolute value
0000 2 .IDENT /1-001/ ; File: MTHCGABS.MAR
0000 3
0000 4
0000 5
0000 6 *****
0000 7 *
0000 8 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *
0000 9 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *
0000 10 * ALL RIGHTS RESERVED. *
0000 11 *
0000 12 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *
0000 13 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *
0000 14 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *
0000 15 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *
0000 16 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *
0000 17 * TRANSFERRED. *
0000 18 *
0000 19 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *
0000 20 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *
0000 21 * CORPORATION. *
0000 22 *
0000 23 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *
0000 24 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *
0000 25 *
0000 26 *
0000 27 *****
0000 28
0000 29
0000 30
0000 31 FACILITY: MATH LIBRARY
0000 32 ++
0000 33 ABSTRACT:
0000 34 Return the absolute value of the G COMPLEX*16 value.
0000 35
0000 36
0000 37 --
0000 38
0000 39 VERSION: 1
0000 40
0000 41 HISTORY:
0000 42
0000 43 AUTHOR:
0000 44 Steven B. Lionel, 20-July-1979
0000 45
0000 46 MODIFIED BY:
0000 47
0000 48
0000 49

```

MTH\$CGABS
1-001

G 3
G COMPLEX*16 Absolute value 16-SEP-1984 01:08:31 VAX/VMS Macro V04-00
HISTORY ; Detailed Current Edit History 6-SEP-1984 11:21:01 [MTHRTL.SRC]MTHCGABS.MAR;1 Page 2
(2)

0000 51 .SBTTL HISTORY ; Detailed Current Edit History
0000 52
0000 53
0000 54 ; Edit History
0000 55 ;
0000 56 ; 1-001 - Adapted from MTH\$CABS version 1-002. SBL 20-July-1979

MTH
Tab

```

0000 58      .SBTTL  DECLARATIONS
0000 59
0000 60  ::
0000 61  :: INCLUDE FILES:
0000 62  ::
0000 63  ::
0000 64  ::
0000 65  :: EXTERNAL SYMBOLS:
0000 66  ::
0000 67      .DSABL  GBL
0000 68      .EXTRN  MTH$GSQRT_R5
0000 69
0000 70  ::
0000 71  :: MACROS:
0000 72  ::
0000 73  ::
0000 74  ::
0000 75  :: PSECT DECLARATIONS:
00000000 76      .PSECT  _MTH$CODE          PIC, SHR, LONG, EXE, NOWRT
0000 77
0000 78  ::
0000 79  :: EQUATED SYMBOLS:
0000 80  ::
0000 81  ::
0000 82  ::
0000 83  :: OWN STORAGE:
0000 84  ::     NONE
0000 85
0000 86      .SBTTL  MTH$CGABS - G COMPLEX*16 Absolute Value
0000 87
0000 88  ::++
0000 89  :: FUNCTIONAL DESCRIPTION:
0000 90  ::
0000 91  ::     MTH$CGABS computes the absolute value of a COMPLEX number (r, i)
0000 92  ::     as follows:
0000 93  ::
0000 94  ::     result = ABS(MAX*SQRT((MIN/MAX)**2 + 1))
0000 95  ::
0000 96  :: CALLING SEQUENCE:
0000 97  ::     result.wd.v = MTH$CGABS (arg.rgc.r)
0000 98  ::
0000 99  ::
0000 100  :: INPUT PARAMETERS:
0000 101  ::
00000004 0000 102      arg = 4          ; The address of the G COMPLEX*16 argument.
0000 103  ::
0000 104  :: IMPLICIT INPUTS:
0000 105  ::     NONE
0000 106  ::
0000 107  :: OUTPUT PARAMETERS:
0000 108  ::
0000 109  ::
0000 110  :: IMPLICIT OUTPUTS:
0000 111  ::     NONE
0000 112  ::
0000 113  :: COMPLETION CODES:
0000 114  ::     NONE

```

```

0000 115 :
0000 116 :
0000 117 : FUNCTION VALUE:
0000 118 :
0000 119 : The G floating absolute value is returned in R0-R1.
0000 120 :
0000 121 : SIDE EFFECTS:
0000 122 : Signals: Invalid Operand if r or i are undefined (-0.0).
0000 123 : Floating overflow if r and i are both large.
0000 124 :
0000 125 :--
0000 126 :
003C 0000 127 .ENTRY MTH$CGABS, ^M<R2,R3,R4,R5>
0002 128 MTH$FLAG_JACKET ; resignal
6D 00000000'GF 9E 0002 MOVAB G^MTH$$JACKET_HND, (FP)
0009 ; set handler address to jacket
0009 ; handler
0009
54 04 AC D0 0009 129 MOVL arg(AP), R4 ; Get address of argument
50 84 7D 000D 130 MOVQ (R4)+, R0 ; Get real part
52 64 7D 0010 131 MOVQ (R4), R2 ; Get imaginary part
55 50 0B 04 EF 0013 132 EXTZV #4, #11, R0, R5 ; Get exponent of real part
55 52 0B 04 ED 0018 133 CMPZV #4, #11, R2, R5 ; Is imaginary part bigger?
54 09 18 001D 134 BGEQ REALLO ; Yes, that is correct
50 50 7D 001F 135 MOVQ R0, R4 ; Swap values
50 52 7D 0022 136 MOVQ R2, R0
52 54 7D 0025 137 MOVQ R4, R2
0028 138
0028 139 REALLO:
0028 140
0028 141 ; at this point R0-R1 contains MIN (the smaller of |ri| and |ii|), and
0028 142 ; R2-R3 contains MAX (the larger of |ri| and |ii|).
0028 143 :
52 53FD 0028 144 TSTG R2 ; is divisor zero?
50 1F 13 002B 145 BEQL ZERO ; yes, answer is zero
50 52 46FD 002D 146 DIVG2 R2, R0 ; R0-R1 = MIN/MAX
50 50 44FD 0031 147 MULG2 R0, R0 ; R0-R1 = (MIN/MAX)**2
50 08 40FD 0035 148 ADDG2 #1, R0 ; R0-R1 = (MIN/MAX)**2 + 1
7E 52 7D 0039 149 MOVQ R2, -(SP) ; Save maximum
00000000'EF 16 003C 150 JSB MTH$GSQRT_R5 ; R0-R1 = SQRT((MIN/MAX)**2+1)
50 6E 44FD 0042 151 MULG2 (SP), R0 ; R0-R1= MAX*SQRT((MIN/MAX)**2+1)
50 8000 8F AA 0046 152 ; Floating overflow could happen
0046 153 BICW #^X8000, R0 ; R0-R1= ABS(....)
04 004B 154 RET ; With result in R0-R1
004C 155
004C 156 ZERO:
50 7C 004C 157 CLRQ R0 ; result is zero
04 004E 158 RET
004F 159
004F 160
004F 161
004F 162 .END

```

MTH\$CGABS
Symbol table

G COMPLEX*16 Absolute value

J 3

16-SEP-1984 01:08:31
6-SEP-1984 11:21:01

VAX/VMS Macro V04-00
[MTHRTL.SRC]MTHCGABS.MAR;1

Page 5
(3)

MTH
1-0

```
ARG = 00000004
MTH$$JACKET_HND ***** X 01
MTH$CGABS 00000000 RG 01
MTH$GSQRT_R5 ***** X 00
REALLO 00000028 R 01
ZERO 0000004C R 01
```

! Psect synopsis !

PSECT name	Allocation	PSECT No.	Attributes													
. ABS	00000000 (0.)	00 (0.)	NOPIC USR	CON	ABS	LCL	NOSHR	NOEXE	NORD	NOWRT	NOVEC	BYTE				
_MTH\$CODE	0000004F (79.)	01 (1.)	PIC USR	CON	REL	LCL	SHR	EXE	RD	NOWRT	NOVEC	LONG				

! Performance indicators !

Phase	Page faults	CPU Time	Elapsed Time
Initialization	29	00:00:00.08	00:00:01.07
Command processing	135	00:00:00.68	00:00:04.15
Pass 1	83	00:00:00.63	00:00:03.26
Symbol table sort	0	00:00:00.00	00:00:00.00
Pass 2	42	00:00:00.52	00:00:02.58
Symbol table output	2	00:00:00.02	00:00:00.01
Psect synopsis output	2	00:00:00.02	00:00:00.02
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	295	00:00:01.96	00:00:11.16

The working set limit was 900 pages.
2685 bytes (6 pages) of virtual memory were used to buffer the intermediate code.
There were 10 pages of symbol table space allocated to hold 6 non-local and 0 local symbols.
222 source lines were read in Pass 1, producing 11 object records in Pass 2.
1 page of virtual memory was used to define 1 macro.

! Macro library statistics !

Macro library name	Macros defined
_\$255\$DUA28:[SYSLIB]STARLET.MLB;2	0

0 GETS were required to define 0 macros.

There were no errors, warnings or information messages.

MACRO/ENABLE=SUPPRESSION/DISABLE=(GLOBAL,TRACEBACK)/LIS=LIS\$:MTHCGABS/OBJ=OBJ\$:MTHCGABS MSRC\$:MTHJACKET/UPDATE=(ENH\$:MTHJACKET)+MSRC

