


```

NN      NN      CCCCCCCC  PPPPPPPP  SSSSSSSS  TTTTTTTTTT  AAAAAA  NN      NN      000000  DDDDDDDD
NN      NN      CCCCCCCC  PPPPPPPP  SSSSSSSS  TTTTTTTTTT  AAAAAA  NN      NN      000000  DDDDDDDD
NN      NN      CC        PP        PP  SS        TT        AA      AA  NN      NN      00      00  DD      DD
NN      NN      CC        PP        PP  SS        TT        AA      AA  NN      NN      00      00  DD      DD
NNNN    NN      CC        PP        PP  SS        TT        AA      AA  NNNN    NN      00      00  DD      DD
NNNN    NN      CC        PP        PP  SS        TT        AA      AA  NNNN    NN      00      00  DD      DD
NN      NN      CC        PPPPPPPP  SSSSSS    TT        AA      AA  NN      NN      00      00  DD      DD
NN      NN      CC        PPPPPPPP  SSSSSS    TT        AA      AA  NN      NN      00      00  DD      DD
NN      NN      CC        PP        SS        TT        AAAAAAAAAA  NN      NN      00      00  DD      DD
NN      NN      CC        PP        SS        TT        AAAAAAAAAA  NN      NN      00      00  DD      DD
NN      NN      CC        PP        SS        TT        AA      AA  NN      NN      00      00  DD      DD
NN      NN      CC        PP        SS        TT        AA      AA  NN      NN      00      00  DD      DD
NN      NN      CCCCCCCC  PP        SSSSSSSS  TT        AA      AA  NN      NN      000000  DDDDDDDD
NN      NN      CCCCCCCC  PP        SSSSSSSS  TT        AA      AA  NN      NN      000000  DDDDDDDD

```

```

LL      IIIIII  SSSSSSSS
LL      IIIIII  SSSSSSSS
LL      II     SS
LL      II     SS
LL      II     SS
LL      II     SS
LL      II     SSSSSS
LL      II     SSSSSS
LL      II     SS
LL      II     SS
LL      II     SS
LL      II     SS
LLLLLLLLLLLL IIIIII  SSSSSSSS
LLLLLLLLLLLL IIIIII  SSSSSSSS

```



```

1 0001 0 %TITLE 'Node Parameter Parse States and Data'
2 0002 0 MODULE NCPSTANOD(IDENT = 'V04-000', LIST(NOOBJECT)) =
3 0003 1 BEGIN
4 0004 1
5 0005 1
6 0006 1 *****
7 0007 1 *
8 0008 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *
9 0009 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *
10 0010 1 * ALL RIGHTS RESERVED. *
11 0011 1 *
12 0012 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *
13 0013 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *
14 0014 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *
15 0015 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *
16 0016 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *
17 0017 1 * TRANSFERRED. *
18 0018 1 *
19 0019 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *
20 0020 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *
21 0021 1 * CORPORATION. *
22 0022 1 *
23 0023 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *
24 0024 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *
25 0025 1 *
26 0026 1 *
27 0027 1 *****
28 0028 1
29 0029 1
30 0030 1 ++
31 0031 1 FACILITY: Network Control Program (NCP)
32 0032 1
33 0033 1 ABSTRACT:
34 0034 1
35 0035 1 States and data for the parsing of NCP node parameters
36 0036 1 This includes the set node and set executor commands.
37 0037 1
38 0038 1 ENVIRONMENT: VAX/VMS Operating System
39 0039 1
40 0040 1 AUTHOR: Darrell Duffy , CREATION DATE: 10-September-79
41 0041 1
42 0042 1 MODIFIED BY:
43 0043 1
44 0044 1 V03-018 PRD0099 Paul R. DeStefano 30-Apr-1984
45 0045 1 Change Node Address prompt string so that the range
46 0046 1 indicated in the prompt includes areas.
47 0047 1
48 0048 1 V03-017 PRD0045 Paul R. DeStefano 05-Jan-1984
49 0049 1 Add SERVICE NODE VERSION parameter.
50 0050 1
51 0051 1 V03-016 TMH0016 Tim Halvorsen 13-Jul-1983
52 0052 1 Add EXECUTOR ALIAS parameter.
53 0053 1
54 0054 1 V03-015 RPG0015 Bob Grosso 14-Mar-83
55 0055 1 Change HWA to NIADR from NADR.
56 0056 1
57 0057 1 V03-014 RPG0014 Bob Grosso 18-Feb-83

```

```

58 0058 1 | Make TYPE NONROUTING default to NONROUTING IV.
59 0059 1 | Remove PROXY and add "REQUIRED" to DEFAULT PROXY values.
60 0060 1 | Add EXEC FORWARDING BUFFER SIZE.
61 0061 1 |
62 0062 1 | V03-013 RPG0013 Bob Grosso 08-Nov-82
63 0063 1 | Fix SET EXEC NODE ADDRESS to accept areas.
64 0064 1 | Change EXEC MAX AREA to EXEC MAX AREAS.
65 0065 1 |
66 0066 1 | V03-012 RPG0012 Bob Grosso 20-Jul-82
67 0067 1 | Repair SET/DEF EXEC MAX * which was broken by
68 0068 1 | insertion of broadcast noiseword.
69 0069 1 | Alter NODE TYPE handling so that III or IV must be
70 0070 1 | explicitly stated.
71 0071 1 |
72 0072 1 | V03-011 RPG0011 Bob Grosso 07-Jul-82
73 0073 1 | Add support for NI. Add new type codes.
74 0074 1 |
75 0075 1 | V010 TMH0010 Tim Halvorsen 09-Mar-1982
76 0076 1 | Change prompting, so that only "essential" and
77 0077 1 | "important" parameters are prompted for.
78 0078 1 | Change PROXY parameter to PROXY ACCESS.
79 0079 1 |
80 0080 1 | V009 TMH0009 Tim Halvorsen 31-Dec-1981
81 0081 1 | Add DMF32 as a service device.
82 0082 1 |
83 0083 1 | V008 TMH0008 Tim Halvorsen 18-Dec-1981
84 0084 1 | Add EXECUTOR DEFAULT PROXY and NODE PROXY parameters.
85 0085 1 |
86 0086 1 | V007 TMH0007 Tim Halvorsen 16-Nov-1981
87 0087 1 | Add prompting for DUMP FILE parameter.
88 0088 1 |
89 0089 1 | V006 TMH0006 Tim Halvorsen 23-Oct-1981
90 0090 1 | Fix parsing of NODE ACCESS parameter to send correct
91 0091 1 | NICE parameter code.
92 0092 1 |
93 0093 1 | V005 TMH0005 Tim Halvorsen 15-Aug-1981
94 0094 1 | Add DMP, DMV and DPV service devices
95 0095 1 | Add PIPELINE QUOTA, DEFAULT ACCESS executor parameters.
96 0096 1 | Add ACCESS node parameter.
97 0097 1 |
98 0098 1 | V004 TMH0004 Tim Halvorsen 13-Jul-1981
99 0099 1 | Add NODE SUBADDRESSES parameter.
100 0100 1 | Change MAXIMUM LINES to MAXIMUM CIRCUITS.
101 0101 1 | Change SERVICE LINE to SERVICE CIRCUIT.
102 0102 1 | Change LINE (loop line) to CIRCUIT.
103 0103 1 |
104 0104 1 | V003 TMH0003 Tim Halvorsen 22-Jun-1981
105 0105 1 | Change BUILD_SDB reference to use full entity type field.
106 0106 1 |
107 0107 1 | V02-002 LMK0001 Len Kawell 30-Dec-1980
108 0108 1 | Updated parameter value ranges.
109 0109 1 | --

```

```
.. 111      0110 1 %SBTTL 'Definitions'  
.. 112      0111 1  
.. 113      0112 1  
.. 114      0113 1  ! INCLUDE FILES:  
.. 115      0114 1  !  
.. 116      0115 1  
.. 117      0116 1      LIBRARY 'LIBS:NMALIBRY';  
.. 118      0117 1      LIBRARY 'LIBS:NCPLIBRY';  
.. 119      0118 1      LIBRARY 'SYS$LIBRARY:TPAMAC';  
.. 120      0119 1  
.. 121      0120 1  !  
.. 122      0121 1  ! EXTERNAL REFERENCES:  
.. 123      0122 1  !  
.. 124      0123 1  
.. 125      0124 1      ACT_DFN          ! Action routine externals  
.. 126      0125 1  
.. 127      0126 1  EXTERNAL ROUTINE  
.. 128      0127 1  
.. 129      0128 1      ACT$EXECQ      ! Is the component the executor node?  
.. 130      0129 1      ;  
.. 131      0130 1
```

```

133 0131 1 %SBTTL 'Parameter blocks'
134 0132 1
135 0133 1
136 0134 1
137 0135 1
138 0136 1
139 0137 1
140 0138 1
141 0139 1
142 0140 1
143 P 0141 1
144 P P 0142 1
145 P P P 0143 1
146 P P P 0144 1
147 P P P 0145 1
148 P P P 0146 1
149 P P P 0147 1
150 P P P 0148 1
151 P P P 0149 1
152 P P P 0150 1
153 P P P 0151 1
154 P P P 0152 1
155 P P P 0153 1
156 P P P 0154 1
157 P P P 0155 1
158 P P P 0156 1
159 P P P 0157 1
160 P P P 0158 1
161 P P P 0159 1
162 P P P 0160 1
163 P P P 0161 1
164 P P P 0162 1
165 P P P 0163 1
166 P P P 0164 1
167 P P P 0165 1
168 P P P 0166 1
169 P P P 0167 1
170 P P P 0168 1
171 P P P 0169 1
172 P P P 0170 1
173 P P P 0171 1
174 P P P 0172 1
175 P P P 0173 1
176 P P P 0174 1
177 P P P 0175 1
178 P P P 0176 1
179 P P P 0177 1
180 P P P 0178 1
181 P P P 0179 1
182 P P P 0180 1
183 P P P 0181 1
184 P P P 0182 1
185 P P P 0183 1
186 P P P 0184 1
187 P P P 0185 1
188 P P P 0186 1
189 P P P 0187 1

```

.. BIND DATA:

Parameter Blocks for NODE parameters

BUILD_PCL
(NOD,

```

STA, NUMB, PCNO_STA, .
ID, TKNQ, PCNO_IDE, .
SLN, TKN, PCNO_SLI, .
SPW, HXPS, PCNO_SPA, .
SDV, NUMB, PCNO_SDV, .
CPU, NUMB, PCNO_CPU, .
SNV, NUMB, PCNO_SNV, .
HWA, NIADR, PCNO_HWA, .
LFL, TKN, PCNO_LOA, .
SLF, TKN, PCNO_SLO, .
TLF, TKN, PCNO_TLO, .
DGF, TKN, PCNO_DFL, .
STY, NUMB, PCNO_STY, .
SID, TKNQ, PCNO_SID, .
DFL, TKN, PCNO_DUM, .
SDF, TKN, PCNO_SDU, .
DAD, NUML, PCNO_DAD, .
DCT, NUML, PCNO_DCT, .
HOS, NADR, PCNO_IHO, .
CTM, NUMW, PCNO_CTI, .
NAM, TKN, PCNO_NNA, .
LIN, TKN, PCNO_NLI, .
ADR, AADR, PCNO_ADD, .
INT, NUMW, PCNO_ITI, .
OTM, NUMW, PCNO_OTI, .
MLK, NUMW, PCNO_MLK, .
DFC, NUMB, PCNO_DFA, .
DWT, NUMB, PCNO_DWE, .
IAT, NUMW, PCNO_IAT, .
RFC, NUMW, PCNO_RFA, .

```

! Originally a NUMW but must handle area now

! EXECUTOR parameters

```

TYP, NUMB, PCNO_ETY, .
RTM, NUMW, PCNO_RTI, .
SAD, SAD, PCNO_SAD, .
BRT, NUMW, PCNO_BRT, .
MAD, NUMW, PCNO_MAD, .
MLN, NUMW, PCNO_MLN, .
MCO, NUMW, PCNO_MCO, .
MHP, NUMB, PCNO_MHO, .
MVS, NUMB, PCNO_MVI, .
MAR, NUMB, PCNO_MAR, .

```

! (X.25 only)

```
190 P 0188 1 MBE, NUMW, PCNO_MBE, .  
191 P 0189 1 MBR, NUMW, PCNO_MBR, .  
192 P 0190 1 AMC, NUMW, PCNO_AMC, .  
193 P 0191 1 AMH, NUMB, PCNO_AMH, .  
194 P 0192 1 MBF, NUMW, PCNO_MBU, .  
195 P 0193 1 BSZ, NUMW, PCNO_BUS, .  
196 P 0194 1 FBS, NUMW, PCNO_FBS, .  
197 P 0195 1 SBS, NUMW, PCNO_SBS, .  
198 P 0196 1  
199 P 0197 1 NUS, TKNQ, PCNO_NUS, .  
200 P 0198 1 NAC, TKNQ, PCNO_NAC, .  
201 P 0199 1 NPW, TKNQ, PCNO_NPW, .  
202 P 0200 1 PUS, TKNQ, PCNO_PUS, .  
203 P 0201 1 PAC, TKNQ, PCNO_PAC, .  
204 P 0202 1 PPW, TKNQ, PCNO_PPW, .  
205 P 0203 1 ACC, NUMB, PCNO_ACC, .  
206 P 0204 1 DAC, NUMB, PCNO_DAC, .  
207 P 0205 1 PIQ, NUMW, PCNO_PIQ, .  
208 P 0206 1 ALI, AADR, PCNO_ALI, .  
209 P 0207 1 DPX, NUMB, PCNO_DPX, .  
210 P 0208 1  
211 P 0209 1 RPW, TKNQ, PCNO_RPA, .  
212 P 0210 1 TPW, TKNQ, PCNO_TPA, .  
213 P 0211 1  
214 P 0212 1 . END, . .  
215 P 0213 1 )  
216 P 0214 1 )
```

```

218 0215 1
219 P 0216 1 BUILD_PBK
220 P 0217 1 (NOD, ! Node parameters
221 P 0218 1
222 P 0219 1 CTM, NUMW, . . .
223 P 0220 1 SLN, TKN, . . .
224 P 0221 1 SPW, HXPS, . . .
225 P 0222 1 LFL, TKN, . . .
226 P 0223 1 SLF, TKN, . . .
227 P 0224 1 TLF, TKN, . . .
228 P 0225 1 DFL, TKN, . . .
229 P 0226 1 SDF, TKN, . . .
230 P 0227 1 HOS, NADR, . . .
231 P 0228 1 NAM, TKN, . . .
232 P 0229 1 LIN, TKN, . . .
233 P 0230 1 ADR, AADR, . . . ! Originally a NUMW but must handle area now
234 P 0231 1 RPW, TKNQ, . . .
235 P 0232 1 TPW, TKNQ, . . .
236 P 0233 1
237 P 0234 1 SDVP, LITB, NMASC_SOFD_DP, NOD_SDV,
238 P 0235 1 SDVUN, LITB, NMASC_SOFD_UNA, NOD_SDV,
239 P 0236 1 SDVU, LITB, NMASC_SOFD_DU, NOD_SDV,
240 P 0237 1 SDVL, LITB, NMASC_SOFD_DL, NOD_SDV,
241 P 0238 1 SDVQ, LITB, NMASC_SOFD_DQ, NOD_SDV,
242 P 0239 1 SDVA, LITB, NMASC_SOFD_DA, NOD_SDV,
243 P 0240 1 SDVUP, LITB, NMASC_SOFD_DUP, NOD_SDV,
244 P 0241 1 SDVMC, LITB, NMASC_SOFD_DMC, NOD_SDV,
245 P 0242 1 SDVTE, LITB, NMASC_SOFD_DTE, NOD_SDV,
246 P 0243 1 SDVKL, LITB, NMASC_SOFD_KLB, NOD_SDV,
247 P 0244 1 SDVMP, LITB, NMASC_SOFD_DMP, NOD_SDV,
248 P 0245 1 SDVMV, LITB, NMASC_SOFD_DMV, NOD_SDV,
249 P 0246 1 SDVPV, LITB, NMASC_SOFD_DPV, NOD_SDV,
250 P 0247 1 SDVMF, LITB, NMASC_SOFD_DMF, NOD_SDV,
251 P 0248 1
252 P 0249 1 CPU8, LITB, NMASC_CPU_8, NOD_CPU,
253 P 0250 1 CPU11, LITB, NMASC_CPU_11, NOD_CPU,
254 P 0251 1 CPU10, LITB, NMASC_CPU_1020, NOD_CPU,
255 P 0252 1 VAX, LITB, NMASC_CPU_VAX, NOD_CPU,
256 P 0253 1
257 P 0254 1 STSL, LITB, NMASC_SOFT_SECL, NOD_STY,
258 P 0255 1 STTL, LITB, NMASC_SOFT_TERL, NOD_STY,
259 P 0256 1 STOS, LITB, NMASC_SOFT_OSYS, NOD_STY,
260 P 0257 1
261 P 0258 1 SNVPH3, LITB, NMASC_NODSNV_PH3, NOD_SNV,
262 P 0259 1 SNVPH4, LITB, NMASC_NODSNV_PH4, NOD_SNV,
263 P 0260 1
264 P 0261 1 SID, TKNQ, . . .
265 P 0262 1 DAD, NUML, . . .
266 P 0263 1 DCT, NUML, . . .
267 P 0264 1 NAC, TKNQ, . . .
268 P 0265 1 NPW, TKNQ, . . .
269 P 0266 1 NUS, TKNQ, . . .
270 P 0267 1 PAC, TKNQ, . . .
271 P 0268 1 PPW, TKNQ, . . .
272 P 0269 1 PUS, TKNQ, . . .
273 P 0270 1
274 P 0271 1 ACCNON, LITB, NMASC_ACES_NONE, NOD_ACC,

```



```
: 275 P 0272 1 ACCINC, LITB, NMASC_ACES_INCO, NOD_ACC,  
: 276 P 0273 1 ACCOUT, LITB, NMASC_ACES_OUTG, NOD_ACC,  
: 277 P 0274 1 ACCBOT, LITB, NMASC_ACES_BOTH, NOD_ACC,  
: 278 P 0275 1  
: 279 P 0276 1 DACNON, LITB, NMASC_ACES_NONE, NOD_DAC,  
: 280 P 0277 1 DACINC, LITB, NMASC_ACES_INCO, NOD_DAC,  
: 281 P 0278 1 DACOUT, LITB, NMASC_ACES_OUTG, NOD_DAC,  
: 282 P 0279 1 DACBOT, LITB, NMASC_ACES_BOTH, NOD_DAC,  
: 283 P 0280 1  
: 284 P 0281 1 DPXNON, LITB, NMASC_ACES_NONE, NOD_DPX,  
: 285 P 0282 1 DPXINC, LITB, NMASC_ACES_INCO, NOD_DPX,  
: 286 P 0283 1 DPXOUT, LITB, NMASC_ACES_OUTG, NOD_DPX,  
: 287 P 0284 1 DPXBOT, LITB, NMASC_ACES_BOTH, NOD_DPX,  
: 288 P 0285 1 DPXREQ, LITB, NMASC_ACES_REQU, NOD_DPX,  
: 289 P 0286 1  
: 290 0287 1 )
```

```

.....
292 0288 1
293 P 0289 1 BUILD_PBK
294 P P 0290 1
295 P P 0291 1 (NOD, ! Executor parameters
296 P P 0292 1
297 P P 0293 1 BSZ, NUMW, . .
298 P P 0294 1 OFC, NUMB, . .
299 P P 0295 1 DWT, NUMB, . .
300 P P 0296 1 ID, TKNQ, . .
301 P P 0297 1 IAT, NUMW, . .
302 P P 0298 1 INT, NUMW, . .
303 P P 0299 1 MAD, NUMW, . .
304 P P 0300 1 MBF, NUMW, . .
305 P P 0301 1 MCO, NUMW, . .
306 P P 0302 1 MHP, NUMB, . .
307 P P 0303 1 MVS, NUMB, . .
308 P P 0304 1 MLN, NUMW, . .
309 P P 0305 1 MLK, NUMW, . .
310 P P 0306 1 OTM, NUMW, . .
311 P P 0307 1 RFC, NUMW, . .
312 P P 0308 1 RTM, NUMW, . .
313 P P 0309 1 SAD, SAD, . .
314 P P 0310 1 HWA, NIADR, . .
315 P P 0311 1 DGF, TKN, . .
316 P P 0312 1
317 P P 0313 1 BRT, NUMW, . .
318 P P 0314 1 MAR, NUMB, . .
319 P P 0315 1 MBE, NUMW, . .
320 P P 0316 1 MBR, NUMW, . .
321 P P 0317 1 AMC, NUMW, . .
322 P P 0318 1 AMH, NUMB, . .
323 P P 0319 1 FBS, NUMW, . .
324 P P 0320 1 SBS, NUMW, . .
325 P P 0321 1
326 P P 0322 1 STAON, LITB, NMASC_STATE_ON, NOD_STA,
327 P P 0323 1 STAOFF, LITB, NMASC_STATE_OFF, NOD_STA,
328 P P 0324 1 STARST, LITB, NMASC_STATE_RES, NOD_STA,
329 P P 0325 1 STASHT, LITB, NMASC_STATE_SHU, NOD_STA,
330 P P 0326 1
331 P P 0327 1 TYPROT, LITB, NMASC_NODTY_ROU, NOD_TYP,
332 P P 0328 1 TYPNRT, LITB, NMASC_NODTY_NON, NOD_TYP,
333 P P 0329 1 TYPPH2, LITB, NMASC_NODTY_PHA, NOD_TYP,
334 P P 0330 1 TYPARE, LITB, NMASC_NODTY_AREA, NOD_TYP,
335 P P 0331 1 TYPRT4, LITB, NMASC_NODTY_RT4, NOD_TYP,
336 P P 0332 1 TYPNR4, LITB, NMASC_NODTY_NR4, NOD_TYP,
337 P P 0333 1
338 P P 0334 1 PIQ, NUMW, . .
339 P P 0335 1 ALI, AADR, . .
340 P 0336 1
341 0337 1 )
342 0338 1
343 P 0339 1 BUILD_SDB
344 P 0340 1
345 0341 1 (NOD, NMASC_ENT_NOD, VRB_ENT, NOD)
.....

```

```

: 347 0342 1 %SBTTL 'Prompt strings'
: 348 0343 1
: 349 0344 1
: 350 0345 1 Prompt strings for node parameters
: 351 0346 1
: 352 0347 1
: 353 0348 1 !BIND
: 354 0349 1
: 355 0350 1 PROMPT_STRINGS
: 356 0351 1 (NOD,
: 357 0352 1
: 358 0353 1 CTM, 'Counter timer (1-65535 seconds): ',
: 359 0354 1 CPU, 'Processor type (PDP11,DECSYS,VAX): ',
: 360 0355 1 SDV, 'Service device (DL,UNA,DU,DUP,DMC,DMP): ',
: 361 0356 1 SNV, 'Service node version (PHASE III, PHASE IV): ',
: 362 0357 1 STY, 'Software type (SEC, TER, SYS): ',
: 363 0358 1 SID, 'Software id (16 characters): ',
: 364 0359 1 DAD, 'Dump address (0-FFFFFFFF hex): ',
: 365 0360 1 DCT, 'Dump count (1-2^32): ',
: 366 0361 1 LIN, 'Connecting circuit (dev-c-u.t): ',
: 367 0362 1 HOS, 'Host node id (node-name, address): ',
: 368 0363 1 SLN, 'Service circuit (16 characters): ',
: 369 0364 1 SPW, 'Service password (1-8 hex digits): ',
: 370 0365 1 LFL, 'File to load (filename): ',
: 371 0366 1 SLF, 'Secondary loader (filename): ',
: 372 0367 1 TLF, 'Tertiary loader (filename): ',
: 373 0368 1 DFL, 'File to contain dump (filename): ',
: 374 0369 1 SDF, 'Secondary dumper (filename): ',
: 375 0370 1 RPW, 'Receive password (1-8 characters): ',
: 376 0371 1 TPW, 'Transmit password (1-8 characters): ',
: 377 0372 1 NAC, 'Nonpriv account (1-39 characters): ',
: 378 0373 1 NPW, 'Nonpriv password (1-39 characters): ',
: 379 0374 1 NUS, 'Nonpriv user id (1-39 characters): ',
: 380 0375 1 PAC, 'Priv account (1-39 characters): ',
: 381 0376 1 PPW, 'Priv password (1-39 characters): ',
: 382 0377 1 PUS, 'Priv user id (1-39 characters): ',
: 383 0378 1 ACC, %STRING(
: 384 0379 1 'Access (INCOMING, OUTGOING,
: 385 0380 1 ' BOTH, NONE): '),
: 386 0381 1 )
: 387 0382 1 :

```

```
389 0383 1
390 0384 1
391 0385 1
392 0386 1
393 0387 1
394 0388 1
395 P 0389 1
396 P 0390 1
397 P 0391 1
398 P 0392 1
399 P 0393 1
400 P 0394 1
401 P 0395 1
402 P 0396 1
403 P 0397 1
404 P 0398 1
405 P 0399 1
406 P 0400 1
407 P 0401 1
408 P 0402 1
409 P 0403 1
410 P 0404 1
411 P 0405 1
412 P 0406 1
413 P 0407 1
414 P 0408 1
415 P 0409 1
416 P 0410 1
417 P 0411 1
418 P 0412 1
419 P 0413 1
420 P 0414 1
421 P 0415 1
422 P 0416 1
423 P 0417 1
424 P 0418 1
425 P 0419 1
426 0420 2
427 0421 1
```

Prompt strings for executor parameters

BIND

PROMPT_STRINGS
(NOD,

ADR, 'Node address (1.1-63.1023): ',
BSZ, 'Buffer size (1-16384 bytes): ',
DFC, 'Delay factor (16-255): ',
DWT, 'Delay weight (0-255): ',
ID, 'System id string (32 characters): ',
IAT, 'Inactivity timer (1-65535 seconds): ',
INT, 'Incoming timer (1-65535 seconds): ',
MAD, 'Maximum address (1-255): ',
MBF, 'Maximum buffers (1-65535): ',
MCO, 'Maximum cost (1-1022): ',
MHP, 'Maximum hops (1-30): ',
MLN, 'Maximum circuits (1-64): ',
MLK, 'Maximum links (1-1023): ',
MVS, 'Maximum visits (1-255): ',
NAM, 'Node name (1-6 characters): ',
OTM, 'Outgoing timer (1-65535 seconds): ',
RFC, 'Retransmit factor (1-255): ',
RTM, 'Routing timer (1-65535 seconds): ',
SAD, 'Subaddresses (Range-list): ',
STA, 'State (ON, OFF, SHUT, RESTRICTED): ',
DAC, %STRING(
'Default link access (INCOMING, '
' OUTGOING, BOTH, NONE): '),
DPX, %STRING(
'Default proxy access (INCOMING, '
' OUTGOING, BOTH, NONE, REQUIRED): '),
PIQ, 'Pipeline quota (0-65535 bytes): ',
)
;

```

429      0422 1 %SBTTL 'State Table for Node Parameters'
430      0423 1
431      0424 1 $INIT_STATE (NCP$G_STTBL_NOD, NCP$G_KYTBL_NOD);
432      0425 1
433      0426 1
434      0427 1
435      0428 1
436      0429 1
437      P 0430 1 $STATE (ST_NOD,
438      P 0431 1 ( (SE_ALL), ST_NOD_DOIT), ! All parameter
439      P 0432 1 (TPAS_EOS, , ACT$PMT_ON), ! Prompt if no keywords
440      P 0433 1 (TPAS_LAMBDA, ST_NOD_PRC, ACT$PMT_OFF) ! Process keywords
441      0434 1 );
442      0435 1
443      P 0436 1 $STATE (
444      P 0437 1 (TPAS_LAMBDA, ST_EXE_PMT, ACT$EXECQ, , , PDB$G_VRB_ENT),
445      P 0438 1 (TPAS_LAMBDA)
446      0439 1 );
447      0440 1
448      0441 1
449      0442 1
450      0443 1
451      P 0444 1 PROMPT_STATES
452      P 0445 1 (NOD,
453      P 0446 1
454      P 0447 1 ADR, NAM
455      P 0448 1
456      0449 1 )
457      0450 1
458      P 0451 1 $STATE (
459      P 0452 1 (TPAS_LAMBDA, ST_NOD_DOIT)
460      0453 1 );
461      0454 1
462      P 0455 1 $STATE (ST_EXE_PMT,
463      P 0456 1 (TPAS_LAMBDA)
464      0457 1 );
465      0458 1
466      0459 1
467      0460 1
468      0461 1
469      0462 1
470      P 0463 1 $STATE (ST_EXE_PMT_ADR,
471      P 0464 1 (TPAS_LAMBDA, , ACT$PRMPT, , , PMT$G_NOD_ADR)
472      0465 1 );
473      0466 1
474      P 0467 1 $STATE (
475      P 0468 1 (TPAS_SYMBOL, ST_NOD_DOIT, ACT$PMTDONEQ),
476      P 0469 1 ((ST_NOD_ADR)),
477      P 0470 1 (TPAS_EOS),
478      P 0471 1 (TPAS_LAMBDA, ST_EXE_PMT_ADR, ACT$SIGNAL, , , NCP$_INVVAL)
479      0472 1 );
480      0473 1
481      P 0474 1 PROMPT_STATES
482      P 0475 1 (NOD,
483      P 0476 1
484      P 0477 1 STA, ID,
485      P 0478 1 BSZ, MAD, MBF, MCO, MHP, MLN, MVS, PIQ

```

NCPSTANOD
V04-000

Node Parameter Parse States and Data
State Table for Node Parameters

C 2
16-Sep-1984 01:17:08
14-Sep-1984 12:48:31

VAX-11 Bliss-32 V4.0-742
[NCP.SRC]NCPSTANOD.B32;1

```
: 486      P 0479 1
: 487      0480 1      )
: 488      0481 1
: 489      0482 1
: 490      P 0483 1 $STATE (ST NOD DOIT,
: 491      P 0484 1      (TPAS_EOS, TPAS_EXIT, ACTSVRB_UTILITY, . . . SDB$G_NOD),
: 492      0485 1      );
```

NC
VO

```

: 494      0486 1 %SBTTL 'Dispatch States'
: 495      0487 1
: 496      0488 1
: 497      0489 1
: 498      0490 1
: 499      0491 1
500      P 0492 1 $STATE (ST_NOD_PRC,
501      P 0493 1
502      P 0494 1 DISPATCH_STATES
503      P 0495 1 (NOD,
504      P 0496 1
505      P 0497 1 ACC, 'ACCESS',
506      P 0498 1 ADR, 'ADDRESS',
507      P 0499 1 ALI, 'ALIAS',
508      P 0500 1 ARE, 'AREA',
509      P 0501 1 BRO, 'BROADCAST',
510      P 0502 1 BSZ, 'BUFFER',
511      P 0503 1 CPU, 'CPU',
512      P 0504 1 MCO, 'COST',
513      P 0505 1 CTM, 'COUNTER',
514      P 0506 1 DEF, 'DEFAULT',
515      P 0507 1 DLY, 'DELAY',
516      P 0508 1 DGF, 'DIAGNOSTIC',
517      P 0509 1 DUM, 'DUMP',
518      P 0510 1 FOR, 'FORWARDING',
519      P 0511 1 HWA, 'HARDWARE',
520      P 0512 1 MHP, 'HOPS',
521      P 0513 1 HOS, 'HOST',
522      P 0514 1 ID, 'IDENTIFICATION',
523      P 0515 1 IAT, 'INACTIVITY',
524      P 0516 1 INT, 'INCOMING',
525      P 0517 1 LIN, 'CIRCUIT',
526      P 0518 1 LFL, 'LOAD',
527      P 0519 1 MLK, 'LINKS',
528      P 0520 1 MAX, 'MAXIMUM',
529      P 0521 1 NAM, 'NAME',
530      P 0522 1 NPR, 'NONPRIVILEGED',
531      P 0523 1 OTM, 'OUTGOING',
532      P 0524 1 PIQ, 'PIPELINE',
533      P 0525 1 PRV, 'PRIVILEGED',
534      P 0526 1 RPW, 'RECEIVE',
535      P 0527 1 RFC, 'RETRANSMIT',
536      P 0528 1 RTM, 'ROUTING',
537      P 0529 1 SEC, 'SECONDARY',
538      P 0530 1 SEG, 'SEGMENT',
539      P 0531 1 SVC, 'SERVICE',
540      P 0532 1 SOF, 'SOFTWARE',
541      P 0533 1 STA, 'STATE',
542      P 0534 1 SAD, 'SUBADDRESSES',
543      P 0535 1 TLF, 'TERTIARY',
544      P 0536 1 TPW, 'TRANSMIT',
545      P 0537 1 TYP, 'TYPE',
546      P 0538 1 SNV, 'VERSION',
547      P 0539 1 MVS, 'VISITS',
548      P 0540 1 )
549      P 0541 1
550      P 0542 1 .(TPAS_EOS, ST_NOD_DOIT)

```

NCPSTANOD
V04-000

Node Parameter Parse States and Data
Dispatch States

: 551

0543 1);

E 2
16-Sep-1984 01:17:08
14-Sep-1984 12:48:31

VAX-11 Bliss-32 V4.0-742
[NCP.SRC]NCPSTANOD.B32;1

Page 14
(9)

NC
VO
.....


```

553      0544 1
554      P 0545 1 $STATE (ST_NOD_PRC_ARE,           ! AREA keyword dispatch
555      P 0546 1
556      P 0547 1 ('MAXIMUM'),
557      P 0548 1 (TPAS_LAMBDA),
558      0549 1 );
559      0550 1
560      P 0551 1 $STATE (
561      P 0552 1 ('COST', ST_NOD_PRC_AMC),
562      P 0553 1 ('HOPS', ST_NOD_PRC_AMH),
563      0554 1 );
564      0555 1
565      0556 1
566      P 0557 1 $STATE (ST_NOD_PRC_BRO,           ! BROADCAST keyword dispatch
567      P 0558 1
568      P 0559 1 ('ROUTING', ST_NOD_PRC_BRT),      ! routing is a noise word
569      P 0560 1 ('TIMER', ST_NOD_PRC_BRT),      ! timer is a noise word
570      P 0561 1 (TPAS_LAMBDA, ST_NOD_PRC_BRT)
571      0562 1 );
572      0563 1
573      P 0564 1 $STATE (ST_NOD_PRC_FOR,           ! FORWARDING keyword dispatch
574      P 0565 1
575      P 0566 1 ('BUFFER', ST_NOD_PRC_FBS),      ! buffer is a noise word
576      P 0567 1 ('SIZE', ST_NOD_PRC_FBS),      ! size is a noise word
577      P 0568 1 (TPAS_LAMBDA, ST_NOD_PRC_FBS)
578      0569 1 );
579      0570 1
580      P 0571 1 $STATE (ST_NOD_PRC_SEC,           ! SECONDARY keyword dispatch
581      P 0572 1
582      P 0573 1 DISPATCH_STATES
583      P 0574 1 (NOD,
584      P 0575 1
585      P 0576 1 SDF, 'DUMPER',
586      P 0577 1 SLF, 'LOADER',
587      P 0578 1
588      0579 1 ));
589      0580 1
590      P 0581 1 $STATE (ST_NOD_PRC_SEG,           ! SEGMENT keyword dispatch
591      P 0582 1
592      P 0583 1 ('BUFFER', ST_NOD_PRC_SBS),      ! buffer is a noise word
593      P 0584 1 ('SIZE', ST_NOD_PRC_SBS),      ! size is a noise word
594      P 0585 1 (TPAS_LAMBDA, ST_NOD_PRC_SBS)
595      0586 1 );
596      0587 1
597      P 0588 1 $STATE (ST_NOD_PRC_SVC,           ! SERVICE keyword dispatch
598      P 0589 1
599      P 0590 1 DISPATCH_STATES
600      P 0591 1 (NOD,
601      P 0592 1
602      P 0593 1 SDV, 'DEVICE',
603      P 0594 1 SLN, 'CIRCUIT',
604      P 0595 1 SNV, 'NODE',
605      P 0596 1 SPW, 'PASSWORD',
606      0597 1 ));
607      0598 1
608      0599 1
609      P 0600 1 $STATE (ST_NOD_PRC_MAX,           ! MAXIMUM

```

```

: 610 P 0601 1 ('BROADCAST'),
: 611 P 0602 1 (TPAS_LAMBDA)
: 612 0603 1 );
: 613 0604 1
: 614 P 0605 1 $STATE (,
: 615 P 0606 1
: 616 P 0607 1 DISPATCH_STATES
: 617 P 0608 1 (NOD,
: 618 P 0609 1
: 619 P 0610 1 MAD, 'ADDRESS',
: 620 P 0611 1 MAR, 'AREAS',
: 621 P 0612 1 MBF, 'BUFFERS',
: 622 P 0613 1 MLN, 'CIRCUITS',
: 623 P 0614 1 MCO, 'COST',
: 624 P 0615 1 MHP, 'HOPS',
: 625 P 0616 1 MLK, 'LINKS',
: 626 P 0617 1 MBE, 'NONROUTERS',
: 627 P 0618 1 MBR, 'ROUTERS',
: 628 P 0619 1 MVS, 'VISITS',
: 629 P 0620 1
: 630 0621 1 ));
: 631 0622 1
: 632 P 0623 1 $STATE (ST_NOD_PRC_DEF, ! DEFAULT keyword dispatch
: 633 P 0624 1
: 634 P 0625 1 DISPATCH_STATES
: 635 P 0626 1 (NOD,
: 636 P 0627 1
: 637 P 0628 1 DAC, 'ACCESS',
: 638 P 0,29 1 DPX, 'PROXY',
: 639 P 0630 1
: 640 0631 1 ));
: 641 0632 1
: 642 P 0633 1 $STATE (ST_NOD_PRC_DLY, ! DELAY keyword dispatch
: 643 P 0634 1
: 644 P 0635 1 DISPATCH_STATES
: 645 P 0636 1 (NOD,
: 646 P 0637 1
: 647 P 0638 1 DFC, 'FACTOR',
: 648 P 0639 1 DWT, 'WEIGHT',
: 649 P 0640 1
: 650 0641 1 ));
: 651 0642 1
: 652 P 0643 1 $STATE (ST_NOD_PRC_DUM, ! DUMP keyword dispatch
: 653 P 0644 1
: 654 P 0645 1 DISPATCH_STATES
: 655 P 0646 1 (NOD,
: 656 P 0647 1
: 657 P 0648 1 DAD, 'ADDRESS',
: 658 P 0649 1 DCT, 'COUNT',
: 659 P 0650 1 DFL, 'FILE',
: 660 P 0651 1
: 661 0652 1 ));
: 662 0653 1
: 663 P 0654 1 $STATE (ST_NOD_PRC_SOF, ! SOFTWARE keyword dispatch
: 664 P 0655 1
: 665 P 0656 1 DISPATCH_STATES
: 666 P 0657 1 (NOD,

```

```

: Make a noise word of the BROADCAST
: in MAX BROADCAST ROUTERS and
: MAX BROADCAST NONROUTERS

```

! DEFAULT keyword dispatch

! DELAY keyword dispatch

! DUMP keyword dispatch

! SOFTWARE keyword dispatch

NCPSTANOD
V04-000

Node Parameter Parse States and Data
Dispatch States

M 2
16-Sep-1984 01:17:08
14-Sep-1984 12:48:31

YAX-11 BLISS-32 V4.0-742
[NCP.SRC]NCPSTANOD.B32;1

:	667	P	0658	1	
:	668	P	0659	1	SID, 'IDENTIFICATION',
:	669	P	0660	1	STY, 'TYPE',
:	670	P	0661	1	
:	671		0662	1));

.....

```

: 673      0663  1
: 674      0664  1
: 675      0665  1
: 676      0666  1
: 677      0667  1
: 678      P 0668  1 $STATE (ST_NOD_PRC_NPR,
: 679      P 0669  1 ('ACCOUNT', ST_NOD_PRC_NAC),
: 680      P 0670  1 ('PASSWORD', ST_NOD_PRC_NPW),
: 681      P 0671  1 ('USER', ST_NOD_PRC_NUS),
: 682      P 0672  1 (TPAS_LAMBDA, ST_NOD_PRC);
: 683      0673  1
: 684      0674  1
: 685      P 0675  1 $STATE (ST_NOD_PRC_NAC,
: 686      P 0676  1 ( (ST_NOD_NAC), ST_NOD_PRC_NPR)
: 687      0677  1
: 688      0678  1
: 689      P 0679  1 $STATE (ST_NOD_PRC_NPW,
: 690      P 0680  1 ( (ST_NOD_NPW), ST_NOD_PRC_NPR)
: 691      0681  1
: 692      0682  1
: 693      P 0683  1 $STATE (ST_NOD_PRC_NUS,
: 694      P 0684  1 ( (ST_NOD_NOS), ST_NOD_PRC_NPR)
: 695      0685  1
: 696      0686  1
: 697      0687  1
: 698      0688  1
: 699      0689  1
: 700      0690  1
: 701      P 0691  1 $STATE (ST_NOD_PRC_PRV,
: 702      P 0692  1 ('ACCOUNT', ST_NOD_PRC_PAC),
: 703      P 0693  1 ('PASSWORD', ST_NOD_PRC_PPW),
: 704      P 0694  1 ('USER', ST_NOD_PRC_PUS),
: 705      P 0695  1 (TPAS_LAMBDA, ST_NOD_PRC);
: 706      0696  1
: 707      0697  1
: 708      P 0698  1 $STATE (ST_NOD_PRC_PAC,
: 709      P 0699  1 ( (ST_NOD_PAC), ST_NOD_PRC_PRV)
: 710      0700  1
: 711      0701  1
: 712      P 0702  1 $STATE (ST_NOD_PRC_PPW,
: 713      P 0703  1 ( (ST_NOD_PPW), ST_NOD_PRC_PRV)
: 714      0704  1
: 715      0705  1
: 716      P 0706  1 $STATE (ST_NOD_PRC_PUS,
: 717      P 0707  1 ( (ST_NOD_POS), ST_NOD_PRC_PRV)
: 718      0708  1

```

Process states for non_privileged parameters

Process states for privileged parameters

```

: 720      0709 1 %SBTTL 'Process States'
: 721      0710 1
: 722      0711 1
: 723      0712 1
: 724      0713 1
: 725      0714 1
: 726      P 0715 1
: 727      PP 0716 1
: 728      PPP 0717 1
: 729      PPP 0718 1
: 730      P 0719 1
: 731      P 0720 1
: 732      P 0721 1
: 733      P 0722 1
: 734      P 0723 1
: 735      P 0724 1
: 736      P 0725 1
: 737      P 0726 1
: 738      P 0727 1
: 739      P 0728 1
: 740      P 0729 1
: 741      P 0730 1
: 742      P 0731 1
: 743      P 0732 1
: 744      P 0733 1
: 745      P 0734 1
: 746      P 0735 1
: 747      P 0736 1
: 748      P 0737 1
: 749      P 0738 1
: 750      P 0739 1
: 751      P 0740 1
: 752      P 0741 1
: 753      P 0742 1
: 754      P 0743 1
: 755      P 0744 1
: 756      P 0745 1
: 757      P 0746 1
: 758      PP 0747 1
: 759      PP 0748 1
: 760      P 0749 1
: 761      P 0750 1
: 762      P 0751 1
: 763      P 0752 1
: 764      P 0753 1
: 765      P 0754 1
: 766      P 0755 1
: 767      P 0756 1
: 768      P 0757 1
: 769      P 0758 1
: 770      P 0759 1
: 771      P 0760 1
: 772      P 0761 1
: 773      PP 0762 1
: 774      PP 0763 1
: 775      P 0764 1
: 776      P 0765 1

Node parameter process states

PROCESS_STATES
(NOD,
BRT, 'TIMER',
CPU,
HWA, 'ADDRESS',
CTM, 'TIMER',
DAD,
DCT,
DFL,
DGF, 'FILE',
FBS, 'SIZE',
HOS,
LIN,
LFL, 'FILE',
RPW, 'PASSWORD',
SBS, 'SIZE',
SDF,
SLF,
SDV,
SID,
SLN,
SNV, 'VERSION',
SPW,
STY,
TLF, 'LOADER',
TPW, 'PASSWORD',
ACC,

! Executor parameters
ADR,
AMC,
AMH,
BSZ, 'SIZE',
DFC,
DWT,
ID,
IAT, 'TIMER',
INT, 'TIMER',
MAD,
MBF,
MCO,
MHP,
MLN,
MLK,
MAR,
MBE,
MBR,
MVS,
NAM,

```



```
.. 790      0778 1 %SBTTL 'Define Subexpressions'  
.. 791      0779 1  
.. 792      0780 1  
.. 793      0781 1  
.. 794      0782 1  
.. 795      0783 1  
.. 796      P 0784 1  
.. 797      P 0785 1  
.. 798      P 0786 1  
.. 799      P 0787 1  
.. 800      P 0788 1  
.. 801      P 0789 1  
.. 802      P 0790 1  
.. 803      P 0791 1  
.. 804      P 0792 1  
.. 805      P 0793 1  
.. 806      P 0794 1  
.. 807      P 0795 1  
.. 808      P 0796 1  
.. 809      P 0797 1  
.. 810      P 0798 1  
.. 811      P 0799 1  
.. 812      P 0800 1  
.. 813      P 0801 1  
.. 814      P 0802 1  
.. 815      P 0803 1  
.. 816      P 0804 1  
.. 817      P 0805 1  
.. 818      P 0806 1  
.. 819      P 0807 1  
.. 820      P 0808 1  
.. 821      P 0809 1  
.. 822      P 0810 1  
.. 823      P 0811 1  
.. 824      P 0812 1  
.. 825      P 0813 1  
.. 826      P 0814 1  
.. 827      P 0815 1  
.. 828      P 0816 1  
.. 829      0817 1
```

Node parameter subexpressions

SUB_EXPRESSIONS

(NOD,

ADR, (SE_NODE_ADR),
BRT, TPAS_DECIMAL,
CTM, TPAS_DECIMAL,
DAD, TPAS_HEX,
DCT, TPAS_DECIMAL,
DFL, (SE_FILE_ID),
DGF, (SE_FILE_ID),
FBS, TPAS_DECIMAL,
HWA, (SE_RI_ADR),
HOS, (SE_NODE_ID),
LIN, (SE_CIRC_ID),
LFL, (SE_FILE_ID),
NAM, (SE_NODE_NAM),
RPW, (SE_NSP_PSW),
SBS, TPAS_DECIMAL,
SDF, (SE_FILE_ID),
SID, (SE_SOFT_ID),
SLF, (SE_FILE_ID),
SLN, (SE_CIRC_ID),
SPW, (SE_HEX_PSW),
TLF, (SE_FILE_ID),
TPW, (SE_NSP_PSW),
NAC, (SE_ACC_ACC),
NPW, (SE_ACC_PSW),
NUS, (SE_ACC_USR),
PAC, (SE_ACC_ACC),
PPW, (SE_ACC_PSW),
PUS, (SE_ACC_USR),
)

```

: 831      0818      1
: 832      0819      1
: 833      0820      1
: 834      0821      1
: 835      0822      1
: 836      P 0823      1
: 837      P P 0824      1
: 838      P P 0825      1
: 839      P P 0826      1
: 840      P P 0827      1
: 841      P P 0828      1
: 842      P P 0829      1
: 843      P P 0830      1
: 844      P P 0831      1
: 845      P P 0832      1
: 846      P P 0833      1
: 847      P P 0834      1
: 848      P P 0835      1
: 849      P P 0836      1
: 850      P P 0837      1
: 851      P P 0838      1
: 852      P P 0839      1
: 853      P P 0840      1
: 854      P P 0841      1
: 855      P P 0842      1
: 856      P P 0843      1
: 857      P P 0844      1
: 858      P P 0845      1
: 859      P P 0846      1
: 860      P P 0847      1
: 861      P P 0848      1
: 862      P P 0849      1
: 863      P P 0850      1
: 864      P P 0851      1
: 865      P P 0852      1
: 866      P P 0853      1
: 867      P P 0854      1
: 868      P P 0855      1
: 869      P P 0856      1
: 870      P P 0857      1
: 871      P P 0858      1
: 872      P P 0859      1
: 873      P P 0860      1
: 874      0861      1

```

Executors parameter subexpressions

SUB EXPRESSIONS
(NOD,

AMC, TPAS_DECIMAL,
AMH, TPAS_DECIMAL,
BSZ, TPAS_DECIMAL,
DFC, TPAS_DECIMAL,
DWT, TPAS_DECIMAL,
ID, (SE_EXE_ID),
IAT, TPAS_DECIMAL,
INT, TPAS_DECIMAL,
MAD, TPAS_DECIMAL,
MBF, TPAS_DECIMAL,
MCO, TPAS_DECIMAL,
MHP, TPAS_DECIMAL,
MLN, TPAS_DECIMAL,
MLK, TPAS_DECIMAL,
MAR, TPAS_DECIMAL,
MBE, TPAS_DECIMAL,
MBR, TPAS_DECIMAL,
MVS, TPAS_DECIMAL,
OTM, TPAS_DECIMAL,
RFC, TPAS_DECIMAL,
RTM, TPAS_DECIMAL,
SAD, (SE_SUBADR_RANGE),
PIQ, TPAS_DECIMAL,
ALI, (SE_NODE_ADR),

TYPNRT, TPAS_LAMBDA,
TYPROT, TPAS_LAMBDA,
TYPPH2, TPAS_LAMBDA,
TYPARE, TPAS_LAMBDA,
TYPRT4, TPAS_LAMBDA,
TYPNR4, TPAS_LAMBDA,

SNVPH3, TPAS_LAMBDA,
SNVPH4, TPAS_LAMBDA,

)


```
876 0862 1  
877 0863 1  
878 0864 1 Parse an ACCESS or DEFAULT ACCESS value  
879 0865 1  
880 0866 1  
881 P 0867 1 $STATE (ST_NOD_DAC, ! Executor default access  
882 P 0868 1  
883 P 0869 1 KEYWORD_STATE  
884 P 0870 1 (NOD,  
885 P 0871 1  
886 P 0872 1 DACNON, 'NONE',  
887 P 0873 1 DACINC, 'INCOMING',  
888 P 0874 1 DACOUT, 'OUTGOING',  
889 P 0875 1 DACBOT, 'BOTH',  
890 0876 1 ));  
891 0877 1  
892 P 0878 1 $STATE (ST_NOD_ACC, ! Node access  
893 P 0879 1  
894 P 0880 1 KEYWORD_STATE  
895 P 0881 1 (NOD,  
896 P 0882 1  
897 P 0883 1 ACCNON, 'NONE',  
898 P 0884 1 ACCINC, 'INCOMING',  
899 P 0885 1 ACCOUT, 'OUTGOING',  
900 P 0886 1 ACCBOT, 'BOTH',  
901 0887 1 ));
```

```
.. 903      0888  1
.. 904      0889  1
.. 905      0890  1      Parse DEFAULT PROXY value.
.. 906      0891  1
.. 907      0892  1
.. 908      P 0893  1  $STATE (ST_NOD_DPX,      ! Executor default proxy access
.. 909      P 0894  1
.. 910      P 0895  1      KEYWORD_STATE
.. 911      P 0896  1      (NOD,
.. 912      P 0897  1
.. 913      P 0898  1      DPXNON, 'NONE',
.. 914      P 0899  1      DPXINC, 'INCOMING',
.. 915      P 0900  1      DPXOUT, 'OUTGOING',
.. 916      P 0901  1      DPXBOT, 'BOTH',
.. 917      P 0902  1      DPXREQ, 'REQUIRED',
.. 918      0903  1      ));
```

```

: 920 0904 1
: 921 0905 1
: 922 0906 1
: 923 0907 1
: 924 0908 1
: 925 P 0909 1 $STATE (SE_NSP_PSW,
: 926 P 0910 1 ( (SE_QOOT_STR), TPA$EXIT, ACT$STR_LEN, , , LEN_NSP_PSW)
: 927 0911 1 );
: 928 0912 1
: 929 0913 1
: 930 0914 1
: 931 0915 1
: 932 0916 1
: 933 0917 1
: 934 P 0918 1 $STATE (ST_NOD_SNV,
: 935 P 0919 1
: 936 P 0920 1 ('PHASE', ST_NOD_SNVPHA),
: 937 0921 1 );
: 938 0922 1
: 939 P 0923 1 $STATE (ST_NOD_SNVPHA,
: 940 P 0924 1 ('III', ST_NOD_SNVPH3),
: 941 P 0925 1 ('IV', ST_NOD_SNVPH4),
: 942 0926 1 );
: 943 0927 1
: 944 0928 1
: 945 0929 1
: 946 0930 1
: 947 0931 1
: 948 P 0932 1 $STATE (SE_EXE_ID,
: 949 P 0933 1 ( (SE_QOOT_STR), TPA$EXIT, ACT$STR_LEN, , , LEN_ID_STR)
: 950 0934 1 );
: 951 0935 1
: 952 0936 1
: 953 0937 1
: 954 0938 1
: 955 0939 1
: 956 P 0940 1 $STATE (ST_NOD_STA, ! State of the local node
: 957 P 0941 1
: 958 P 0942 1 KEYWORD_STATE
: 959 P 0943 1 (NOD,
: 960 P 0944 1
: 961 P 0945 1 STAOFF, 'OFF',
: 962 P 0946 1 STAON, 'ON',
: 963 P 0947 1 STARST, 'RESTRICTED',
: 964 P 0948 1 STASHT, 'SHUT',
: 965 P 0949 1
: 966 P 0950 1 )
: 967 0951 1 );
: 968 0952 1
: 969 P 0953 1 $STATE (ST_NOD_TYP, ! Type of node
: 970 P 0954 1
: 971 P 0955 1 ('NONROUTING', ST_NOD_TYPPHA),
: 972 P 0956 1 ('PHASE', ST_NOD_TYPPHA),
: 973 P 0957 1 ('ROUTING', ST_NOD_TYPROU),
: 974 P 0958 1 ('AREA', ST_NOD_TYPARE),
: 975 0959 1 );
: 976 0960 1

```

```

: 977 P 0961 1 $STATE (ST_NOD_TYPNON,
: 978 P 0962 1 ('IV', ST_NOD_TYPNR4),
: 979 P 0963 1 ('III', ST_NOD_TYPNRT),
: 980 P 0964 1 (TPAS_EOS, ST_NOD_TYPNR4),
: 981 0965 1 );
: 982 0966 1
: 983 P 0967 1 $STATE (ST_NOD_TYPROU,
: 984 P 0968 1 ('IV', ST_NOD_TYPR4),
: 985 P 0969 1 ('III', ST_NOD_TYPROT),
: 986 0970 1 );
: 987 0971 1
: 988 P 0972 1 $STATE (ST_NOD_TYPPHA,
: 989 P 0973 1 ('IT', ST_NOD_TYPPH2)
: 990 0974 1 );
: 991 0975 1

```

```
: 993      0976 1 %SBTTL 'Define Subexpressions from Library'  
: 994      0977 1  
: 995      0978 1  
: 996      0979 1  
: 997      0980 1  
: 998      0981 1  
: 999      0982 1  
: 1000     0983 1  
: 1001     0984 1  
: 1002     0985 1  
: 1003     0986 1  
: 1004     0987 1  
: 1005     0988 1  
: 1006     0989 1  
: 1007     0990 1  
: 1008     0991 1  
: 1009     0992 1  
          SEM_ALL           ! All parameter  
          SEM_NODE_ID      ! Node id, address and name  
          SEM_NI_ADR       ! NI address, with or without dashes  
          SEM_LOAD (NOD)   ! Special load parameter decoding  
          SEM_ACCESS       ! Access control strings  
          SEM_FILE_ID      ! File ID  
          SEM_HEX_PSW      ! Hex Password  
          SEM_CIRC_ID      ! Circuit ID  
          SEM_LINE_ID      ! Line ID  
          SEM_QUOT_STR     ! Quoted string  
          SEM_SUBADR_RANGE ! Subaddress range
```

NCPSTANOD
V04-000

Node Parameter Parse States and Data
Object Listing of Parse Table

F 3
16-Sep-1984 01:17:08
14-Sep-1984 12:48:31

VAX-11 Bliss-32 V4.0-742
[NCP.SRC]NCPSTANOD.B32;1

Page 28
(19)

**f

: 1011
: 1012
: 1013

0993 1 %SBTTL 'Object Listing of Parse Table'
0994 1 END
0995 0 ELUDOM

NCPSTANOD
LIS

NCPSTAURB
LIS

NCPSTASHL
LIS

NCPSTAORJ
LIS

NCPSTATRI
LIS

NCPSTAZER
LIS

NCPTERMIO
LIS

NCPTABLES
LIS

NCPURBACT
LIS