

NNN		NNN	CCCCCCCCCCCC	PPPPPPPPPP	
NNN		NNN	CCCCCCCCCCCC	PPPPPPPPPP	
NNN		NNN	CCCCCCCCCCCC	PPPPPPPPPP	
NNN		NNN	CCC	PPP	PPP
NNN		NNN	CCC	PPP	PPP
NNN		NNN	CCC	PPP	PPP
NNNNNN		NNN	CCC	PPP	PPP
NNNNNN		NNN	CCC	PPP	PPP
NNNNNN		NNN	CCC	PPP	PPP
NNN	NNN	NNN	CCC	PPPPPPPPPP	
NNN	NNN	NNN	CCC	PPPPPPPPPP	
NNN	NNN	NNN	CCC	PPPPPPPPPP	
NNN	NNNNNN	NNN	CCC	PPP	
NNN	NNNNNN	NNN	CCC	PPP	
NNN	NNNNNN	NNN	CCC	PPP	
NNN	NNN	NNN	CCC	PPP	
NNN	NNN	NNN	CCC	PPP	
NNN	NNN	NNN	CCC	PPP	
NNN	NNN	NNN	CCCCCCCCCCCC	PPP	
NNN	NNN	NNN	CCCCCCCCCCCC	PPP	
NNN	NNN	NNN	CCCCCCCCCCCC	PPP	

```

NN      NN  MM      MM      AAAAAA  LL      IIIIII  BBBB8888  RRRRRRRR  YY      YY
NN      NN  MM      MM      AAAAAA  LL      IIIIII  BBBB8888  RRRRRRRR  YY      YY
NN      NN  MMMM    MMMM    AA      AA  LL      II      BB      BB  RR      RR  YY      YY
NN      NN  MMMM    MMMM    AA      AA  LL      II      BB      BB  RR      RR  YY      YY
NNNN    NN  MM      MM      AA      AA  LL      II      BB      BB  RR      RR  YY      YY
NNNN    NN  MM      MM      AA      AA  LL      II      BB      BB  RR      RR  YY      YY
NN  NN  NN  MM      MM      AA      AA  LL      II      BBBB8888  RRRRRRRR  YY      YY
NN  NN  NN  MM      MM      AA      AA  LL      II      BBBB8888  RRRRRRRR  YY      YY
NN      NN  MM      MM      AAAAAAAAAA  LL      II      BB      BB  RR  RR  YY      YY
NN      NN  MM      MM      AAAAAAAAAA  LL      II      BB      BB  RR  RR  YY      YY
NN      NN  MM      MM      AA      AA  LL      II      BB      BB  RR      RR  YY      YY
NN      NN  MM      MM      AA      AA  LL      II      BB      BB  RR      RR  YY      YY
NN      NN  MM      MM      AA      AA  LL      II      BB      BB  RR      RR  YY      YY
NN      NN  MM      MM      AA      AA  LLLLLLLLLL  IIIIII  BBBB8888  RR      RR  YY      YY
NN      NN  MM      MM      AA      AA  LLLLLLLLLL  IIIIII  BBBB8888  RR      RR  YY      YY

```

```

LL      IIIIII  SSSSSSSS
LL      IIIIII  SSSSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SSSSSS
LL      II      SSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LLLLLLLLLL  IIIIII  SSSSSSSS
LLLLLLLLLL  IIIIII  SSSSSSSS

```



0001 0
0002 0
0003 0
0004 0
0005 0
0006 0
0007 0
0008 0
0009 0
0010 0
0011 0
0012 0
0013 0
0014 0
0015 0
0016 0
0017 0
0018 0
0019 0
0020 0
0021 0
0022 0
0023 0
0024 0
0025 0
0026 0
0027 0
0028 0
0029 0
0030 0
0031 0
0032 0
0033 0
0034 0
0035 0
0036 0
0037 0
0038 0
0039 0
0040 0
0041 0
0042 0
0043 0
0044 0
0045 0
0046 0
0047 0
0048 0
0049 0
0050 0
0051 0
0052 0
0053 0
0054 0
0055 0
0056 0
0057 0

Version: 'V04-000'

```
*****  
*  
* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY  
* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.  
* ALL RIGHTS RESERVED.  
*  
* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED  
* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE  
* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER  
* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY  
* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY  
* TRANSFERRED.  
*  
* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE  
* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT  
* CORPORATION.  
*  
* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS  
* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.  
*  
*****
```

```
++  
NMAHEAD.B32  
    Define $EQLST macro to make library from the NMALIBRY.B32 file  
    This source is taken from the following source:
```

```
--  
++  
UTLDEF.B32 - UTILITY DEFINITION MACROS FOR BLISS PROCESSING  
OF STARLET DEFINITION MACROS.  
--
```

MACRO TO GENERATE EQLST CONSTRUCTS.

```
MACRO  
    $EQLST(P,G,I,S)[A]=  
        %NAME(P,GET1ST_ A) =  
            %IF NUL2ND_ A  
                %THEN (I) %COUNT*(S) ! ASSUMES I, S ALWAYS GENERATED BY CONVERSION PROGRAM  
            %ELSE GET2ND_ A  
                %FI %,  
  
    GET1ST_(A,B)=  
        A-%,  
    GET2ND_(A,B)=  
        B-%, ! KNOWN NON-NULL
```

6 7
15-Sep-1984 23:06:17
15-Sep-1984 22:48:08

VAX-11 Bliss-32 V4.0-742
_S255\$DUA28:[NCP.SRC]NMAHEAD.B32;1

.. M 0058 0
.. 0059 0
.. 0060 0
.. 0061 0
.. 0062 0
.. 0063 0

NUL2ND (A,B)=
%NULL(B) %;

End of NMAHEAD

0064 0
0065 0
0066 0
0067 0
0068 0
0069 0
0070 0
0071 0
0072 0
0073 0
0074 0
0075 0
0076 0
0077 0
0078 0
0079 0
0080 0
0081 0
0082 0
0083 0
0084 0
0085 0
0086 0
0087 0
0088 0
0089 0
0090 0
0091 0
0092 0
0093 0
0094 0
0095 0
0096 0
0097 0
0098 0
0099 0
0100 0
0101 0
0102 0
0103 0
0104 0
0105 0
0106 0
0107 0
0108 0
0109 0
0110 0
0111 0
0112 0
0113 0
0114 0
0115 0
0116 0
0117 0
0118 0
0119 0
0120 0

```
*****
Created 15-SEP-1984 22:48:46 by VAX-11 SDL V2.0      Source: 15-SEP-1984 22:47:35 _S255SDUA28:[NCP.SRC]NMADEF.
*****

*** MODULE $NMADEF ***

Object type

literal NMASC_OBJ_NIC = 19;           ! Nice listener

Function codes

literal NMASC_FNC_LOA = 15;         ! Request down-line load
literal NMASC_FNC_DUM = 16;         ! Request up-line dump
literal NMASC_FNC_TRI = 17;         ! Trigger bootstrap
literal NMASC_FNC_TES = 18;         ! Test
literal NMASC_FNC_CHA = 19;         ! Change parameter
literal NMASC_FNC_REA = 20;         ! Read information
literal NMASC_FNC_ZER = 21;         ! Zero counters
literal NMASC_FNC_SYS = 22;         ! System-specific function

Option byte

    common to change parameter, read information and zero counters

literal NMASM_OPT_ENT = 7;
literal NMASM_OPT_CLE = 64;
literal NMASM_OPT_PER = 128;
literal NMASM_OPT_INF = 112;
literal NMASC_OPINF_SUM = 0;        ! Summary
literal NMASC_OPINF_STA = 1;        ! Status
literal NMASC_OPINF_CHA = 2;        ! Characteristics
literal NMASC_OPINF_COU = 3;        ! Counters
literal NMASC_OPINF_EVE = 4;        ! Events

test

literal NMASM_OPT_ACC = 128;
literal NMASM_OPT_REA = 128;
literal NMASC_SYS_RST = 1;          ! Rsts
literal NMASC_SYS_RSX = 2;          ! Rsx family
literal NMASC_SYS_TOP = 3;          ! Tops-20
literal NMASC_SYS_VMS = 4;          ! Vms
literal NMASC_SYS_RT = 5;           ! RT-11

Entity types. This numbering scheme must be used in non-system-specific
NICE messages. (See below for conflicting system-specific entities).

literal NMASC_ENT_NOD = 0;          ! Node
literal NMASC_ENT_LIN = 1;          ! Line
literal NMASC_ENT_LOG = 2;          ! Logging
literal NMASC_ENT_CIR = 3;          ! Circuit
literal NMASC_ENT_MOD = 4;          ! Module
literal NMASC_ENT_ARE = 5;          ! Area

System-specific (function 22) entity types. This numbering scheme
```

```
0121 0 | for objects must be used in any entity type in system-specific NICE
0122 0 | messages.
0123 0 |
0124 0 | literal NMASC_SENT_ALI = 3: | Alias
0125 0 | literal NMASC_SENT_OBJ = 4: | Object
0126 0 | literal NMASC_SENT_PRO = 5: | Process
0127 0 | literal NMASC_SENT_SYS = 6: | System
0128 0 | literal NMASC_SENT_LNK = 7: | Links
0129 0 | literal NMASC_SENT_EXE = 128: |
0130 0 | literal NMASC_SENT_ADJ = -4: | Adjacent
0131 0 | literal NMASC_SENT_ACT = -2: | Active
0132 0 | literal NMASC_SENT_KNO = -1: | Known
0133 0 | literal NMASC_SENT_ADD = 0: | Node address
0134 0 | literal NMASC_SENT_ALL = -3: | All
0135 0 | literal NMASC_SENT_LOO = -3: | Loop
0136 0 |
0137 0 | Logging sink types
0138 0 |
0139 0 | literal NMASC_SNK_CON = 1: | Console
0140 0 | literal NMASC_SNK_FIL = 2: | File
0141 0 | literal NMASC_SNK_MON = 3: | Monitor
0142 0 |
0143 0 | Counter data type values
0144 0 |
0145 0 | literal NMASM_CNT_TYP = 4095: |
0146 0 | literal NMASM_CNT_MAP = 4096: |
0147 0 | literal NMASM_CNT_WID = 24576: |
0148 0 | literal NMASM_CNT_COU = 32768: |
0149 0 | literal NMASM_CNT_WIL = 8192: |
0150 0 | literal NMASM_CNT_WIH = 16384: |
0151 0 | literal NMASS_NMADEF = 2: |
0152 0 | macro NMA$V_OPT_ENT = 0,0,3,0 %: |
0153 0 | literal NMASS_OPT_ENT = 3: | Entity type
0154 0 |
0155 0 | change parameter
0156 0 |
0157 0 | macro NMA$V_OPT_CLE = 0,6,1,0 %: | Clear parameter
0158 0 | macro NMA$V_OPT_PER = 0,7,1,0 %: | Permanent parameters
0159 0 |
0160 0 | common to change parameter or read information
0161 0 |
0162 0 | read information
0163 0 |
0164 0 | macro NMA$V_OPT_INF = 0,4,3,0 %: |
0165 0 | literal NMASS_OPT_INF = 3: | Information type mask
0166 0 | macro NMA$V_OPT_ACC = 0,7,1,0 %: | Access control included
0167 0 |
0168 0 | zero
0169 0 |
0170 0 |
0171 0 | macro NMA$V_OPT_REA = 0,7,1,0 %: | Read and zero
0172 0 |
0173 0 | System types
0174 0 |
0175 0 | macro NMA$V_ENT_EXE = 0,7,1,0 %: | Executor indicator flag for response messages
0176 0 |
0177 0 | Entity identification format types
```

```

0178 0
0179 0 macro NMA SV CNT TYP = 0,0,12,0 %;
0180 0 literal NMA SV CNT TYP = 12;          ! Type mask
0181 0 macro NMA SV CNT MAP = 0,12,1,0 %;   ! Bitmapped indicator
0182 0 macro NMA SV CNT WID = 0,13,2,0 %;
0183 0 literal NMA SV CNT WID = 2;          ! Width field mask
0184 0 macro NMA SV CNT COU = 0,15,1,0 %;   ! Counter indicator
0185 0 macro NMA SV CNT WIL = 0,13,1,0 %;   ! Width field low bit
0186 0 macro NMA SV CNT WIH = 0,14,1,0 %;   ! Width field high bit
0187 0
0188 0 Node area and address extraction
0189 0
0190 0 literal NMA SM PTY TYP = 32767;
0191 0 literal NMA SC PTY MAX = 15;          ! Maximum fields within coded multiple
0192 0 literal NMA SM PTY CLE = 63;
0193 0 literal NMA SM PTY MUL = 64;
0194 0 literal NMA SM PTY COD = 128;
0195 0 literal NMA SM PTY CMU = 192;
0196 0 literal NMA SM PTY NLE = 15;
0197 0 literal NMA SM PTY NTY = 48;
0198 0 literal NMA SM PTY ASC = 64;
0199 0 literal NMA SC NTY DU = 0;            ! Unsigned decimal
0200 0 literal NMA SC NTY DS = 1;            ! Signed decimal
0201 0 literal NMA SC NTY H = 2;            ! Hexidecimal
0202 0 literal NMA SC NTY O = 3;            ! Octal
0203 0 NLE values (length of number):
0204 0 literal NMA SC NLE IMAGE = 0;         ! Image field (byte-counted)
0205 0 literal NMA SC NLE BYTE = 1;         ! Byte
0206 0 literal NMA SC NLE WORD = 2;         ! Word
0207 0 literal NMA SC NLE LONG = 4;         ! Longword
0208 0 literal NMA SC NLE QUAD = 8;         ! Quadword
0209 0
0210 0 Define standard values for the DATA TYPE byte
0211 0
0212 0 literal NMA SC PTY AI = 64;           ! ASCII image (ASC=1)
0213 0 literal NMA SC PTY HI = 32;           ! Hex image (NTY=H, NLE=IMAGE)
0214 0 literal NMA SC PTY H1 = 33;          ! Hex byte (NTY=H, NLE=BYTE)
0215 0 literal NMA SC PTY H2 = 34;          ! Hex word (NTY=H, NLE=WORD)
0216 0 literal NMA SC PTY H4 = 36;          ! Hex byte (NTY=H, NLE=LONG)
0217 0 literal NMA SC PTY DU1 = 1;          ! Decimal unsigned byte (NTY=DU,NLE=BYTE)
0218 0 literal NMA SC PTY DU2 = 2;          ! Decimal unsigned word (NTY=DU,NLE=WORD)
0219 0 literal NMA SC PTY CD1 = 129;        ! Coded decimal byte (COD=1, 1 byte)
0220 0 literal NMA SC PTY CM2 = 194;        ! Coded multiple, 2 fields
0221 0 literal NMA SC PTY CM3 = 195;        ! Coded multiple, 3 fields
0222 0 literal NMA SC PTY CM4 = 196;        ! Coded multiple, 4 fields
0223 0 literal NMA SC PTY CM5 = 197;        ! Coded multiple, 5 fields
0224 0
0225 0 Circuit parameters
0226 0
0227 0 literal NMA SC PCCI STA = 0;           ! State (coded byte of NMA SC STATE )
0228 0 literal NMA SC PCCI SUB = 1;          ! Substate (coded byte of NMA SC LINSS )
0229 0 literal NMA SC PCCI SER = 100;        ! Service (coded byte of NMA SC [INSV_]
0230 0 literal NMA SC PCCI LCT = 110;        ! Counter timer (word)
0231 0 literal NMA SC PCCI SPY = 120;        ! Service physical address (NI address)
0232 0 literal NMA SC PCCI SSB = 121;        ! Service substate (coded byte of NMA SC LINSS_)
0233 0 literal NMA SC PCCI CNO = 200;        ! Connected node
0234 0 literal NMA SC PCCI COB = 201;        ! Connected object

```

```
0235 0 literal NMASC_PCCI_LOO = 400: ! Loopback name (ascii)
0236 0 literal NMASC_PCCI_ADJ = 800: ! Adjacent node
0237 0 literal NMASC_PCCI_DRT = 801: ! Designated router on NI
0238 0 literal NMASC_PCCI_BLO = 810: ! Block size (word)
0239 0 literal NMASC_PCCI_COS = 900: ! Cost (byte)
0240 0 literal NMASC_PCCI_MRT = 901: ! Maximum routers on NI (byte)
0241 0 literal NMASC_PCCI_RPR = 902: ! Router priority on NI (byte)
0242 0 literal NMASC_PCCI_HET = 906: ! Hello timer (word)
0243 0 literal NMASC_PCCI_LIT = 907: ! Listen timer (word)
0244 0 literal NMASC_PCCI_BLK = 910: ! Blocking (coded byte of NMASC_CIRBLK_)
0245 0 literal NMASC_PCCI_MRC = 920: ! Maximum recalls (byte)
0246 0 literal NMASC_PCCI_RCT = 921: ! Recall timer (word)
0247 0 literal NMASC_PCCI_NUM = 930: ! Number (ascii)
0248 0 literal NMASC_PCCI_USR = 1000: ! User entity identification
0249 0 literal NMASC_PCCI_POL = 1010: ! Polling state (coded byte of NMASC_CIRPST_)
0250 0 literal NMASC_PCCI_PLS = 1011: ! Polling substate (coded byte)
0251 0 literal NMASC_PCCI_OWN = 1100: ! Owner entity identification
0252 0 literal NMASC_PCCI_LIN = 1110: ! Line (ascii)
0253 0 literal NMASC_PCCI_USE = 1111: ! Usage (coded byte of NMASC_CIRUS_)
0254 0 literal NMASC_PCCI_TYP = 1112: ! Type (coded byte of NMASC_CIRTY_)
0255 0 literal NMASC_PCCI_DTE = 1120: ! DTE (ascii)
0256 0 literal NMASC_PCCI_CHN = 1121: ! Channel (word)
0257 0 literal NMASC_PCCI_MBL = 1122: ! Maximum data (word)
0258 0 literal NMASC_PCCI_MWI = 1123: ! Maximum window (byte)
0259 0 literal NMASC_PCCI_TRI = 1140: ! Tributary (byte)
0260 0 literal NMASC_PCCI_BBT = 1141: ! Babble timer (word)
0261 0 literal NMASC_PCCI_TRT = 1142: ! Transmit timer (word)
0262 0 literal NMASC_PCCI_RTT = 1143: ! Retransmit timer (word)
0263 0 literal NMASC_PCCI_MRB = 1145: ! Maximum receive buffers (coded byte)
0264 0 ! 0-254 is value, 255 = UNLIMITED
0265 0 literal NMASC_PCCI_MTR = 1146: ! Maximum transmits (byte)
0266 0 literal NMASC_PCCI_ACB = 1150: ! Active base (byte)
0267 0 literal NMASC_PCCI_ACI = 1151: ! Active increment (byte)
0268 0 literal NMASC_PCCI_IAB = 1152: ! Inactive base (byte)
0269 0 literal NMASC_PCCI_IAI = 1153: ! Inactive increment (byte)
0270 0 literal NMASC_PCCI_IAT = 1154: ! Inactive threshold (byte)
0271 0 literal NMASC_PCCI_DYB = 1155: ! Dying base (byte)
0272 0 literal NMASC_PCCI_DYI = 1156: ! Dying increment (byte)
0273 0 literal NMASC_PCCI_DYT = 1157: ! Dying threshold (byte)
0274 0 literal NMASC_PCCI_DTH = 1158: ! Dead threshold (byte)
0275 0
0276 0 RSX-specific circuit parameters
0277 0
0278 0 literal NMASC_PCCI_RSX_MAC = 2320: ! Multipoint active ratio
0279 0 literal NMASC_PCCI_RSX_LOG = 2380: ! Logical name
0280 0 literal NMASC_PCCI_RSX_DLG = 2385: ! Designated name
0281 0 literal NMASC_PCCI_RSX_ACT = 2390: ! Actual name
0282 0
0283 0 VMS-specific circuit NICE parameters [2700 - 2799]
0284 0
0285 0 literal NMASC_PCCI_VER = 2700: ! Verification (coded byte of NMASC_CIRVE_)
0286 0 literal NMASC_PCCI_XPT = 2720: ! Transport type (coded byte of NMASC_CIRXPT_)
0287 0
0288 0 VMS-specific datalink only circuit parameters [2800 - 2899]
0289 0
0290 0 (these will never be used in NICE messages).
0291 0
```



```
0292 0 literal NMASC_PCCI_MST = 2810; ! Maintenance state
0293 0
0294 0 Server Base specific Circuit parameters
0295 0
0296 0 literal NMASC_PCCI_SRV_LOG = 3380; ! Logical name
0297 0 literal NMASC_PCCI_SRV_DLG = 3385; ! Designated name
0298 0 literal NMASC_PCCI_SRV_ACT = 3390; ! Actual name
0299 0
0300 0 Line parameters
0301 0
0302 0 literal NMASC_PCLI_STA = 0; ! State (coded byte of NMASC STATE )
0303 0 literal NMASC_PCLI_SUB = 1; ! Substate (coded byte of NMASC LINSS )
0304 0 literal NMASC_PCLI_SER = 100; ! Service (coded byte of NMASC [INSV_]
0305 0 literal NMASC_PCLI_LCT = 110; ! Counter timer (word)
0306 0 literal NMASC_PCLI_LOO = 400; ! Loopback name (ascii) [V2 only]
0307 0 literal NMASC_PCLI_ADJ = 800; ! Adjacent node [V2 only]
0308 0 literal NMASC_PCLI_BLO = 810; ! Block size (word) [V2 only]
0309 0 literal NMASC_PCLI_COS = 900; ! Cost (byte) [V2 only]
0310 0 literal NMASC_PCLI_DEV = 1100; ! Device (ascii)
0311 0 literal NMASC_PCLI_BFN = 1105; ! Receive buffers
0312 0 literal NMASC_PCLI_CON = 1110; ! Controller (coded byte of NMASC LINCN_)
0313 0 literal NMASC_PCLI_DUP = 1111; ! Duplex (coded byte of NMASC DPX_)
0314 0 literal NMASC_PCLI_PRO = 1112; ! Protocol (coded byte of NMASC LINPR_)
0315 0 literal NMASC_PCLI_LTY = 1112; ! Type (coded byte of NMASC LINTY_) [V2 only]
0316 0 literal NMASC_PCLI_CLO = 1113; ! Clock (coded byte of NMASC LINCL_)
0317 0 literal NMASC_PCLI_STI = 1120; ! Service timer (word)
0318 0 literal NMASC_PCLI_NTI = 1121; ! Normal timer (word) [V2 only]
0319 0 literal NMASC_PCLI_RTI = 1121; ! Retransmit timer (word)
0320 0 literal NMASC_PCLI_HTI = 1122; ! Holdback timer (word)
0321 0 literal NMASC_PCLI_MBL = 1130; ! Maximum block (word)
0322 0 literal NMASC_PCLI_MRT = 1131; ! Maximum retransmits (byte)
0323 0 literal NMASC_PCLI_MWI = 1132; ! Maximum window (byte)
0324 0 literal NMASC_PCLI_TRI = 1140; ! Tributary (byte) [V2 only]
0325 0 literal NMASC_PCLI_SLT = 1150; ! Scheduling timer (word)
0326 0 literal NMASC_PCLI_DDT = 1151; ! Dead timer (word)
0327 0 literal NMASC_PCLI_DLT = 1152; ! Delay timer (word)
0328 0 literal NMASC_PCLI_SRT = 1153; ! Stream timer (word)
0329 0 literal NMASC_PCLI_HWA = 1160; ! Hardware address (NI address)
0330 0
0331 0 RSX-specific line parameters
0332 0
0333 0 literal NMASC_PCLI_RSX_OWN = 2300; ! Owner
0334 0 literal NMASC_PCLI_RSX_CCS = 2310; ! Controller CSR
0335 0 literal NMASC_PCLI_RSX_UCS = 2311; ! Unit CSR
0336 0 literal NMASC_PCLI_RSX_VEC = 2312; ! Vector
0337 0 literal NMASC_PCLI_RSX_PRI = 2313; ! Priority
0338 0 literal NMASC_PCLI_RSX_MDE = 2321; ! Dead polling ratio
0339 0 literal NMASC_PCLI_RSX_LLO = 2330; ! Location
0340 0 0, Firstfit
0341 0 1, Topdown
0342 0 literal NMASC_PCLI_RSX_LOG = 2380; ! Logical name
0343 0 literal NMASC_PCLI_RSX_DLG = 2385; ! Designated name
0344 0 literal NMASC_PCLI_RSX_ACT = 2390; ! Actual name
0345 0
0346 0 VMS-specific line NICE parameters [2700 - 2799]
0347 0
0348 0 literal NMASC_PCLI_MCD = 2701; ! Micro-code dump filespec (ascii)
```

```
0349 0 literal NMASC_PCLI_XMD = 2710: ! X.25 line mode (coded byte of NMASC_X25MD_)
0350 0 literal NMASC_PCLI_EPT = 2720: ! Ethernet Protocol Type (hex word)
0351 0
0352 0 VMS-specific datalink only line parameters [2800 - 2899]
0353 0
0354 0 (these will never be used in NICE messages).
0355 0
0356 0 literal NMASC_PCLI_BUS = 2801: ! Buffer size (word)
0357 0 literal NMASC_PCLI_NMS = 2810: ! Number of DMP/DMF synch chars (word)
0358 0 literal NMASC_PCLI_PHA = 2820: ! Physical NI address of UNA (hex string)
0359 0 literal NMASC_PCLI_DPA = 2821: ! (same as HWA) ; Default UNA physical address (hex string)
0360 0 literal NMASC_PCLI_PTY = 2830: ! Ethernet Protocol type (word)
0361 0 literal NMASC_PCLI_MCA = 2831: ! UNA Multicast address list (special)
0362 0 (See NMASC_LINMC )
0363 0 literal NMASC_PCLI_ICP = 2839: ! DELUA Internal Loopback mode
0364 0 (coded byte of NMASC_STATE_)
0365 0 literal NMASC_PCLI_PRM = 2840: ! UNA Promiscuous mode (coded byte of NMASC_STATE_)
0366 0 literal NMASC_PCLI_MLT = 2841: ! UNA Multicast address mode (coded byte of NMASC_STATE_)
0367 0 literal NMASC_PCLI_PAD = 2842: ! UNA Padding mode (coded byte of NMASC_STATE_)
0368 0 literal NMASC_PCLI_DCH = 2843: ! UNA Data chaining mode (coded byte of NMASC_STATE_)
0369 0 literal NMASC_PCLI_CRC = 2844: ! UNA CRC mode (coded byte of NMASC_STATE_)
0370 0 literal NMASC_PCLI_HBQ = 2845: ! UNA Hardware Buffer Quota (word)
0371 0 literal NMASC_PCLI_ACC = 2846: ! UNA protocol access mode (coded byte of NMASC_ACC_)
0372 0 literal NMASC_PCLI_EKO = 2847: ! UNA Echo mode (coded byte of NMASC_STATE_)
0373 0 literal NMASC_PCLI_BSZ = 2848: ! UNA Device Buffer size
0374 0 literal NMASC_PCLI_DES = 2849: ! UNA destination Ethernet address
0375 0 literal NMASC_PCLI_RET = 2850: ! PCL number of retries (word)
0376 0 literal NMASC_PCLI_MOD = 2851: ! PCL address mode (coded byte of NMASC_LINMO )
0377 0 literal NMASC_PCLI_RIB = 2852: ! PCL retry-if-busy state (coded byte of NMASC_STATE_)
0378 0 literal NMASC_PCLI_MNTL = 2860: ! Maintenance loopback mode for devices
0379 0 which support several different loop back modes
0380 0 literal NMASC_PCLI_INTL0 = 2861: ! Internal loopback level 0
0381 0 literal NMASC_PCLI_INTL1 = 2862: ! Internal loopback level 1
0382 0 literal NMASC_PCLI_INTL2 = 2863: ! Internal loopback level 2
0383 0 literal NMASC_PCLI_INTL3 = 2864: ! Internal loopback level 3
0384 0 literal NMASC_PCLI_FRA = 2865: ! Framing address for Bisync
0385 0 literal NMASC_PCLI_STI1 = 2866: ! State info 1st longword
0386 0 literal NMASC_PCLI_STI2 = 2867: ! State info 2st longword
0387 0 literal NMASC_PCLI_TMO = 2868: ! Wait for CTS time out value for DMF sync half duplex
0388 0 literal NMASC_PCLI_MCL = 2869: ! Clear modem on deassign of channel
0389 0 literal NMASC_PCLI_SYC = 2870: ! BISYNC protocol sync char
0390 0 literal NMASC_PCLI_BPC = 2871: ! Number of bits per character
0391 0
0392 0 Server Base specific line parameters
0393 0
0394 0 literal NMASC_PCLI_SRV_OWN = 3300: ! Owner
0395 0 literal NMASC_PCLI_SRV_UCS = 3311: ! Unit CSR
0396 0 literal NMASC_PCLI_SRV_VEC = 3312: ! Vector
0397 0 literal NMASC_PCLI_SRV_PRI = 3313: ! Priority
0398 0 literal NMASC_PCLI_SRV_LOG = 3380: ! Logical name
0399 0 literal NMASC_PCLI_SRV_DLG = 3385: ! Designated name
0400 0 literal NMASC_PCLI_SRV_ACT = 3390: ! Actual name
0401 0
0402 0 Console module parameters
0403 0
0404 0 literal NMASC_PCCO_RTR = 110: ! Reservation timer (word)
0405 0
```

```
0406 0      Loader module parameters
0407 0
0408 0 literal NMASC_PCLD_ASS = 10;      ! Assistance flag (coded byte of NMASC_ASS_)
0409 0
0410 0      Looper module parameters
0411 0
0412 0 literal NMASC_PCLP_ASS = 10;      ! Assistance flag (coded byte of NMASC_ASS_)
0413 0
0414 0      Configurator module parameters
0415 0
0416 0 literal NMASC_PCCN_CIR = 100;      ! NI circuit name (ascii)
0417 0 literal NMASC_PCCN_SUR = 110;      ! Surveillance flag (coded byte of NMASC_SUR_)
0418 0 literal NMASC_PCCN_ELT = 111;      ! Elapsed time
0419 0 literal NMASC_PCCN_PHA = 120;      ! Physical address (NI address)
0420 0 literal NMASC_PCCN_LRP = 130;      ! Time of last report
0421 0 literal NMASC_PCCN_MVR = 20001;    ! Maintenance version
0422 0 literal NMASC_PCCN_FCT = 20002;    ! Function list
0423 0 literal NMASC_PCCN_CUS = 20003;    ! Current console user (NI address)
0424 0 literal NMASC_PCCN_RTR = 20004;    ! Reservation timer (word)
0425 0 literal NMASC_PCCN_CSZ = 20005;    ! Command buffer size (word)
0426 0 literal NMASC_PCCN_RSZ = 20006;    ! Response buffer size (word)
0427 0 literal NMASC_PCCN_HWA = 20007;    ! Hardware address (NI address)
0428 0 literal NMASC_PCCN_DTY = 20100;    ! Device type (coded byte of NMASC_SOFD_)
0429 0 literal NMASC_PCCN_SFI = 20200;    ! Software ID
0430 0 literal NMASC_PCCN_SPR = 20300;    ! System processor (coded word)
0431 0 literal NMASC_PCCN_DLK = 20400;    ! Data link type (coded word)
0432 0
0433 0      Logging parameters
0434 0
0435 0 literal NMASC_PCLO_STA = 0;          ! State (coded byte of NMASC_STATE_)
0436 0 literal NMASC_PCLO_LNA = 100;      ! System/name (ascii)
0437 0 literal NMASC_PCLO_SIN = 200;      ! Sink node
0438 0 literal NMASC_PCLO_EVE = 201;      ! Events
0439 0
0440 0      X.25 Access module parameters
0441 0
0442 0 literal NMASC_PCXA_NOD = 320;        ! Node
0443 0 literal NMASC_PCXA_USR = 330;        ! User (ascii)
0444 0 literal NMASC_PCXA_PSW = 331;        ! Password (ascii)
0445 0 literal NMASC_PCXA_ACC = 332;        ! Account (ascii)
0446 0 literal NMASC_PCXA_NET = 1110;     ! Network (ascii)
0447 0
0448 0      RSX-specific X.25-Access module parameters
0449 0
0450 0 literal NMASC_PCXA_RSX_ADS = 2310;   ! Destination
0451 0 literal NMASC_PCXA_RSX_ANB = 2320;   ! Number
0452 0 literal NMASC_PCXA_RSX_ASC = 2330;   ! Scope
0453 0
0454 0      Server Base specific X.25-Access module parameters
0455 0
0456 0 literal NMASC_PCXA_SRV_ADS = 3310;   ! Destination
0457 0 literal NMASC_PCXA_SRV_ANB = 3320;   ! Number
0458 0 literal NMASC_PCXA_SRV_ASC = 3330;   ! Scope
0459 0
0460 0      X.25 Protocol module parameters
0461 0
0462 0 literal NMASC_PCXP_STA = 0;          ! State (coded byte of NMASC_STATE_)
```

```
0463 0 literal NMASC_PCXP_CTM = 100: Counter timer (word)
0464 0 literal NMASC_PCXP_ACH = 1000: Active channels (word)
0465 0 literal NMASC_PCXP_ASW = 1010: Active switched (word)
0466 0 literal NMASC_PCXP_DTE = 1100: DTE (ascic)
0467 0 literal NMASC_PCXP_GRP = 1101: Group (ascic)
0468 0 literal NMASC_PCXP_NET = 1110: Network (ascic)
0469 0 literal NMASC_PCXP_LIN = 1120: Line (ascic)
0470 0 literal NMASC_PCXP_CHN = 1130: Channels
0471 0 literal NMASC_PCXP_MCH = 1131: Maximum channels (word)
0472 0 literal NMASC_PCXP_DBL = 1140: Default data (word)
0473 0 literal NMASC_PCXP_DWI = 1141: Default window (byte)
0474 0 literal NMASC_PCXP_MBL = 1150: Maximum data (word)
0475 0 literal NMASC_PCXP_MWI = 1151: Maximum window (byte)
0476 0 literal NMASC_PCXP_MCL = 1152: Maximum clears (byte)
0477 0 literal NMASC_PCXP_MRS = 1153: Maximum resets (byte)
0478 0 literal NMASC_PCXP_MST = 1154: Maximum restarts (byte)
0479 0 literal NMASC_PCXP_CAT = 1160: Call timer (byte)
0480 0 literal NMASC_PCXP_CLT = 1161: Clear timer (byte)
0481 0 literal NMASC_PCXP_RST = 1162: Reset timer (byte)
0482 0 literal NMASC_PCXP_STT = 1163: Restart timer (byte)
0483 0 literal NMASC_PCXP_GDT = 1170: Group DTE (ascic)
0484 0 literal NMASC_PCXP_GNM = 1171: Group number (word)
0485 0 literal NMASC_PCXP_GTY = 1172: Group type (coded byte of NMASC_XPRTY_)
0486 0
0487 0 RSX-specific X.25-Protocol Module parameters
0488 0
0489 0 literal NMASC_PCXP_RSX_PMC = 2300: ! Maximum circuits
0490 0
0491 0 VMS-specific X25-PROTOCOL NICE parameters [2700 - 2799]
0492 0
0493 0 literal NMASC_PCXP_MNS = 2700: ! Multinetwork Support flag (coded byte of NMASC_XPRMN_) [disabled, enabled]
0494 0 literal NMASC_PCXP_MCI = 2710: ! Maximum circuits, qualified by DTE
0495 0 literal NMASC_PCXP_SBS = 2720: ! Substate, qualified by DTE (coded byte of NMASC_XPRSB_)
0496 0
0497 0 Server Base specific X.25-Protocol Module parameters
0498 0
0499 0 literal NMASC_PCXP_SRV_PMC = 3300: ! Maximum circuits
0500 0
0501 0 X.25 server module parameters
0502 0
0503 0 literal NMASC_PCXS_CTM = 100: Counter timer (word)
0504 0 literal NMASC_PCXS_ACI = 200: Active circuits (word)
0505 0 literal NMASC_PCXS_DST = 300: Destination (ascic)
0506 0 literal NMASC_PCXS_MCI = 310: Maximum circuits (word)
0507 0 literal NMASC_PCXS_NOD = 320: Node
0508 0 literal NMASC_PCXS_USR = 330: Username
0509 0 literal NMASC_PCXS_SPW = 331: Password to set (ascic)
0510 0 literal NMASC_PCXS_RPW = 331: Password to read (coded byte of NMASC_NODPW_)
0511 0 literal NMASC_PCXS_ACC = 332: Account (ascic)
0512 0 literal NMASC_PCXS_OBJ = 340: Object
0513 0 literal NMASC_PCXS_PRI = 350: Priority (byte)
0514 0 literal NMASC_PCXS_CMK = 351: Call mask (byte-counted hex)
0515 0 literal NMASC_PCXS_CVL = 352: Call value (byte-counted hex)
0516 0 literal NMASC_PCXS_GRP = 353: Group (ascic)
0517 0 literal NMASC_PCXS_NUM = 354: Number (ascic)
0518 0 literal NMASC_PCXS_SAD = 355: Subaddresses
0519 0
```

```
0520 0 RSX-specific X.25-Server Module parameters
0521 0
0522 0 literal NMASC_PCXS_RSX_SST = 2310; ! State
0523 0 0, On
0524 0 1, Off
0525 0
0526 0 VMS-specific X25-SERVER NICE parameters [2700 - 2799]
0527 0
0528 0 literal NMASC_PCXS_STA = 2700; ! Server state (coded byte of NMASC_STATE_)
0529 0 literal NMASC_PCXS_FIL = 2710; ! Object filespec (ascii)
0530 0
0531 0 Server Base specific X.25-Server Module parameters
0532 0
0533 0 literal NMASC_PCXS_SRV_SST = 3310; ! State
0534 0 0, On
0535 0 1, Off
0536 0
0537 0 X.25 trace module parameters (VMS-specific)
0538 0
0539 0 literal NMASC_PCXT_STA = 0; ! State (coded byte of NMASC_STATE_)
0540 0 literal NMASC_PCXT_BSZ = 100; ! Buffer size (word)
0541 0 literal NMASC_PCXT_MBK = 101; ! Maximum blocks/file (word)
0542 0 literal NMASC_PCXT_FNM = 102; ! Filename (ascii)
0543 0 literal NMASC_PCXT_MBF = 103; ! Maximum number of buffers (word)
0544 0 literal NMASC_PCXT_CPL = 104; ! Global data capture limit (word)
0545 0 literal NMASC_PCXT_MVR = 105; ! Maximum trace file version (word)
0546 0 literal NMASC_PCXT_TPT = 106; ! Trace point name (ascii)
0547 0 literal NMASC_PCXT_CPS = 110; ! Per-trace capture size (word)
0548 0 literal NMASC_PCXT_TST = 111; ! Per-trace state (coded byte of NMASC_STATE_)
0549 0
0550 0 Node parameters
0551 0
0552 0 literal NMASC_PCNO_STA = 0; ! State (coded byte of NMASC_STATE_)
0553 0 literal NMASC_PCNO_PHA = 10; ! Physical address (NI address)
0554 0 literal NMASC_PCNO_IDE = 100; ! Identification (ascii)
0555 0 literal NMASC_PCNO_MVE = 101; ! Management version (3 bytes)
0556 0 literal NMASC_PCNO_SLI = 110; ! Service circuit (ascii)
0557 0 literal NMASC_PCNO_SPA = 111; ! Service password (8 bytes)
0558 0 literal NMASC_PCNO_SDV = 112; ! Service device (coded byte of NMASC_SOFD_)
0559 0 literal NMASC_PCNO_CPU = 113; ! CPU type (coded byte of NMASC_CPU_)
0560 0 literal NMASC_PCNO_HWA = 114; ! Hardware address (NI address)
0561 0 literal NMASC_PCNO_SNV = 115; ! Service node version (coded byte of NMASC_SVN_)
0562 0 literal NMASC_PCNO_LOA = 120; ! Load file (ascii)
0563 0 literal NMASC_PCNO_SLO = 121; ! Secondary loader (ascii)
0564 0 literal NMASC_PCNO_TLO = 122; ! Tertiary loader (ascii)
0565 0 literal NMASC_PCNO_DFL = 123; ! Diagnostic file (ascii)
0566 0 literal NMASC_PCNO_STY = 125; ! Software type (coded byte of NMASC_SOFT_)
0567 0 literal NMASC_PCNO_SID = 126; ! Software ID (ascii)
0568 0 literal NMASC_PCNO_DUM = 130; ! Dump file (ascii)
0569 0 literal NMASC_PCNO_SDU = 131; ! Secondary dumper (ascii)
0570 0 literal NMASC_PCNO_DAD = 135; ! Dump address (longword)
0571 0 literal NMASC_PCNO_DCT = 136; ! Dump count (longword)
0572 0 literal NMASC_PCNO_OHO = 140; ! Host (read only parameter)
0573 0 literal NMASC_PCNO_IHO = 141; ! Host (write only parameter)
0574 0 literal NMASC_PCNO_LPC = 150; ! Loop count (word)
0575 0 literal NMASC_PCNO_LPL = 151; ! Loop length (word)
0576 0 literal NMASC_PCNO_LPD = 152; ! Loop Data type (coded byte of NMASC_LOOP_)
```

```

0577 0 literal NMASC_PCNO_LPA = 153: Loop assistant physical address (NI address)
0578 0 literal NMASC_PCNO_LPH = 154: Loop help type (coded byte)
0579 0 literal NMASC_PCNO_LPN = 155: Loop circuit node
0580 0 literal NMASC_PCNO_LAN = 156: Loop circuit assistant node
0581 0 literal NMASC_PCNO_CTI = 160: Counter timer (word)
0582 0 literal NMASC_PCNO_NNA = 500: Name
0583 0 literal NMASC_PCNO_NLI = 501: Circuit (ascii)
0584 0 literal NMASC_PCNO_ADD = 502: Address
0585 0 literal NMASC_PCNO_ITI = 510: Incoming timer (word)
0586 0 literal NMASC_PCNO_OTI = 511: Outgoing timer (word)
0587 0 literal NMASC_PCNO_ACL = 600: Active links (word)
0588 0 literal NMASC_PCNO_DEL = 601: Delay (word)
0589 0 literal NMASC_PCNO_NVE = 700: Nsp version (3 bytes)
0590 0 literal NMASC_PCNO_MLK = 710: Maximum links (word)
0591 0 literal NMASC_PCNO_DFA = 720: Delay factor (byte)
0592 0 literal NMASC_PCNO_DWE = 721: Delay weight (byte)
0593 0 literal NMASC_PCNO_IAT = 722: Inactivity timer (word)
0594 0 literal NMASC_PCNO_RFA = 723: Retransmit factor (word)
0595 0 literal NMASC_PCNO_DTY = 810: Destination Type (coded byte of NMASC_XPRTY_)
0596 0 literal NMASC_PCNO_DCO = 820: Destination Cost (word)
0597 0 literal NMASC_PCNO_DHO = 821: Destination Hops (byte)
0598 0 literal NMASC_PCNO_DLI = 822: Destination circuit (ascii)
0599 0 literal NMASC_PCNO_NND = 830: Next node to destination
0600 0 literal NMASC_PCNO_RVE = 900: Routing version (3 bytes)
0601 0 literal NMASC_PCNO_ETY = 901: Executor Type (coded byte of NMASC_NODTY_)
0602 0 literal NMASC_PCNO_RTI = 910: Routing timer (word)
0603 0 literal NMASC_PCNO_SAD = 911: Subaddress (2 words)
0604 0 literal NMASC_PCNO_BRT = 912: Broadcast routing timer (word)
0605 0 literal NMASC_PCNO_MAD = 920: Maximum address (word)
0606 0 literal NMASC_PCNO_MLN = 921: Maximum circuits (word)
0607 0 literal NMASC_PCNO_MCO = 922: Maximum cost (word)
0608 0 literal NMASC_PCNO_MHO = 923: Maximum hops (byte)
0609 0 literal NMASC_PCNO_MVI = 924: Maximum visits (byte)
0610 0 literal NMASC_PCNO_MAR = 925: Maximum areas (byte)
0611 0 literal NMASC_PCNO_MBE = 926: Maximum broadcast nonrouters (word)
0612 0 literal NMASC_PCNO_MBR = 927: Maximum broadcast routers (word)
0613 0 literal NMASC_PCNO_AMC = 928: Area maximum cost (word)
0614 0 literal NMASC_PCNO_AMH = 929: Area maximum hops (byte)
0615 0 literal NMASC_PCNO_MBU = 930: Maximum buffers (word)
0616 0 literal NMASC_PCNO_BUS = 931: Executor buffer size (word)
0617 0 literal NMASC_PCNO_SBS = 932: Segment buffer size (word)
0618 0 literal NMASC_PCNO_FBS = 933: Forwarding buffer size (word)
0619 0
0620 0 RSX-Specific Node (Executor) parameters
0621 0
0622 0 literal NMASC_PCNO_RSX_RPA = 2300: ! Receive password
0623 0 0, Password set
0624 0 literal NMASC_PCNO_RSX_TPA = 2301: ! Transmit password
0625 0 0, Password set
0626 0 literal NMASC_PCNO_RSX_VER = 2310: ! Verification state
0627 0 0, On
0628 0 1, Off
0629 0
0630 0 VMS-specific node parameters
0631 0
0632 0 literal NMASC_PCNO_PUS = 2704: ! Privileged user id
0633 0 literal NMASC_PCNO_PAC = 2705: ! Privileged account

```

```
0634 0 literal NMASC_PCNO_PPW = 2706: | Privileged password
0635 0 literal NMASC_PCNO_NUS = 2712: | Non-privileged user id
0636 0 literal NMASC_PCNO_NAC = 2713: | Non-privileged account
0637 0 literal NMASC_PCNO_NPW = 2714: | Non-privileged password
0638 0 literal NMASC_PCNO_RPA = 2720: | Receive password
0639 0 literal NMASC_PCNO_TPA = 2721: | Transmit password
0640 0 literal NMASC_PCNO_ACC = 2730: | Access (coded byte of NMASC_ACES_)
0641 0 literal NMASC_PCNO_DAC = 2731: | Default access (coded byte of NMASC_ACES_)
0642 0 literal NMASC_PCNO_PIQ = 2740: | Pipeline quota (word)
0643 0 literal NMASC_PCNO_ALI = 2741: | Alias address (word)
0644 0 literal NMASC_PCNO_PRX = 2750: | Proxy access (coded byte of NMASC_ACES_) !! Obsolete: Only for LIST/PURGE
0645 0 literal NMASC_PCNO_DPX = 2751: | Default proxy access (coded byte of NMASC_ACES_)
0646 0
0647 0 Server Base specific Node (Executor) parameters
0648 0
0649 0 literal NMASC_PCNO_SRV_RPA = 3300: | Receive password
0650 0 0, Password set
0651 0 literal NMASC_PCNO_SRV_TPA = 3301: | Transmit password
0652 0 0, Password set
0653 0 literal NMASC_PCNO_SRV_VER = 3310: | Verification state
0654 0 0, On
0655 0 1, Off
0656 0 literal NMASC_PCNO_SRV_ACB = 3402: | Active control buffers
0657 0 literal NMASC_PCNO_SRV_ASB = 3404: | Active small buffers
0658 0 literal NMASC_PCNO_SRV_ALB = 3406: | Active large buffers
0659 0 literal NMASC_PCNO_SRV_MCB = 3410: | Maximum control buffers
0660 0 literal NMASC_PCNO_SRV_MSB = 3420: | Maximum small buffers
0661 0 literal NMASC_PCNO_SRV_MLB = 3430: | Maximum large buffers
0662 0 literal NMASC_PCNO_SRV_LBS = 3431: | Large buffer size
0663 0 literal NMASC_PCNO_SRV_NRB = 3440: | Minimum receive buffers
0664 0 literal NMASC_PCNO_SRV_CPT = 3450: | CEX pool: total bytes
0665 0 literal NMASC_PCNO_SRV_CPF = 3452: | CEX pool: number of segments
0666 0 literal NMASC_PCNO_SRV_CPL = 3454: | CEX pool: largest segment
0667 0 literal NMASC_PCNO_SRV_XPT = 3460: | Extended pool: total bytes
0668 0 literal NMASC_PCNO_SRV_XPF = 3462: | Extended pool: number of segments
0669 0 literal NMASC_PCNO_SRV_XPL = 3464: | Extended pool: largest segment
0670 0
0671 0 Area parameters
0672 0
0673 0 literal NMASC_PCAR_STA = 0: | State (coded byte of NMASC_STATE_)
0674 0 literal NMASC_PCAR_COS = 820: | Cost (word)
0675 0 literal NMASC_PCAR_HOP = 821: | Hops (byte)
0676 0 literal NMASC_PCAR_CIR = 822: | Circuit (ascii)
0677 0 literal NMASC_PCAR_NND = 830: | Next node to area
0678 0
0679 0 VMS-specific object parameters
0680 0
0681 0 literal NMASC_PCOB_OAN = 400: | Active name
0682 0 literal NMASC_PCOB_OAC = 410: | Active links
0683 0 literal NMASC_PCOB_ONA = 500: | Name
0684 0 literal NMASC_PCOB_OCO = 510: | Copies
0685 0 literal NMASC_PCOB_OUS = 511: | User
0686 0 literal NMASC_PCOB_OVE = 520: | Verification
0687 0 literal NMASC_PCOB_NAM = 500: | Name
0688 0 literal NMASC_PCOB_NUM = 513: | Number
0689 0 literal NMASC_PCOB_FID = 530: | File id
0690 0 literal NMASC_PCOB_PID = 535: | Process id
```

```
0691 0 literal NMASC_PCOB_PRV = 540:
0692 0 literal NMASC_PCOB_USR = 550:
0693 0 literal NMASC_PCOB_ACC = 551:
0694 0 literal NMASC_PCOB_PSW = 552:
0695 0 literal NMASC_PCOB_PRX = 560:
0696 0
0697 0 VMS-specific link parameters
0698 0
0699 0 literal NMASC_PCLK_STA = 0:
0700 0 literal NMASC_PCLK_PID = 101:
0701 0 literal NMASC_PCLK_NID = 102:
0702 0 literal NMASC_PCLK_LAD = 105:
0703 0 entity is node rather than link !
0704 0 CM-1/2, DU-2 (link !), HI-4 (pid)
0705 0 literal NMASC_PCLK_DLY = 110:
0706 0 literal NMASC_PCLK_RLN = 120:
0707 0 literal NMASC_PCLK_RID = 121:
0708 0 literal NMASC_PCLK_USR = 130:
0709 0 literal NMASC_PCLK_PRC = 131:
0710 0
0711 0 Circuit counters
0712 0
0713 0 literal NMASC_CTCIR_ZER = 0:
0714 0 literal NMASC_CTCIR_APR = 800:
0715 0 literal NMASC_CTCIR_DPS = 801:
0716 0 literal NMASC_CTCIR_ACL = 802:
0717 0 literal NMASC_CTCIR_CRL = 805:
0718 0 literal NMASC_CTCIR_TPR = 810:
0719 0 literal NMASC_CTCIR_TPS = 811:
0720 0 literal NMASC_CTCIR_TCL = 812:
0721 0 literal NMASC_CTCIR_LDN = 820:
0722 0 literal NMASC_CTCIR_IFL = 821:
0723 0 literal NMASC_CTCIR_BRC = 1000:
0724 0 literal NMASC_CTCIR_BSN = 1001:
0725 0 literal NMASC_CTCIR_MBY = 1002:
0726 0 literal NMASC_CTCIR_DBR = 1010:
0727 0 literal NMASC_CTCIR_DBS = 1011:
0728 0 literal NMASC_CTCIR_DEI = 1020:
0729 0 literal NMASC_CTCIR_DEO = 1021:
0730 0 literal NMASC_CTCIR_RRT = 1030:
0731 0 literal NMASC_CTCIR_LRT = 1031:
0732 0 literal NMASC_CTCIR_RBE = 1040:
0733 0 literal NMASC_CTCIR_LBE = 1041:
0734 0 literal NMASC_CTCIR_SIE = 1050:
0735 0 literal NMASC_CTCIR_SLT = 1051:
0736 0 literal NMASC_CTCIR_UBU = 1065:
0737 0 literal NMASC_CTCIR_RPE = 1100:
0738 0 literal NMASC_CTCIR_LPE = 1101:
0739 0 literal NMASC_CTCIR_LIR = 1240:
0740 0 literal NMASC_CTCIR_RIR = 1241:
0741 0 literal NMASC_CTCIR_NIR = 1242:
0742 0
0743 0 VMS-specific circuit counters
0744 0
0745 0 literal NMASC_CTCIR_MNE = 2701:
0746 0 type, but not enabled
0747 0 literal NMASC_CTCIR_ERI = 2750:
```

```
! Privilege list
! User id
! Account
! Password
! Proxy access (coded byte of NMASC_ACES_)

! State
! Process id
! Partner Node
! Link address [V2 only]

! Round trip delay time (word)
! Remote link number (word)
! Remote identification, PID or username (ascii)
! Username of link owner (ascii)
! Process name of link owner (ascii)

! Seconds since last zeroed
! Terminating packets received
! Originating packets sent
! Terminating congestion loss
! Corruption loss
! Transit packets received
! Transit packets sent
! Transit congestion loss
! Circuit down
! Initialization failure
! Bytes received
! Bytes sent
! Multicast bytes received
! Data blocks received
! Data blocks sent
! Data errors inbound
! Data errors outbound
! Remote reply timeouts
! Local reply timeouts
! Remote buffer errors
! Local buffer errors
! Selection intervals elapsed
! Selection timeouts
! NI user buffer unavailable
! Remote process errors [V2 only]
! Local process errors [V2 only]
! Locally initiated resets
! Remotely initiated resets
! Network initiated resets

! Multicast received for protocol
! PCL Errors inbound, bit-mapped
```



```
0748 0      0 CRC error on receive
0749 0 literal NMASC_CTCIR_ERO = 2751;      ! PCL Errors outbound, bit-mapped
0750 0      1 CRC on transmit
0751 0      2 Timeout on word
0752 0 literal NMASC_CTCIR_RTO = 2752;      ! PCL Remote timeouts, bit-mapped
0753 0      0 Receiver busy
0754 0      1 Transmitter offline
0755 0      2 Receiver offline
0756 0 literal NMASC_CTCIR_LTO = 2753;      ! PCL Local timeouts
0757 0 literal NMASC_CTCIR_BER = 2754;      ! PCL Remote buffer errors
0758 0 literal NMASC_CTCIR_BEL = 2755;      ! PCL Local buffer errors
0759 0
0760 0      Line counters
0761 0
0762 0 literal NMASC_CTLIN_ZER = 0;          ! Seconds since last zeroed
0763 0 literal NMASC_CTLIN_APR = 800;      ! Arriving packets received [V2 only]
0764 0 literal NMASC_CTLIN_DPS = 801;      ! Departing packets sent [V2 only]
0765 0 literal NMASC_CTLIN_ACL = 802;      ! Arriving congestion loss [V2 only]
0766 0 literal NMASC_CTLIN_TPR = 810;      ! Transit packets received [V2 only]
0767 0 literal NMASC_CTLIN_TPS = 811;      ! Transit packets sent [V2 only]
0768 0 literal NMASC_CTLIN_TCL = 812;      ! Transit congestion loss [V2 only]
0769 0 literal NMASC_CTLIN_LDN = 820;      ! Line down [V2 only]
0770 0 literal NMASC_CTLIN_IFL = 821;      ! Initialization failure [V2 only]
0771 0 literal NMASC_CTLIN_BRC = 1000;      ! Bytes received
0772 0 literal NMASC_CTLIN_BSN = 1001;      ! Bytes sent
0773 0 literal NMASC_CTLIN_MBY = 1002;      ! Multicast bytes received
0774 0 literal NMASC_CTLIN_DBR = 1010;      ! Data blocks received
0775 0 literal NMASC_CTLIN_DBS = 1011;      ! Data blocks sent
0776 0 literal NMASC_CTLIN_MBL = 1012;      ! Multicast blocks received
0777 0 literal NMASC_CTLIN_BID = 1013;      ! Blocks sent, initially deferred
0778 0 literal NMASC_CTLIN_BS1 = 1014;      ! Blocks sent, single collision
0779 0 literal NMASC_CTLIN_BSM = 1015;      ! Blocks sent, multiple collisions
0780 0 literal NMASC_CTLIN_DEI = 1020;      ! Data errors inbound
0781 0 literal NMASC_CTLIN_DEO = 1021;      ! Data errors outbound
0782 0 literal NMASC_CTLIN_RRT = 1030;      ! Remote reply timeouts
0783 0 literal NMASC_CTLIN_LRT = 1031;      ! Local reply timeouts
0784 0 literal NMASC_CTLIN_RBE = 1040;      ! Remote buffer errors
0785 0 literal NMASC_CTLIN_LBE = 1041;      ! Local buffer errors
0786 0 literal NMASC_CTLIN_SIE = 1050;      ! Selection intervals elapsed [V2 only]
0787 0 literal NMASC_CTLIN_SLT = 1051;      ! Selection timeouts [V2 only]
0788 0 literal NMASC_CTLIN_SFL = 1060;      ! Send failure
0789 0 literal NMASC_CTLIN_CDC = 1061;      ! Collision detect check failure
0790 0 literal NMASC_CTLIN_RFL = 1062;      ! Receive failure
0791 0 literal NMASC_CTLIN_UFD = 1063;      ! Unrecognized frame destination
0792 0 literal NMASC_CTLIN_OVR = 1064;      ! Data overrun
0793 0 literal NMASC_CTLIN_SBU = 1065;      ! System buffer unavailable
0794 0 literal NMASC_CTLIN_UBU = 1066;      ! User buffer unavailable
0795 0 literal NMASC_CTLIN_RPE = 1100;      ! Remote process errors
0796 0 literal NMASC_CTLIN_LPE = 1101;      ! Local process errors
0797 0
0798 0      Line counter flags (byte offset will be 0)
0799 0
0800 0 literal NMASS_NMADEF1 = 2;
0801 0 macro NMA$W_NODE = 0,0,16,0 %;
0802 0 macro NMA$V_ADDR = 0,0,10,0 %;
0803 0 literal NMA$S_ADDR = 10;
0804 0 macro NMA$V_AREA = 0,10,6,0 %;
```

```
0805 0 literal NMASS_AREA = 6;
0806 0
0807 0 Parameter ID word (DATA ID)
0808 0
0809 0 macro NMA$V_PTY_TYP = 0,0,15,0 %;
0810 0 literal NMASS_PTY_TYP = 15; ! Type mask
0811 0
0812 0 Parameter data type byte (DATA TYPE)
0813 0
0814 0 macro NMA$V_PTY_CLE = 0,0,6,0 %;
0815 0 literal NMASS_PTY_CLE = 6; ! Coded length mask
0816 0 macro NMA$V_PTY_MUL = 0,6,1,0 %; ! Coded multiple indicator
0817 0 macro NMA$V_PTY_COD = 0,7,1,0 %; ! Coded indicator
0818 0 macro NMA$V_PTY_CMU = 0,6,2,0 %;
0819 0 literal NMASS_PTY_CMU = 2; ! Coded multiple
0820 0 macro NMA$V_PTY_NCE = 0,0,4,0 %;
0821 0 literal NMASS_PTY_NLE = 4; ! Number length mask
0822 0 macro NMA$V_PTY_NTY = 0,4,2,0 %;
0823 0 literal NMASS_PTY_NTY = 2; ! Number type mask
0824 0 macro NMA$V_PTY_ASC = 0,6,1,0 %; ! Ascii image indicator
0825 0 ! NTY values (How to display number):
0826 0 literal NMA$M_CTLIN_BTL = 8;
0827 0 literal NMA$M_CTLIN_FCS = 16;
0828 0 literal NMA$M_CTLIN_TRJ = 32;
0829 0 literal NMASS_NMADEF2 = 1;
0830 0 macro NMA$V_CTLIN_BTL = 0,3,1,0 %; ! block too long
0831 0 macro NMA$V_CTLIN_FCS = 0,4,1,0 %; ! frame check
0832 0 macro NMA$V_CTLIN_TRJ = 0,5,1,0 %; ! REJ sent
0833 0 literal NMA$M_CTLIN_RRJ = 8;
0834 0 literal NMASS_NMADEF3 = 1;
0835 0 macro NMA$V_CTLIN_RRJ = 0,3,1,0 %; ! REJ received
0836 0 literal NMA$M_CTLIN_RRN = 4;
0837 0 literal NMASS_NMADEF4 = 1;
0838 0 macro NMA$V_CTLIN_RRN = 0,2,1,0 %; ! RNR received
0839 0 literal NMA$M_CTLIN_TRN = 4;
0840 0 literal NMASS_NMADEF5 = 1;
0841 0 macro NMA$V_CTLIN_TRN = 0,2,1,0 %; ! RNR sent
0842 0 literal NMA$M_CTLIN_INR = 16;
0843 0 literal NMA$M_CTLIN_FMS = 32;
0844 0 literal NMASS_NMADEF6 = 1;
0845 0 macro NMA$V_CTLIN_INR = 0,4,1,0 %; ! invalid N(R) received
0846 0 macro NMA$V_CTLIN_FMS = 0,5,1,0 %; ! FRMR sent
0847 0 literal NMA$M_CTLIN_TUN = 4;
0848 0 literal NMA$M_CTLIN_RUN = 16;
0849 0 literal NMA$M_CTLIN_FMR = 32;
0850 0 literal NMA$C_CTLIN_MBS = 2701; ! Multicast packets transmitted
0851 0 literal NMA$C_CTLIN_MSN = 2702; ! Multicast bytes transmitted
0852 0 literal NMA$C_CTLIN_RME = 2750; ! PCL Remote errors, bit-mapped
0853 0 0 TDM bus busy
0854 0 1 Message rejected
0855 0 2 Message truncated
0856 0 3 Receiver offline
0857 0 4 Receiver busy
0858 0 5 Transmitter offline
0859 0 literal NMA$C_CTLIN_LCE = 2751; ! PCL Local errors, bit-mapped
0860 0 0 Transmitter overrun
0861 0 1 CRC error on transmit
```

```
0862 0      2 CRC error on receive
0863 0      3 Timeouts
0864 0      4 Non-existent memory transmit
0865 0      5 Non-existent memory receive
0866 0      6 Buffer too small
0867 0      7 Failed to open channel
0868 0      8 Memory overflow
0869 0 literal NMASC_CTLIN_MSE = 2752; ! PCL master/secondary errors, bit-mapped
0870 0      1 Master down
0871 0      2 Now master
```

Node counters

```
0872 0
0873 0
0874 0
0875 0 literal NMASC_CTNOd_ZER = 0; ! Seconds since last zeroed
0876 0 literal NMASC_CTNOd_BRC = 600; ! Bytes received
0877 0 literal NMASC_CTNOd_BSN = 601; ! Bytes sent
0878 0 literal NMASC_CTNOd_MRC = 610; ! Messages received
0879 0 literal NMASC_CTNOd_MSN = 611; ! Messages sent
0880 0 literal NMASC_CTNOd_CRC = 620; ! Connects received
0881 0 literal NMASC_CTNOd_CSN = 621; ! Connects sent
0882 0 literal NMASC_CTNOd_RTO = 630; ! Response timeouts
0883 0 literal NMASC_CTNOd_RSE = 640; ! Received connect resource errors
0884 0 literal NMASC_CTNOd_MLL = 700; ! Maximum logical links active
0885 0 literal NMASC_CTNOd_APL = 900; ! Aged packet loss
0886 0 literal NMASC_CTNOd_NUL = 901; ! Node unreachable packet loss
0887 0 literal NMASC_CTNOd_NOL = 902; ! Node out-of-range packet loss
0888 0 literal NMASC_CTNOd_OPL = 903; ! Oversized packet loss
0889 0 literal NMASC_CTNOd_PFE = 910; ! Packet format error
0890 0 literal NMASC_CTNOd_RUL = 920; ! Partial routing update loss
0891 0 literal NMASC_CTNOd_VER = 930; ! Verification reject
0892 0
```

Server Base Specific Executor Node Counters

```
0893 0
0894 0
0895 0 literal NMASC_CTNOd_SRV_SYC = 3310; ! Control buffer failures
0896 0 literal NMASC_CTNOd_SRV_SYS = 3320; ! Small buffer failures
0897 0 literal NMASC_CTNOd_SRV_SYL = 3330; ! Large buffer failures
0898 0 literal NMASC_CTNOd_SRV_SYR = 3340; ! Receive buffer failures
0899 0
```

X.25 Protocol module counters

```
0900 0
0901 0
0902 0 literal NMASC_CTXP_ZER = 0; ! Seconds since last zeroed
0903 0 literal NMASC_CTXP_BRC = 1000; ! Bytes received
0904 0 literal NMASC_CTXP_BSN = 1001; ! Bytes sent
0905 0 literal NMASC_CTXP_BLR = 1010; ! Data blocks received
0906 0 literal NMASC_CTXP_BLS = 1011; ! Data blocks sent
0907 0 literal NMASC_CTXP_CRC = 1200; ! Calls received
0908 0 literal NMASC_CTXP_CSN = 1201; ! Calls sent
0909 0 literal NMASC_CTXP_FSR = 1210; ! Fast selects received
0910 0 literal NMASC_CTXP_FSS = 1211; ! Fast selects sent
0911 0 literal NMASC_CTXP_MSA = 1220; ! Maximum switched circuits active
0912 0 literal NMASC_CTXP_MCA = 1221; ! Maximum channels active
0913 0 literal NMASC_CTXP_RSE = 1230; ! Received call resource errors
0914 0 literal NMASC_CTXP_LIR = 1240; ! Locally initiated resets
0915 0 literal NMASC_CTXP_RIR = 1241; ! Remotely initiated resets
0916 0 literal NMASC_CTXP_NIR = 1242; ! Network initiated resets
0917 0 literal NMASC_CTXP_RST = 1250; ! Restarts
0918 0
```

```
0919 0          X.25 Server module counters
0920 0
0921 0 literal NMASC_CTXS_ZER = 0;          ! Seconds since last zeroed
0922 0 literal NMASC_CTXS_MCA = 200;      ! Maximum circuits active
0923 0 literal NMASC_CTXS_ICR = 210;     ! Incoming calls rejected, no resources
0924 0 literal NMASC_CTXS_LLR = 211;    ! Logical links rejected, no resources
0925 0
0926 0          Coded parameter values
0927 0
0928 0          Loop test block type coded values
0929 0
0930 0
0931 0 literal NMASC_LOOP_MIX = 2;       ! Mixed
0932 0 literal NMASC_LOOP_ONE = 1;      ! Ones
0933 0 literal NMASC_LOOP_ZER = 0;      ! Zeroes
0934 0
0935 0          Default values for loop functions
0936 0
0937 0 literal NMASC_LOOP_DCNT = 1;       ! Default count
0938 0 literal NMASC_LOOP_DSIZ = 40;     ! Default message size
0939 0
0940 0          Values for LOOP HELP
0941 0
0942 0 literal NMASC_LOOP_XMIT = 0;      ! Transmit
0943 0 literal NMASC_LOOP_RECV = 1;      ! Receive
0944 0 literal NMASC_LOOP_FULL = 2;     ! Full (both transmit and receive)
0945 0
0946 0          State coded values
0947 0
0948 0 literal NMASC_STATE_ON = 0;        ! On
0949 0 literal NMASC_STATE_OFF = 1;      ! Off
0950 0
0951 0          circuit/line/process specific state values
0952 0
0953 0 literal NMASC_STATE_SER = 2;        ! Service (circuit/line only)
0954 0 literal NMASC_STATE_CLE = 3;      ! Cleared
0955 0
0956 0          logging specific state values
0957 0
0958 0 literal NMASC_STATE_HOL = 2;        ! Hold
0959 0
0960 0          node specific state values
0961 0
0962 0 literal NMASC_STATE_SHU = 2;        ! Shut
0963 0 literal NMASC_STATE_RES = 3;        ! Restricted
0964 0 literal NMASC_STATE_REA = 4;        ! Reachable
0965 0 literal NMASC_STATE_UNR = 5;        ! Unreachable
0966 0
0967 0          Looper/loader assistance coded values
0968 0
0969 0 literal NMASC_ASS_ENA = 0;          ! Enabled
0970 0 literal NMASC_ASS_DIS = 1;          ! Disabled
0971 0
0972 0          Configurator surveillance coded values
0973 0
0974 0 literal NMASC_SUR_ENA = 0;          ! Enabled
0975 0 literal NMASC_SUR_DIS = 1;          ! Disabled
```

```

0976 0
0977 0
0978 0
0979 0
0980 0
0981 0
0982 0
0983 0
0984 0
0985 0
0986 0
0987 0
0988 0
0989 0
0990 0
0991 0
0992 0
0993 0
0994 0

```

Circuit/Line substate coded values

```

literal NMASC_LINSS_STA = 0;      ! Starting
literal NMASC_LINSS_REF = 1;      ! Reflecting
literal NMASC_LINSS_LOO = 2;      ! Looping
literal NMASC_LINSS_LOA = 3;      ! Loading
literal NMASC_LINSS_DUM = 4;      ! Dumping
literal NMASC_LINSS_TRI = 5;      ! Triggering
literal NMASC_LINSS_ASE = 6;      ! Autoservice
literal NMASC_LINSS_ALO = 7;      ! Autoloading
literal NMASC_LINSS_ADU = 8;      ! Autodumping
literal NMASC_LINSS_ATR = 9;      ! Autotriggering
literal NMASC_LINSS_SYN = 10;     ! Synchronizing
literal NMASC_LINSS_FAI = 11;     ! Failed
literal NMASC_LINSS_RUN = 12;     ! Running
literal NMASC_LINSS_UNO = 13;     ! Unsynchronised
literal NMASC_LINSS_IDL = 14;     ! Idle (PSI-only)

```

0995 0 Circuit type coded values [In V2, line type coded values]

```

0996 0
0997 0
0998 0
0999 0
1000 0
1001 0
1002 0
1003 0
1004 0
1005 0

```

```

literal NMASC_CIRTY_POI = 0;      ! DDCMP Point
literal NMASC_CIRTY_CON = 1;      ! DDCMP Controller
literal NMASC_CIRTY_TRI = 2;      ! DDCMP Tributary
literal NMASC_CIRTY_X25 = 3;      ! X25
literal NMASC_CIRTY_DMC = 4;      ! DDCMP DMC compatibility mode (DMP)
/* CIRTY LAPB, 5 /* LAPB *** remove once all references have been changed to LAPB ***
literal NMASC_CIRTY_NI = 6;      ! NI

```

1006 0 Circuit/Line Service

```

1007 0 literal NMASC_LINSV_ENA = 0;      ! Enabled
1008 0 literal NMASC_LINSV_DIS = 1;    ! Disabled

```

1009 0 Circuit polling state

```

1010 0
1011 0
1012 0 literal NMASC_CIRPST_AUT = 1;     ! Automatic
1013 0 literal NMASC_CIRPST_ACT = 2;     ! Active
1014 0 literal NMASC_CIRPST_INA = 3;     ! Inactive
1015 0 literal NMASC_CIRPST_DIE = 4;     ! Dying
1016 0 literal NMASC_CIRPST_DED = 5;     ! Dead

```

1017 0 Circuit blocking values

```

1018 0
1019 0
1020 0 literal NMASC_CIRBLK_ENA = 0;      ! Enabled
1021 0 literal NMASC_CIRBLK_DIS = 1;    ! Disabled

```

1022 0 Circuit usage values

```

1023 0
1024 0
1025 0 literal NMASC_CIRUS_PER = 0;      ! Permanent
1026 0 literal NMASC_CIRUS_INC = 1;      ! Incoming
1027 0 literal NMASC_CIRUS_OUT = 2;      ! Outgoing

```

1028 0 Circuit maximum receive buffers

```

1029 0
1030 0
1031 0 literal NMASC_CIRBF_UNL = 255;     ! Unlimited
1032 0

```

Sy
--
AC
AC
AC
AT
BU
CA
CO
CO
DL
DL
DL
DL
DL
DL
DL
DL
DL
DL
DL
DL
DL
DL
DL
DL
DL
DL
DL
EX
EX
EX
EX
EX
EX
IN
IO
IO
IO
IO
IS
MM
ND
SC
SC
SY

```
1033 0      | Circuit verification [VMS only]
1034 0
1035 0      | literal NMASC_CIRVE_ENA = 0;      | Enabled
1036 0      | literal NMASC_CIRVE_DIS = 1;      | Disabled
1037 0
1038 0      | Circuit (desired) transport type [VMS only]
1039 0
1040 0      | literal NMASC_CIRXPT_ZND = 1;      | Z-node
1041 0      | literal NMASC_CIRXPT_PH2 = 2;      | Force Phase II on this circuit
1042 0      | literal NMASC_CIRXPT_PH3 = 3;      | Routing III
1043 0      | literal NMASC_CIRXPT_RO3 = 3;      | Routing III
1044 0      | literal NMASC_CIRXPT_NR4 = 4;      | Nonrouting Phase IV
1045 0
1046 0      | Line duplex coded values
1047 0
1048 0      | literal NMASC_DPX_FUL = 0;      | Full
1049 0      | literal NMASC_DPX_HAL = 1;      | Half
1050 0
1051 0      | Line controller mode
1052 0
1053 0      | literal NMASC_LINCN_NOR = 0;      | Normal
1054 0      | literal NMASC_LINCN_LOO = 1;      | Loop
1055 0
1056 0      | Line protocol values (same as CIRTY_)
1057 0
1058 0      | literal NMASC_LINPR_POI = 0;      | DDCMP Point
1059 0      | literal NMASC_LINPR_CON = 1;      | DDCMP Controller
1060 0      | literal NMASC_LINPR_TRI = 2;      | DDCMP Tributary
1061 0      | literal NMASC_LINPR_DMC = 4;      | DDCMP DMC compatibility mode (DMP)
1062 0      | literal NMASC_LINPR_LAPB = 5;      | LAPB
1063 0      | literal NMASC_LINPR_NI = 6;      | NI
1064 0      | literal NMASC_LINPR_BSY = 9;      | BISYNC
1065 0
1066 0      | Line protocol values for the PCL-11B
1067 0
1068 0      | literal NMASC_LINPR_MAS = 1;      | Master (controls clock signals)
1069 0      | literal NMASC_LINPR_NEU = 2;      | Neutral (uses master's clock signals)
1070 0      | literal NMASC_LINPR_SEC = 0;      | Secondary (backup for master failure)
1071 0
1072 0      | Line clock values
1073 0
1074 0      | literal NMASC_LINCL_EXT = 0;      | External
1075 0      | literal NMASC_LINCL_INT = 1;      | Internal
1076 0
1077 0      | Line type coded values [V2 only]
1078 0
1079 0      | literal NMASC_LINTY_POI = 0;      | DDCMP Point
1080 0      | literal NMASC_LINTY_CON = 1;      | DDCMP Controller
1081 0      | literal NMASC_LINTY_TRI = 2;      | DDCMP Tributary
1082 0      | literal NMASC_LINTY_DMC = 3;      | DDCMP DMC compatibility mode (DMP)
1083 0
1084 0      | Line multicast address function code [VMS datalink only].
1085 0      | Destination and physical address function codes too [VMS datalink only].
1086 0
1087 0      | literal NMASC_LINMC_SET = 1;      | Set address(es)
1088 0      | literal NMASC_LINMC_CLR = 2;      | Clear address(es)
1089 0      | literal NMASC_LINMC_CAL = 3;      | Clear entire list of multicast addresses
```

```
1090 0 literal NMASC_LINMC_SDF = 4;          ! Set physical address to DECnet default
1091 0
1092 0 NI line protocol access mode [VMS datalink only]
1093 0
1094 0 literal NMASC_ACC_SHR = 1;          ! Shared access (default protocol user)
1095 0 literal NMASC_ACC_LIM = 2;          ! Limited access (point-to-point conn.)
1096 0 literal NMASC_ACC_EXC = 3;          ! Exclusive access (allow no others)
1097 0
1098 0 PCL-11B address mode
1099 0
1100 0 literal NMASC_LINMO_AUT = 1;         ! Auto address mode
1101 0 literal NMASC_LINMO_SIL = 2;         ! Silo address mode
1102 0
1103 0 X.25 line mode
1104 0
1105 0 literal NMASC_X25MD_DTE = 1;        ! line operates as DTE
1106 0 literal NMASC_X25MD_DCE = 2;        ! line operates as DCE
1107 0 literal NMASC_X25MD_DTL = 3;        ! line is a DTE in loopback
1108 0 literal NMASC_X25MD_DCL = 4;        ! line is a DCE in loopback
1109 0
1110 0 Node type values
1111 0
1112 0 literal NMASC_NODTY_ROU = 0;         ! Routing Phase III
1113 0 literal NMASC_NODTY_NON = 1;         ! Nonrouting Phase III
1114 0 literal NMASC_NODTY_PHA = 2;         ! Phase II
1115 0 literal NMASC_NODTY_AREA = 3;        ! Area
1116 0 literal NMASC_NODTY_RT4 = 4;         ! Routing Phase IV
1117 0 literal NMASC_NODTY_NR4 = 5;         ! Nonrouting Phase IV
1118 0
1119 0 Node password values
1120 0
1121 0 literal NMASC_NODPW_SET = 0;         ! Password set
1122 0
1123 0 Node CPU type codes
1124 0
1125 0 literal NMASC_CPU_8 = 0;             ! PDP-8 processor
1126 0 literal NMASC_CPU_11 = 1;           ! PDP-11 processor
1127 0 literal NMASC_CPU_1020 = 2;         ! Decsystem 10/20 processor
1128 0 literal NMASC_CPU_VAX = 3;           ! Vax processor
1129 0
1130 0 Service node version coded values
1131 0
1132 0 literal NMASC_NODSNV_PH3 = 0;         ! Phase III
1133 0 literal NMASC_NODSNV_PH4 = 1;         ! Phase IV
1134 0
1135 0 Node software type code
1136 0
1137 0 literal NMASC_SOFT_SECL = 0;         ! Secondary loader
1138 0 literal NMASC_SOFT_TERL = 1;         ! Tertiary loader
1139 0 literal NMASC_SOFT_OSYS = 2;         ! Operating system
1140 0 literal NMASC_SOFT_DIAG = 3;         ! Diagnostics
1141 0
1142 0 Node access (and default access) codes
1143 0
1144 0 literal NMASC_ACES_NONE = 0;          ! None
1145 0 literal NMASC_ACES_INCO = 1;          ! Incoming
1146 0 literal NMASC_ACES_OUTG = 2;          ! Outgoing
```

```
1147 0 literal NMASC_ACES_BOTH = 3;          : Both
1148 000 literal NMASC_ACES_REQU = 4;       : Required
1149 000
1150 000 x.25 Protocol type values
1151 000
1152 000 literal NMASC_XPRTY_BIL = 1;        : Bilateral
1153 000
1154 000 x.25 protocol state values
1155 000
1156 000 literal NMASC_XPRST_ON = 0;         : On
1157 000 literal NMASC_XPRST_OFF = 1;       : Off
1158 000 literal NMASC_XPRST_SHU = 2;       : Shut
1159 000
1160 000 x.25 protocol multi-network support flag
1161 000
1162 000 literal NMASC_XPRMN_ENA = 0;        : Enabled
1163 000 literal NMASC_XPRMN_DIS = 1;        : Disabled
1164 000
1165 000 x.25 protocol DTE substate values
1166 000
1167 000 literal NMASC_XPRSB_RUN = 12;       : Running
1168 000 literal NMASC_XPRSB_UNSYN = 13;    : Unsynchronized
1169 000 literal NMASC_XPRSB_SYN = 10;      : Synchronizing
1170 000
1171 000 Months of the Year Codes
1172 000
1173 000 literal NMASC_JAN = 1;
1174 000 literal NMASC_FEB = 2;
1175 000 literal NMASC_MAR = 3;
1176 000 literal NMASC_APR = 4;
1177 000 literal NMASC_MAY = 5;
1178 000 literal NMASC_JUN = 6;
1179 000 literal NMASC_JUL = 7;
1180 000 literal NMASC_AUG = 8;
1181 000 literal NMASC_SEP = 9;
1182 000 literal NMASC_OCT = 10;
1183 000 literal NMASC_NOV = 11;
1184 000 literal NMASC_DEC = 12;
1185 000
1186 000 Service device codes (MOP)
1187 000
1188 000 literal NMASC_SOFD_DP = 0;           : DP11
1189 000 literal NMASC_SOFD_UNA = 1;       : UNA
1190 000 literal NMASC_SOFD_DU = 2;        : DU11
1191 000 literal NMASC_SOFD_DL = 4;        : DL11
1192 000 literal NMASC_SOFD_DQ = 6;       : DQ11
1193 000 literal NMASC_SOFD_DA = 8;       : DA11
1194 000 literal NMASC_SOFD_DUP = 10;      : DUP11
1195 000 literal NMASC_SOFD_DMC = 12;      : DMC11
1196 000 literal NMASC_SOFD_DMP = 18;     : DMP11
1197 000 literal NMASC_SOFD_DTE = 20;     : DTE20
1198 000 literal NMASC_SOFD_KL8 = 32;     : KL8
1199 000 literal NMASC_SOFD_DMV = 34;     : DMV
1200 000 literal NMASC_SOFD_DPV = 36;     : DPV
1201 000 literal NMASC_SOFD_DMF = 38;     : DMF32
1202 000
1203 000
```

Status codes for field support routines

Vi
St
Im
Im
Nu
Nu
Nu
Nu
Nu
Im
Ma
Es

Pe
--

To
Us
To

Nu

1
A
LI
M:


```
1204 0
1205 00 literal NMAS_SUCCESS = 1;          ! Unqualified success
1206 00 literal NMAS_SUCCFLDRPL = 9;      ! Success with field replaced
1207 00 literal NMAS_BADFID = 0;         ! Invalid field id code
1208 00 literal NMAS_BADDAT = 8;        ! Invalid data format
1209 00 literal NMAS_BADOPR = 16;       ! Invalid operation
1210 00 literal NMAS_BUFTOOSMALL = 24;  ! Buffer too small
1211 00 literal NMAS_FLDNOTFND = 32;    ! Field not found
1212 00
1213 00      Permanent database file ID codes
1214 00
1215 00 literal NMASC_OPN_MIN = 0;       ! Minimum !
1216 00 literal NMASC_OPN_NODE = 0;     ! Nodes
1217 00 literal NMASC_OPN_LINE = 1;     ! Lines
1218 00 literal NMASC_OPN_LOG = 2;      ! Logging
1219 00 literal NMASC_OPN_OBJ = 3;      ! Object
1220 00 literal NMASC_OPN_CIR = 4;      ! Circuit
1221 00 literal NMASC_OPN_X25 = 5;      ! Module X25
1222 00 literal NMASC_OPN_X29 = 6;      ! Module X29
1223 00 literal NMASC_OPN_CNF = 7;      ! Module Configurator
1224 00 literal NMASC_OPN_MAX = 7;      ! Maximum ! permanent database files
1225 00 literal NMASC_OPN_ALL = 127;    ! All opened files
1226 00
1227 00      Open access codes
1228 00
1229 00 literal NMASC_OPN_AC_RO = 0;     ! Read Only
1230 00 literal NMASC_OPN_AC_RW = 1;    ! Read write
1231 00
1232 00      Define Phase II NICE function codes
1233 00
1234 00 literal NMASC_FN2_DLL = 2;       ! Down line load
1235 00 literal NMASC_FN2_ULD = 3;       ! Upline Dump
1236 00 literal NMASC_FN2_TRI = 4;       ! Trigger remote bootstrap
1237 00 literal NMASC_FN2_LOO = 5;       ! Loop back test
1238 00 literal NMASC_FN2_TES = 6;       ! Send test message to be looped
1239 00 literal NMASC_FN2_SET = 7;       ! Set parameter
1240 00 literal NMASC_FN2_REA = 8;       ! Read Parameter
1241 00 literal NMASC_FN2_ZER = 9;       ! Zero counters
1242 00 literal NMASC_FN2_LNS = 14;      ! Line service
1243 00
1244 00      Change parameters (volatile only)
1245 00
1246 00 literal NMASC_OP2_CHNST = 5;      ! Node operational status
1247 00 literal NMASC_OP2_CHLST = 3;     ! Line operational status
1248 00
1249 00      Read Information (Status and Counters only)
1250 00
1251 00 literal NMASC_OP2_RENCT = 0;      ! Local node counters
1252 00 literal NMASC_OP2_RENST = 1;      ! local node status
1253 00 literal NMASC_OP2_RELCT = 4;      ! Line counters
1254 00 literal NMASC_OP2_RELST = 5;      ! Line status
1255 00
1256 00      Zero counters
1257 00
1258 00 literal NMASC_OP2_ZENCT = 0;      ! Local Node counters
1259 00 literal NMASC_OP2_ZELCT = 2;      ! Line counters
1260 0
```



```
1318 0 literal NMASC_FOPDTL_SLF = 3:      : Secondary loader
1319 0 literal NMASC_FOPDTL_TLF = 4:      : Tertiary loader
1320 0 literal NMASC_FOPDTL_SDF = 5:      : Secondary dumper
1321 0
1322 0      STS_MLD, STS_MCF
1323 0
1324 0 literal NMASC_NCEDTL_NNA = 0:      : No node name set
1325 0 literal NMASC_NCEDTL_INN = 1:      : Invalid node name format
1326 0 literal NMASC_NCEDTL_UNA = 2:      : Unrecognised node name
1327 0 literal NMASC_NCEDTL_UNR = 3:      : Node unreachable
1328 0 literal NMASC_NCEDTL_RSC = 4:      : Network resources
1329 0 literal NMASC_NCEDTL_RJC = 5:      : Rejected by object
1330 0 literal NMASC_NCEDTL_ONA = 6:      : Invalid object name format
1331 0 literal NMASC_NCEDTL_OBJ = 7:      : Unrecognised object
1332 0 literal NMASC_NCEDTL_ACC = 8:      : Access control rejected
1333 0 literal NMASC_NCEDTL_BSY = 9:      : Object too busy
1334 0 literal NMASC_NCEDTL_NRS = 10:     : No response from object
1335 0 literal NMASC_NCEDTL_NSD = 11:     : Node shut down
1336 0 literal NMASC_NCEDTL_DIE = 12:     : Node or object failed
1337 0 literal NMASC_NCEDTL_DIS = 13:     : Disconnect by object
1338 0 literal NMASC_NCEDTL_ABO = 14:     : Abort by object
1339 0 literal NMASC_NCEDTL_ABM = 15:     : Abort by management
1340 0
1341 0      STS_OPE
1342 0
1343 0 literal NMASC_OPEDTL_DCH = 0:      : Data check
1344 0 literal NMASC_OPEDTL_TIM = 1:      : Timeout
1345 0 literal NMASC_OPEDTL_ORN = 2:      : Data overrun
1346 0 literal NMASC_OPEDTL_ACT = 3:      : Unit is active
1347 0 literal NMASC_OPEDTL_BAF = 4:      : Buffer allocation failure
1348 0 literal NMASC_OPEDTL_RUN = 5:      : Protocol running
1349 0 literal NMASC_OPEDTL_DSC = 6:      : Line disconnected
1350 0 literal NMASC_OPEDTL_FTL = 8:      : Fatal hardware error
1351 0 literal NMASC_OPEDTL_MNT = 11:     : DDCMP maintainance message received
1352 0 literal NMASC_OPEDTL_LST = 12:     : Data lost due to buffer size mismatch
1353 0 literal NMASC_OPEDTL_THR = 13:     : Threshold error
1354 0 literal NMASC_OPEDTL_TRB = 14:     : Tributary malfunction
1355 0 literal NMASC_OPEDTL_STA = 15:     : DDCMP start message received
1356 0 literal NMASS_NMADEF7 = 1:
1357 0 macro NMA SV_CTLIN_TUN = 0,2,1,0 %:  : transmit underrun
1358 0 macro NMA SV_CTLIN_RUN = 0,4,1,0 %:  : receive underrun
1359 0 macro NMA SV_CTLIN_FMR = 0,5,1,0 %:  : FRMR received
1360 0
1361 0      VMS-specific line counters
1362 0
```

```
1363 0
1364 00
1365 000
1366 0000
1367 00000
1368 000000
1369 0000000
1370 00000000
1371 000000000
1372 0000000000
1373 00000000000
1374 000000000000
1375 0000000000000
1376 00000000000000
1377 000000000000000
1378 0000000000000000
1379 00000000000000000
1380 000000000000000000
1381 0000000000000000000
1382 00000000000000000000

Version: 'V04-000'

++
NMATAIL.B32

Source to undeclare the macros required for the precompile of
NMALIBRY.B32 so they do not appear in the library.

--

UNDECLARE %QUOTE $EQU%LST,
%QUOTE GET1ST_,
%QUOTE GET2ND_,
%QUOTE NUL2ND_,
:

End of NMATAIL.B32
```

COMMAND QUALIFIERS

```
:
: BLISS/LIB=LIB$:NMALIBRY/LIS=LIS$:NMALIBRY SRCS:NMAHEAD+LIB$:NMADEF+SRCS:NMATAIL
: Run Time: 00:13.1
: Elapsed Time: 00:21.7
: Lines/CPU Min: 6324
: Lexemes/CPU-Min: 26508
: Memory Used: 147 pages
: Library Precompilation Complete
```


0272

AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

