

```
NNN      NNN      EEEEEEEEEEEEEEE  TTTTTTTTTTTTTTTT  AAAAAAAAAAA  CCCCCCCCCCCC  PPPPPPPPPPPP
NNN      NNN      EEEEEEEEEEEEEEE  TTTTTTTTTTTTTTTT  AAAAAAAAAAA  CCCCCCCCCCCC  PPPPPPPPPPPP
NNN      NNN      EEEEEEEEEEEEEEE  TTTTTTTTTTTTTTTT  AAAAAAAAAAA  CCCCCCCCCCCC  PPPPPPPPPPPP
NNN      NNN      EEE                  TTT              AAA          AAA  CCC          PPP          PPP
NNN      NNN      EEE                  TTT              AAA          AAA  CCC          PPP          PPP
NNN      NNN      EEE                  TTT              AAA          AAA  CCC          PPP          PPP
NNNNNN   NNN      EEE                  TTT              AAA          AAA  CCC          PPP          PPP
NNNNNN   NNN      EEE                  TTT              AAA          AAA  CCC          PPP          PPP
NNNNNN   NNN      EEE                  TTT              AAA          AAA  CCC          PPP          PPP
NNN      NNN      EEEEEEEEEEEEEEE  TTT              AAA          AAA  CCC          PPPPPPPPPPPP
NNN      NNN      EEEEEEEEEEEEEEE  TTT              AAA          AAA  CCC          PPPPPPPPPPPP
NNN      NNN      EEEEEEEEEEEEEEE  TTT              AAA          AAA  CCC          PPPPPPPPPPPP
NNN      NNN      EEE                  TTT              AAA          AAA  CCC          PPP
NNN      NNN      EEE                  TTT              AAA          AAA  CCC          PPP
NNN      NNN      EEE                  TTT              AAA          AAA  CCC          PPP
NNN      NNN      EEE                  TTT              AAA          AAA  CCC          PPP
NNN      NNN      EEE                  TTT              AAA          AAA  CCC          PPP
NNN      NNN      EEE                  TTT              AAA          AAA  CCC          PPP
NNN      NNN      EEEEEEEEEEEEEEE  TTT              AAA          AAA  CCCCCCCCCCCC  PPP
NNN      NNN      EEEEEEEEEEEEEEE  TTT              AAA          AAA  CCCCCCCCCCCC  PPP
NNN      NNN      EEEEEEEEEEEEEEE  TTT              AAA          AAA  CCCCCCCCCCCC  PPP
```

-\$
Ps
--
NE

NE

NE
NE
\$R

```

NN      NN  EEEEEEEEE  TTTTTTTTT  SSSSSSSS  EEEEEEEEE  RRRRRRRR  VV      VV  EEEEEEEEE  RRRRRRRR
NN      NN  EEEEEEEEE  TTTTTTTTT  SSSSSSSS  EEEEEEEEE  RRRRRRRR  VV      VV  EEEEEEEEE  RRRRRRRR
NN      NN  EE          TT          SS          EE          RR      RR  VV      VV  EE          RR      RR
NN      NN  EE          TT          SS          EE          RR      RR  VV      VV  EE          RR      RR
NNNN    NN  EE          TT          SS          EE          RR      RR  VV      VV  EE          RR      RR
NNNN    NN  EE          TT          SS          EE          RR      RR  VV      VV  EE          RR      RR
NN  NN  NN  EEEEEEEEE  TT          SSSSSS  EEEEEEEEE  RRRRRRRR  VV      VV  EEEEEEEEE  RRRRRRRR
NN  NN  NN  EEEEEEEEE  TT          SSSSSS  EEEEEEEEE  RRRRRRRR  VV      VV  EEEEEEEEE  RRRRRRRR
NN      NNNN EE          TT          SS          EE          RR      RR  VV      VV  EE          RR      RR
NN      NNNN EE          TT          SS          EE          RR      RR  VV      VV  EE          RR      RR
NN      NN  EE          TT          SS          EE          RR      RR  VV      VV  EE          RR      RR
NN      NN  EE          TT          SS          EE          RR      RR  VV      VV  EE          RR      RR
NN      NN  EEEEEEEEE  TT          SSSSSSSS  EEEEEEEEE  RR      RR  VV      VV  EEEEEEEEE  RR      RR
NN      NN  EEEEEEEEE  TT          SSSSSSSS  EEEEEEEEE  RR      RR  VV      VV  EEEEEEEEE  RR      RR

```

```

MM      MM  AAAAAA  PPPPPPPP
MM      MM  AAAAAA  PPPPPPPP
MMMM  MMMM AA      AA  PP      PP
MMMM  MMMM AA      AA  PP      PP
MM  MM  MM  AA      AA  PP      PP
MM  MM  MM  AA      AA  PPPPPPPP
MM  MM  MM  AA      AA  PPPPPPPP
MM  MM  AAAAAAAAAA  PP
MM  MM  AAAAAAAAAA  PP
MM  MM  AA      AA  PP
MM  MM  AA      AA  PP
MM  MM  AA      AA  PP
MM  MM  AA      AA  PP

```


+-----+
! Object Module Synopsis !
+-----+

<u>Module Name</u>	<u>Ident</u>	<u>Bytes</u>	<u>File</u>	<u>Creation Date</u>	<u>Creator</u>
NETWORK_SERVER	V04-000	2053	_\$255\$DUA28:[NETACP.OBJ]NETACP.OLB;1	16-Sep-1984 01:39	VAX-11 Bliss-32 V4.0-742
SYSP1_VECTOR	V04-000	0	_\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-SEP-1984 00:40	VAX/VMS Macro V04-00
LIBRTL	V04-000	0	_\$255\$DUA28:[SYSLIB]LIBRTL.EXE;1	16-SEP-1984 04:00	VAX-11 Linker V04-00

! Image Section Synopsis !

<u>Cluster</u>	<u>Type</u>	<u>Pages</u>	<u>Base Addr</u>	<u>Disk VBN</u>	<u>PFC</u>	<u>Protection and Paging</u>	<u>Global Sec. Name</u>	<u>Match</u>	<u>Majorid</u>	<u>Minorid</u>
DEFAULT_CLUSTER	0	1	00000200	2	0	0 READ ONLY				
	0	2	00000400	0	0	0 READ WRITE DEMAND ZERO				
	0	2	00000800	3	0	0 READ ONLY				
	0	1	00000C00	5	0	0 READ WRITE FIXUP VECTORS				
	253	20	7FFFD800	0	0	0 READ WRITE DEMAND ZERO				
LIBRTL	3	111	00000000-R	0	0	0 READ ONLY	LIBRTL_001	LESS/EQUAL	1	11
	4	1	0000DE00-R	0	0	0 READ WRITE DEMAND ZERO	LIBRTL_002	LESS/EQUAL	1	11

Key for special characters above:

```

+-----+
| R - Relocatable |
| P - Protected   |
+-----+

```

! Program Section Synopsis !

<u>Psect Name</u>	<u>Module Name</u>	<u>Base</u>	<u>End</u>	<u>Length</u>	<u>Align</u>	<u>Attributes</u>
\$PLITS	NETWORK_SERVER	00000200 00000200	000003C3 000003C3	000001C4 () 000001C4 ()	452.) LONG 2 452.) LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD,NOWRT,NOVEC
\$OWNS	NETWORK_SERVER	00000400 00000400	00000693 00000693	00000294 () 00000294 ()	660.) LONG 2 660.) LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD, WRT,NOVEC
\$CODES	NETWORK_SERVER	00000800 00000800	00000BAC 00000BAC	000003AD () 000003AD ()	941.) LONG 2 941.) LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD,NOWRT,NOVEC

! Symbol Cross Reference !

Symbol	Value	Defined By	Referenced By ...
LIB\$ASN_WTH_MBX	00000C4C-RX	LIBRTL	NETWORK_SERVER
LIB\$DO_COMMAND	00000C54-RX	LIBRTL	NETWORK_SERVER
LIB\$PUT_OUTPUT	00000C58-RX	LIBRTL	NETWORK_SERVER
LIB\$RUN_PROGRAM	00000C5C-RX	LIBRTL	NETWORK_SERVER
LIB\$SET_LOGICAL	00000C50-RX	LIBRTL	NETWORK_SERVER
LIB\$SIGNAL	00000C60-RX	LIBRTL	NETWORK_SERVER
STR\$CONCAT	00000C48-RX	LIBRTL	NETWORK_SERVER
SYSS\$BINTIM	7FFFEDE58	SYSS\$P1_VECTOR	NETWORK_SERVER
SYSS\$CANCEL	7FFFEDE60	SYSS\$P1_VECTOR	NETWORK_SERVER
SYSS\$DASSGN	7FFFEDEE0	SYSS\$P1_VECTOR	NETWORK_SERVER
SYSS\$FA0	7FFFEDEF50	SYSS\$P1_VECTOR	NETWORK_SERVER
SYSS\$FA0L	7FFFEDEF58	SYSS\$P1_VECTOR	NETWORK_SERVER
SYSS\$GETJPI	7FFFEED08	SYSS\$P1_VECTOR	NETWORK_SERVER
SYSS\$QIO	7FFFEDFC8	SYSS\$P1_VECTOR	NETWORK_SERVER
SYSS\$QIOW	7FFFEDE00	SYSS\$P1_VECTOR	NETWORK_SERVER
SYSS\$SETIMR	7FFFEEO20	SYSS\$P1_VECTOR	NETWORK_SERVER
SYSS\$SETPRN	7FFFEEO10	SYSS\$P1_VECTOR	NETWORK_SERVER
SYSS\$TRNLOG	7FFFEEO58	SYSS\$P1_VECTOR	NETWORK_SERVER

! Symbols By Value !

Value	Symbols...
-----	-----
00000C48	RX-STR\$CONCAT
00000C4C	RX-LIB\$ASN_WTH_MBX
00000C50	RX-LIB\$SET_LOGICAL
00000C54	RX-LIB\$DO_COMMAND
00000C58	RX-LIB\$PUT_OUTPUT
00000C5C	RX-LIB\$RUN_PROGRAM
00000C60	RX-LIB\$SIGNAL
7FFFEDE0	SYSSQIOW
7FFFEDE58	SYSSBINTIM
7FFFEDE60	SYSSCANCEL
7FFFEDEE0	SYSSDASSGN
7FFFEDF50	SYSSFAO
7FFFEDF58	SYSSFAOL
7FFFEDFC8	SYSSQIO
7FFFEE010	SYSSSETPRN
7FFFEE020	SYSSSETIMR
7FFFEE058	SYSTRNLOG
7FFFEE0D8	SYSSGETJPI

Key for special characters above:

- ```

+-----+
| * - Undefined |
| U - Universal |
| R - Relocatable |
| X - External |
+-----+

```

-----  
! Image Synopsis !  
-----

Virtual memory allocated: 00000200 00000DFF 00000C00 (3072. bytes, 6. pages)  
 Stack size: 20. pages  
 Image header virtual block limits: 1. ( 1. block)  
 Image binary virtual block limits: 2. 5. ( 4. blocks)  
 Image name and identification: NETSERVER V04-000  
 Number of files: 5.  
 Number of modules: 3.  
 Number of program sections: 7.  
 Number of global symbols: 256.  
 Number of cross references: 41.  
 Number of image sections: 7.  
 User transfer address: 00000800  
 Number of code references to shareable images: 7.  
 Image type: EXECUTABLE.  
 Map format: FULL WITH CROSS REFERENCE in file \_\$255\$DUA28:[NETACP.LIS]NETSERVER.MAP;1  
 Estimated map length: 55. blocks

-----  
! Link Run Statistics !  
-----

| Performance Indicators                 | Page Faults | CPU Time    | Elapsed Time |
|----------------------------------------|-------------|-------------|--------------|
| Command processing:                    | 75          | 00:00:00.32 | 00:00:00.77  |
| Pass 1:                                | 137         | 00:00:01.72 | 00:00:09.96  |
| Allocation/Relocation:                 | 23          | 00:00:00.26 | 00:00:00.85  |
| Pass 2:                                | 41          | 00:00:00.57 | 00:00:02.97  |
| Map data after object module synopsis: | 15          | 00:00:00.55 | 00:00:00.58  |
| Symbol table output:                   | 1           | 00:00:00.04 | 00:00:00.57  |
| Total run values:                      | 292         | 00:00:03.46 | 00:00:15.70  |

Using a working set limited to 900 pages and 50 pages of data storage (excluding image)

Total number object records read (both passes): 122  
of which 52 were in libraries and 9 were DEBUG data records containing 544 bytes

Number of modules extracted explicitly = 1  
with 1 extracted to resolve undefined symbols

18 library searches were for symbols not in the library searched

A total of 0 global symbol table records was written

LINK/USERLIB=PROC/EXE=EXE\$:NETSERVER/MAP=MAP\$:NETSERVER/FULL/CROSS/NOTRACE LIB\$:NETACP/INCLUDE=NETWORK\_SERVER



This image displays a grid of 120 small terminal window screenshots, arranged in 10 rows and 12 columns. Each window shows a different command-line interface or data output from the VAX/VMS operating system. The windows are densely packed and contain various text-based outputs, including command prompts, status reports, and data tables. Some windows are larger and more prominent than others, with the following labels:

- NETACP
- NDDRIVER MAP
- NETDRIVER MAP
- NETSERVER MAP
- DLEDEF SOL
- NETACP MAP
- NETPAGED SOL
- NMALTBY LIS
- NETCTL SOL