

NNN		NNN	EEEEEEEEEEEEEEEE	TTTTTTTTTTTTTTTT	AAAAAAAAAA		CCCCCCCCCCCC	PPPPPPPPPPPP	
NNN		NNN	EEEEEEEEEEEEEEEE	TTTTTTTTTTTTTTTT	AAAAAAAAAA		CCCCCCCCCCCC	PPPPPPPPPPPP	
NNN		NNN	EEEEEEEEEEEEEEEE	TTTTTTTTTTTTTTTT	AAAAAAAAAA		CCCCCCCCCCCC	PPPPPPPPPPPP	
NNN		NNN	EEE	TTT	AAA	AAA	CCC	PPP	PPP
NNN		NNN	EEE	TTT	AAA	AAA	CCC	PPP	PPP
NNN		NNN	EEE	TTT	AAA	AAA	CCC	PPP	PPP
NNNNNN		NNN	EEE	TTT	AAA	AAA	CCC	PPP	PPP
NNNNNN		NNN	EEE	TTT	AAA	AAA	CCC	PPP	PPP
NNNNNN		NNN	EEE	TTT	AAA	AAA	CCC	PPP	PPP
NNN	NNN	NNN	EEEEEEEEEEEE	TTT	AAA	AAA	CCC	PPPPPPPPPPPP	PPP
NNN	NNN	NNN	EEEEEEEEEEEE	TTT	AAA	AAA	CCC	PPPPPPPPPPPP	PPP
NNN	NNN	NNN	EEEEEEEEEEEE	TTT	AAA	AAA	CCC	PPPPPPPPPPPP	PPP
NNN		NNNNNN	EEE	TTT	AAAAAAAAAAAAAAAA	AAA	CCC	PPP	PPP
NNN		NNNNNN	EEE	TTT	AAAAAAAAAAAAAAAA	AAA	CCC	PPP	PPP
NNN		NNNNNN	EEE	TTT	AAAAAAAAAAAAAAAA	AAA	CCC	PPP	PPP
NNN		NNN	EEE	TTT	AAA	AAA	CCC	PPP	PPP
NNN		NNN	EEE	TTT	AAA	AAA	CCC	PPP	PPP
NNN		NNN	EEE	TTT	AAA	AAA	CCC	PPP	PPP
NNN		NNN	EEE	TTT	AAA	AAA	CCC	PPP	PPP
NNN		NNN	EEEEEEEEEEEEEEEE	TTT	AAA	AAA	CCCCCCCCCCCC	PPP	PPP
NNN		NNN	EEEEEEEEEEEEEEEE	TTT	AAA	AAA	CCCCCCCCCCCC	PPP	PPP
NNN		NNN	EEEEEEEEEEEEEEEE	TTT	AAA	AAA	CCCCCCCCCCCC	PPP	PPP

- \$
 Ps
 --
 NE

 NE

 NE

 NE

 \$R

Version: 'V04-000'

```

*****
*
* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
* ALL RIGHTS RESERVED.
*
* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
* TRANSFERRED.
*
* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
* CORPORATION.
*
* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
*
*****

```

++

NMAHEAD.B32

Define \$EQLST macro to make library from the NMALIBRY.B32 file

This source is taken from the following source:

--

++

UTLDEF.B32 - UTILITY DEFINITION MACROS FOR BLISS PROCESSING
OF STARLET DEFINITION MACROS.

--

MACRO TO GENERATE EQLST CONSTRUCTS.

MACRO

```

$EQLST(P,G,I,S)[A]=
  %NAME(P,GET1ST_A) =
    %IF NUL2ND_A
    %THEN (I) %COUNT*(S) ! ASSUMES I, S ALWAYS GENERATED BY CONVERSION PROGRAM
    %ELSE GET2ND_A
    %FI %,

```

GET1ST_(A,B)=

A_%

GET2ND_(A,B)=

! KNOWN NON-NULL
NUL2ND (A,B)=
%NULL(B) %;

End of NMAHEAD

0273 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

NETUSR
SDL

LIBTAIL
B32

XMBDEF
SDL

NETDEFS
MAR

PSTUSR
SDL

NETDRUMAC
MAR

NDDRIVER
LIS

NET
LIS

NETMACROS
MAR

NETACPTRN
LIS

NSPMSGDEF
SDL

LIBHEAD
B32