

Prologue BLISS REQUIRE file for VAX-11 Pascal RTL Support
File: PASPROLOG.REQ, Edit: SBL1001

```

*****
*
* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
* ALL RIGHTS RESERVED.
*
* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
* TRANSFERRED.
*
* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
* CORPORATION.
*
* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
*
*****

```

Edit History:

1-001 - Created. SBL 1-April-1981

Set addressing modes to be used.

SWITCHES ADDRESSING_MODE (EXTERNAL=GENERAL, NONEXTERNAL=WORD_RELATIVE);

Reference precompiled libraries.

```

LIBRARY 'RTLSTARLE';           ! SYSS$LIBRARY:STARLET.L32
LIBRARY 'RTLML:PASLIB';       ! Pascal-specific definitions

```

Declare PSECTs to be used.

```

PSECT
CODE = PASSCODE (READ, NOWRITE, EXECUTE, SHARE, PIC,
ADDRESSING_MODE (WORD_RELATIVE)),
PLIT = PASSCODE (READ, NOWRITE, EXECUTE, SHARE, PIC,
ADDRESSING_MODE (WORD_RELATIVE)),

```

OWN = PASSDATA (READ, WRITE, NOEXECUTE, NOSHARE, PIC,
ADDRESSING_MODE (LONG_RELATIVE)),
GLOBAL = PASSDATA (READ, WRITE, NOEXECUTE, NOSHARE, PIC,
ADDRESSING_MODE (LONG_RELATIVE));

! End of PASPROLOG.REQ

:
:
:

.....

.....

.....

.....

0293 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

