



```

PPPPPPPP      AAAAAA      SSSSSSSS      BBBB BBBB      IIIIII      NN      NN
PPPPPPPP      AAAAAA      SSSSSSSS      BBBB BBBB      IIIIII      NN      NN
PP      PP      AA      AA      SS      BB      BB      II      NN      NN
PP      PP      AA      AA      SS      BB      BB      II      NN      NN
PP      PP      AA      AA      SS      BB      BB      II      NNNN     NN
PP      PP      AA      AA      SS      BB      BB      II      NNNN     NN
PPPPPPPP      AA      AA      SSSSSS      BBBB BBBB      II      NN      NN
PPPPPPPP      AA      AA      SSSSSS      BBBB BBBB      II      NN      NN
PP      AAAAAAAAAA      SS      BB      BB      II      NN      NNNN
PP      AAAAAAAAAA      SS      BB      BB      II      NN      NNNN
PP      AA      AA      SS      BB      BB      II      NN      NN
PP      AA      AA      SS      BB      BB      II      NN      NN
PP      AA      AA      SSSSSSSS      BBBB BBBB      IIIIII     NN      NN
PP      AA      AA      SSSSSSSS      BBBB BBBB      IIIIII     NN      NN

```

```

LL      IIIIII      SSSSSSSS
LL      IIIIII      SSSSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SSSSSS
LL      II      SSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LLLLLLLLLLLL      IIIIII      SSSSSSSS
LLLLLLLLLLLL      IIIIII      SSSSSSSS

```

PA  
Syl  
NB  
PA  
SE  
SE  
PS  
-  
-  
-  
Ph  
-  
In  
Co  
Pa  
Syl  
Pa  
Syl  
Ps  
Cr  
As  
Th  
30  
Th  
15  
0  
Ma  
-  
-  
\$  
0  
Th  
MA



```

: 1 0001 0 MODULE PASSBIN ( %TITLE 'Convert value in base 2 to string'
: 2 0002 0 IDENT = '1-001' ! File: PASBIN.B32 Edit: SBL1001
: 3 0003 0 ) =
: 4 0004 1 BEGIN
: 5 0005 1
: 6 0006 1 *****
: 7 0007 1 *
: 8 0008 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *
: 9 0009 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *
: 10 0010 1 * ALL RIGHTS RESERVED. *
: 11 0011 1 *
: 12 0012 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *
: 13 0013 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *
: 14 0014 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *
: 15 0015 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *
: 16 0016 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *
: 17 0017 1 * TRANSFERRED. *
: 18 0018 1 *
: 19 0019 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *
: 20 0020 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *
: 21 0021 1 * CORPORATION. *
: 22 0022 1 *
: 23 0023 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *
: 24 0024 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *
: 25 0025 1 *
: 26 0026 1 *
: 27 0027 1 *****
: 28 0028 1
: 29 0029 1
: 30 0030 1 ++
: 31 0031 1 FACILITY: Pascal Language Support
: 32 0032 1
: 33 0033 1 ABSTRACT:
: 34 0034 1
: 35 0035 1 This module contains PASSBIN which implements the
: 36 0036 1 VAX-11 Pascal BIN procedure.
: 37 0037 1
: 38 0038 1 ENVIRONMENT: User mode - AST reentrant
: 39 0039 1
: 40 0040 1 AUTHOR: Steven B. Lionel, CREATION DATE: 1-April-1981
: 41 0041 1
: 42 0042 1 MODIFIED BY:
: 43 0043 1
: 44 0044 1 1-001 - Original. SBL 1-April-1981
: 45 0045 1 --
: 46 0046 1

```

```

: 48      0047 1 %SBTTL 'Declarations'
: 49      0048 1
: 50      0049 1 | PROLOGUE DEFINITIONS
: 51      0050 1 |
: 52      0051 1
: 53      0052 1 REQUIRE 'RTLIN:PASPROLOG';           ! Externals, linkages, PSECTs, structures
: 54      0116 1
: 55      0117 1 |
: 56      0118 1 | TABLE OF CONTENTS:
: 57      0119 1 |
: 58      0120 1
: 59      0121 1 FORWARD ROUTINE
: 60      0122 1     PASSBIN: NOVALUE;                ! Convert value in base 2
: 61      0123 1
: 62      0124 1 |
: 63      0125 1 | MACROS:
: 64      0126 1 |
: 65      0127 1 |     NONE
: 66      0128 1 |
: 67      0129 1 | EQUATED SYMBOLS:
: 68      0130 1 |
: 69      0131 1 |     NONE
: 70      0132 1 |
: 71      0133 1 | FIELDS:
: 72      0134 1 |
: 73      0135 1 |     NONE
: 74      0136 1 |
: 75      0137 1 | OWN STORAGE:
: 76      0138 1 |
: 77      0139 1 |     NONE
: 78      0140 1 |
: 79      0141 1 |
: 80      0142 1 !! If this is for a V2 system, redefine OTSS$CVT_L_TB as PASS$CVT_L_TB.
: 81      L 0143 1 %IF %VARIANT
: 82      U 0144 1 %THEN
: 83      U 0145 1 UNDECLARE
: 84      U 0146 1     OTSS$CVT_L_TB;
: 85      U 0147 1 EXTERNAL ROUTINE
: 86      U 0148 1     PASS$CVT_L_TB;
: 87      U 0149 1 BIND ROUTINE
: 88      U 0150 1     OTSS$CVT_L_TB = PASS$CVT_L_TB;
: 89      U 0151 1 %FI

```



```

: 91 0152 1 %SBTTL 'PASSBIN - Convert value in base 2 to string'
: 92 0153 1 GLOBAL ROUTINE PASSBIN (
: 93 0154 1     RESULT: REF VECTOR [, BYTE],
: 94 0155 1     TOTAL_WIDTH: WORD SIGNED,
: 95 0156 1     NBITS,
: 96 0157 1     VALUE,
: 97 0158 1     MIN_DIGITS: SIGNED
: 98 0159 1 ): NOVALUE =
: 99 0160 1
:100 0161 1 ++
:101 0162 1 FUNCTIONAL DESCRIPTION:
:102 0163 1
:103 0164 1     This procedure implements the VAX-11 Pascal BIN function. It
:104 0165 1     converts a value to an ASCII representation in base 2 and stores
:105 0166 1     that result in a string.
:106 0167 1
:107 0168 1 CALLING SEQUENCE:
:108 0169 1
:109 0170 1     CALL PASSBIN (RESULT.wt.r, TOTAL_WIDTH.rw.v, NBITS.rl.v, VALUE.rz.r
:110 0171 1     [, MIN_DIGITS.rl.v])
:111 0172 1
:112 0173 1 FORMAL PARAMETERS:
:113 0174 1
:114 0175 1     RESULT           - The string into which the result will be placed.
:115 0176 1
:116 0177 1     TOTAL_WIDTH      - Total field width.
:117 0178 1
:118 0179 1     NBITS            - The size of VALUE in bits.
:119 0180 1
:120 0181 1     VALUE            - The address of the value to write.
:121 0182 1
:122 0183 1     MIN_DIGITS       - Optional. The minimum number of digits to appear
:123 0184 1     in the result. Defaults to the minimum necessary
:124 0185 1     to represent every bit of the value.
:125 0186 1
:126 0187 1 IMPLICIT INPUTS:
:127 0188 1
:128 0189 1     NONE
:129 0190 1
:130 0191 1 IMPLICIT OUTPUTS:
:131 0192 1
:132 0193 1     NONE
:133 0194 1
:134 0195 1 ROUTINE VALUE:
:135 0196 1
:136 0197 1     NONE
:137 0198 1
:138 0199 1 SIDE EFFECTS:
:139 0200 1
:140 0201 1     NONE
:141 0202 1
:142 0203 1 SIGNALLED ERRORS:
:143 0204 1
:144 0205 1     NEGDIGARG - negative "digits" argument to BIN, HEX or OCT is not allowed
:145 0206 1
:146 0207 1 --
:147 0208 1

```



```

: 148 0209 2 BEGIN
: 149 0210 2
: 150 0211 2 LOCAL
: 151 0212 2 ACTUAL_DIGITS, ! Number of digits actually used
: 152 0213 2 ACTUAL_NBITS, ! Value size actually used
: 153 0214 2 DESCR: "BLOCK [8, BYTE]; ! String descriptor
: 154 0215 2
: 155 0216 2 LITERAL
: 156 0217 2 M_SIZE_IN_BITS = %X'04'; ! Flags argument for
: 157 0218 2 ! convert routine
: 158 0219 2 BUILTIN
: 159 0220 2 ACTUALCOUNT;
: 160 0221 2
: 161 0222 2 !+
: 162 0223 2 ! Set initial values for conversion.
: 163 0224 2 !-
: 164 0225 2
: 165 0226 2 ACTUAL_NBITS = .NBITS;
: 166 0227 2 ACTUAL_DIGITS = .ACTUAL_NBITS;
: 167 0228 2
: 168 0229 2 !+
: 169 0230 2 ! Create result string descriptor with actual width.
: 170 0231 2 !-
: 171 0232 2
: 172 0233 2 DESCR [DSC$B_CLASS] = DSC$K_CLASS_S;
: 173 0234 2 DESCR [DSC$B_DTYPE] = DSC$K_DTYPE_T;
: 174 0235 2 DESCR [DSC$A_POINTER] = RESULT [0];
: 175 0236 2
: 176 0237 2 IF ACTUALCOUNT () GEQU 5
: 177 0238 2 THEN
: 178 0239 2 BEGIN
: 179 0240 2 ACTUAL_DIGITS = .MIN_DIGITS;
: 180 0241 2 IF .ACTUAL_DIGITS LSS 0
: 181 0242 2 THEN
: 182 0243 2 SIGNAL_STOP (PASS$_NEGDIGARG); ! Negative 'digits' argument to BIN, HEX or OCT is not allow
: 183 0244 2 END;
: 184 0245 2
: 185 0246 2 DESCR [DSC$W_LENGTH] = .TOTAL_WIDTH;
: 186 0247 2 !+
: 187 0248 2 ! Will TOTAL_WIDTH truncate the value?
: 188 0249 2 !+
: 189 0250 2 IF .TOTAL_WIDTH LSSU .ACTUAL_NBITS
: 190 0251 2 THEN
: 191 0252 2 ACTUAL_NBITS = .TOTAL_WIDTH;
: 192 0253 2
: 193 0254 2 IF .ACTUAL_DIGITS GTRU .TOTAL_WIDTH
: 194 0255 2 THEN
: 195 0256 2 ACTUAL_DIGITS = .TOTAL_WIDTH;
: 196 0257 2
: 197 0258 2 !+
: 198 0259 2 ! Do the conversion. We assume it won't fail.
: 199 0260 2 !-
: 200 0261 2
: 201 0262 2 OTS$CVT_L_TB (.VALUE, DESCR, .ACTUAL_DIGITS, .ACTUAL_NBITS,
: 202 0263 2 M_SIZE_IN_BITS);
: 203 0264 2
: 204 0265 2 RETURN;

```



PASS\$BIN  
1-001

Convert value in base 2 to string  
PASS\$BIN - Convert value in base 2 to string

D 13  
16-Sep-1984 01:28:24  
14-Sep-1984 12:51:20

VAX-11 BLISS-32 V4.0-742  
[PASRTL.SRC]PAS\$BIN.B32;1

Page 5  
(3)

: 205  
: 206

0266 2  
0267 1 END;

! End of routine PASS\$BIN

```

000C 00000
5E 08 C2 00002
53 0C AC D0 00005
52 53 D0 00009
02 AE 010E 8F B0 0000C
04 AE 04 AC D0 00012
05 6C 91 00017
13 1F 0001A
52 14 AC D0 0001C
0D 18 00020
00000000G 00 00000000G 8F DD 00022
50 08 AC 32 0002F 1$:
6E 50 B0 00033
53 50 D1 00036
03 1E 00039
53 50 D0 0003B
50 52 D1 0003E 2$:
52 03 1B 00041
04 DD 00046 3$:
0C AE 9F 0004A
10 AC DD 0004D
00000000G 00 05 FB 00050
04 00057

```

.TITLE PASS\$BIN Convert value in base 2 to string  
.IDENT \1-001\

.EXTRN PASS\$BIN, PASS\$NEGDIGARG  
.EXTRN OTSS\$CVT\_L\_TB

.PSECT \_PASS\$CODE, NOWRT, SHR, PIC, 2

```

.ENTRY PASS$BIN, Save R2,R3 : 0153
SUBL2 #8, SP :
MOVL NBITS, ACTUAL_NBITS : 0226
MOVL ACTUAL_NBITS, ACTUAL_DIGITS : 0227
MOVW #270, DESCR+2 : 0234
MOVL RESULT, DESCR+4 : 0235
CMPB (AP), #5 : 0237
BLSSU 1$ :
MOVL MIN_DIGITS, ACTUAL_DIGITS : 0240
BGEQ 1$ : 0241
PUSHL #PASS$NEGDIGARG : 0243
CALLS #1, LIB$STOP :
CWTWL TOTAL_WIDTH, R0 : 0246
MOVW R0, DESCR :
CMPL R0, ACTUAL_NBITS : 0250
BGEQU 2$ :
MOVL R0, ACTUAL_NBITS : 0252
CMPL ACTUAL_DIGITS, R0 : 0254
BLEQU 3$ :
MOVL R0, ACTUAL_DIGITS : 0256
PUSHL #4 : 0262
PUSHR #^M<R2,R3> :
PUSHAB DESCR :
PUSHL VALUE :
CALLS #5, OTSS$CVT_L_TB :
RET : 0267

```

; Routine Size: 88 bytes, Routine Base: \_PASS\$CODE + 0000

: 207  
: 208

0268 1  
0269 1 !<BLF/PAGE>

PASSBIN  
1-001

Convert value in base 2 to string  
PAS\$BIN - Convert value in base 2 to string

E 13  
16-Sep-1984 01:28:24  
14-Sep-1984 12:51:20

VAX-11 Bliss-32 V4.0-742  
[PASRTL.SRC]PASBIN.B32;1

: 210 0270 1 END  
: 211 0271 1  
: 212 0272 0 ELUDOM

! End of module PASSBIN

.EXTRN LIB\$STOP

PSECT SUMMARY

Name	Bytes	Attributes
_PAS\$CODE	88	NOVEC,NOWRT, RD , EXE, SHR, LCL, REL, CON, PIC,ALIGN(2)

Library Statistics

File	Total	Symbols Loaded	Percent	Pages Mapped	Processing Time
_\$255\$DUA28:[SYSLIB]STARLET.L32;1	9776	6	0	581	00:01.0
_\$255\$DUA28:[PASRTL.OBJ]PASLIB.L32;1	427	3	0	33	00:00.4

COMMAND QUALIFIERS

BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/NOTRACE/LIS=LIS\$:PASBIN/OBJ=OBJ\$:PASBIN MSRC\$:PASBIN/UPDATE=(ENH\$:PASBIN)

: Size: 88 code + 0 data bytes  
: Run Time: 00:04.4  
: Elapsed Time: 00:17.3  
: Lines/CPU Min: 3700  
: Lexemes/CPU-Min: 8081  
: Memory Used: 52 pages  
: Compilation Complete



0293 AH-BT13A-SE  
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION  
CONFIDENTIAL AND PROPRIETARY

