









-----  
! Program Section Synopsis !  
-----

Psect Name	Module Name	Base	End	Length	Align	Attributes			
\$GLOBALS	PHONE	00000200	00000230	00000031 (	49.)	LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD, WRT,NOVEC		
		00000200	00000230	00000031 (	49.)	LONG 2			
\$OWNS	PHONE	00000234	000008AF	0000067C (	1660.)	LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD, WRT,NOVEC		
	BASICCMDS	00000234	000002AF	0000007C (	124.)	LONG 2			
	LINKSUBS	000002B0	000003E2	00000133 (	307.)	LONG 2			
	INPUT	000003E4	0000051F	0000013C (	316.)	LONG 2			
	PUBSUBS	00000520	000005F5	000000D4 (	212.)	LONG 2			
	MISCCMDS	000005F4	000005F7	00000004 (	4.)	LONG 2			
	FILECMDS	000005F8	000006DF	000000E8 (	232.)	LONG 2			
	TERMINAL	000006E0	0000085F	00000180 (	384.)	LONG 2			
	NETSLAVE	00000860	0000087C	0000001D (	29.)	LONG 2			
			00000880	000008AF	00000030 (	48.)		LONG 2	
	\$CODES	PHONE	00000A00	00003BE3	000031E4 (	12772.)		LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD,NOWRT,NOVEC
BASICCMDS		00000A00	00000DE4	000003E5 (	997.)	LONG 2			
LINKSUBS		00000DEB	0000160F	00000828 (	2088.)	LONG 2			
INPUT		00001610	00001DA5	00000796 (	1942.)	LONG 2			
PUBSUBS		00001DA8	00001FF5	0000024E (	590.)	LONG 2			
MISCCMDS		00001FF8	0000235E	00000367 (	871.)	LONG 2			
FILECMDS		00002360	00002844	000004E5 (	1253.)	LONG 2			
TERMINAL		00002848	00002B9B	00000354 (	852.)	LONG 2			
STACKCMDS		00002B9C	00003598	000009FD (	2557.)	LONG 2			
NETSLAVE		0000359C	00003731	00000196 (	406.)	LONG 2			
CLIS\$INTERFACE		00003734	000039DF	000002AC (	684.)	LONG 2			
			000039E0	00003BE3	00000204 (	516.)	LONG 2		
\$SPLITS		PHONE	00003BE4	000041FF	0000061C (	1564.)	LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD,NOWRT,NOVEC	
		BASICCMDS	00003BE4	00003CAF	000000CC (	204.)	LONG 2		
	LINKSUBS	00003CB0	00003D20	00000071 (	113.)	LONG 2			
	INPUT	00003D24	00003E33	00000110 (	272.)	LONG 2			
	PUBSUBS	00003E34	00003E6B	00000038 (	56.)	LONG 2			
	MISCCMDS	00003E6C	00003E6F	00000004 (	4.)	LONG 2			
	FILECMDS	00003E70	00003FD7	00000168 (	360.)	LONG 2			
	TERMINAL	00003FD8	000040B8	000000E1 (	225.)	LONG 2			
	NETSLAVE	000040BC	000041EF	00000134 (	308.)	LONG 2			
			000041F0	000041FF	00000010 (	16.)	LONG 2		
	_LIB\$CODE	UNSS\$NET_CONNECT	00004200	0000459D	0000039E (	926.)	LONG 2		PIC,USR,CON,REL,LCL, SHR, EXE, RD,NOWRT,NOVEC
00004200			0000459D	0000039E (	926.)	LONG 2			
_LIB\$KEY0\$	INPUT	0000459E	000045B5	00000018 (	24.)	WORD 1	PIC,USR,CON,REL,LCL, SHR, EXE, RD,NOWRT,NOVEC		
	MISCCMDS	0000459E	000045B5	00000018 (	24.)	WORD 1			
		000045B6	000045B6	00000000 (	0.)	WORD 1			
_LIB\$KEY1\$	INPUT	000045B6	00004605	00000050 (	80.)	WORD 1	PIC,USR,CON,REL,LCL, SHR, EXE, RD,NOWRT,NOVEC		
		000045B6	00004605	00000050 (	80.)	WORD 1			

Val  
---  
7FF  
7FF  
7FF  
7FF  
7FF



-----+  
! Symbol Cross Reference !  
-----+

Symbol	Value	Defined By	Referenced By ...
CLISDCL_PARSE	00003AAF-R	CLISINTERFACE	
CLISDISPATCH	00003B60-R	CLISINTERFACE	
CLISGET_VALUE	00003A23-R	CLISINTERFACE	PHONE
CLISNEXT_QUAL	00003BA1-R	CLISINTERFACE	
CLISPRESENT	000039E0-R	CLISINTERFACE	PHONE
CLIS_ABSENT	000381F0	CLISGLOBALS	CLISINTERFACE
CLIS_COMMA	0003FD39	CLISGLOBALS	CLISINTERFACE
CLIS_CONCAT	0003FD29	CLISGLOBALS	CLISINTERFACE
CLIS_DEFAULTED	0003FD21	CLISGLOBALS	CLISINTERFACE
CLIS_LOCNEG	00038230	CLISGLOBALS	CLISINTERFACE
CLIS_LOCPRES	0003FD31	CLISGLOBALS	CLISINTERFACE
CLIS_NEGATED	000381F8	CLISGLOBALS	CLISINTERFACE
CLIS_NOCOMD	000380B0	CLISGLOBALS	CLISINTERFACE
CLIS_PRESENT	0003FD19	CLISGLOBALS	CLISINTERFACE
COMMAND_KEY	0000459E-R	INPUT	
COMMAND_STATE	00004606-R	INPUT	
HELP_KEY	000045B6-R	MISCCMDS	
HELP_STATE	000046BE-R	MISCCMDS	
IOS_ACCESS	00000032	SYSSIODEF	UNSSNET_CONNECT
IOS_READVBLK	00000031	SYSSIODEF	UNSSNET_CONNECT
IOS_WRITEVBLK	00000030	SYSSIODEF	UNSSNET_CONNECT
LBR\$CLOSE	00004A4C-RX	LBR\$HR	MISCCMDS
LBR\$GET_HELP	00004A48-RX	LBR\$HR	MISCCMDS
LBR\$INI_CONTROL	00004A54-RX	LBR\$HR	MISCCMDS
LBR\$OPEN	00004A50-RX	LBR\$HR	MISCCMDS
LIB\$ANALYZE_SDESC	00004A70-RX	LIBRTL	UNSSNET_CONNECT
LIB\$ASN_WTH_MBX	00004A74-RX	LIBRTL	UNSSNET_CONNECT
LIB\$FREE_EF	00004A7C-RX	LIBRTL	UNSSNET_CONNECT
LIB\$FREE_VM	00004A90-RX	LIBRTL	CLISINTERFACE
LIB\$GET_EF	00004A78-RX	LIBRTL	UNSSNET_CONNECT
LIB\$GET_VM	00004A94-RX	LIBRTL	CLISINTERFACE
LIB\$SIGNAL	00004A80-RX	LIBRTL	BASICCMDS LINKSUBS PHONE PUBSUBS
LIB\$SIG_TO_RET	00004A84-RX	LIBRTL	TERMINAL
LIB\$SPAWN	00004A88-RX	LIBRTL	UNSSNET_CONNECT
LIB\$PARSE	00004A8C-RX	LIBRTL	MISCCMDS
LIB\$STRTRU	00158011	LIB\$MSGDEF	INPUT
LIB\$SYNTAXERR	00158284	LIB\$MSGDEF	UNSSNET_CONNECT
OT\$CVT_TIL	00004A6C-RX	LIBRTL	INPUT
PHN\$ANSWERED	000012AA-R	LIBRTL	PHONE
PHN\$ANSWER_CMD	00001221-R	BASICCMDS	PHONE
PHN\$BREAK_CALL	00001B6C-R	BASICCMDS	INPUT
PHN\$BREAK_LINK	00001B2E-R	LINKSUBS	BASICCMDS
PHN\$BUSY	000013EF-R	LINKSUBS	BASICCMDS
PHN\$CMD_PARSE	00001EE7-R	BASICCMDS	PHONE
PHN\$CMP_TARGET	00002264-R	INPUT	PHONE
PHN\$CONVERSING	00002237-R	PUBSUBS	BASICCMDS
		PUBSUBS	FILECMDS







<u>Symbol</u>	<u>Value</u>	<u>Defined By</u>	<u>Referenced By ...</u>	
PHN\$_BADSMB	00A680B2	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	PUBSUBS FILECMDS MISCCMDS STACKCMDS
PHN\$_BADSPEC	00A680BA	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	PUBSUBS FILECMDS MISCCMDS STACKCMDS
PHN\$_BADTERM	00A68144	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	PUBSUBS FILECMDS MISCCMDS STACKCMDS
PHN\$_BUSYCALL	00A6801B	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	PUBSUBS FILECMDS MISCCMDS STACKCMDS
PHN\$_CANCALL	00A68023	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	PUBSUBS FILECMDS MISCCMDS STACKCMDS
PHN\$_CANTREACH	00A6802B	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	PUBSUBS FILECMDS MISCCMDS STACKCMDS
PHN\$_CONFCALL	00A68033	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	PUBSUBS FILECMDS MISCCMDS STACKCMDS
PHN\$_DEAD	00A6803B	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	PUBSUBS FILECMDS MISCCMDS STACKCMDS
PHN\$_DECNETLINK	00A68043	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	PUBSUBS FILECMDS MISCCMDS STACKCMDS
PHN\$_DIRCAN	00A6804B	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	PUBSUBS FILECMDS MISCCMDS STACKCMDS
PHN\$_FACSCAN	00A68053	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	PUBSUBS FILECMDS MISCCMDS STACKCMDS
PHN\$_HELPCAN	00A6805B	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	PUBSUBS FILECMDS MISCCMDS STACKCMDS
PHN\$_HELPMISSING	00A680C2	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS	PUBSUBS FILECMDS NETSLAVE

<u>Symbol</u>	<u>Value</u>	<u>Defined By</u>	<u>Referenced By ...</u>
PHNS_HUNGUP	00A68063	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHNS_INPUTTERM	00A68154	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHNS_IVREDUNANS	00A680CA	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHNS_IVREDUNCALL	00A680D2	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHNS_JUSTRANG	00A6806B	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHNS_LINKERROR	00A680DA	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHNS_LOGGEDOFF	00A68073	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHNS_NEEDUSER	00A680E2	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHNS_NOCALL	00A680EA	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHNS_NOHOLDS	00A680F2	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHNS_NOPORTS	00A680FA	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHNS_NOPRIV	00A68102	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHNS_NOPROC	00A6810A	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE

<u>Symbol</u>	<u>Value</u>	<u>Defined By</u>	<u>Referenced By ...</u>
PHNS_NOTCONV	00A68112	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHNS_OK	00A68009	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHNS_ONLYNODE	00A6811A	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHNS_PHONEBUSY	00A68122	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHNS_REJECTED	00A6807B	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHNS_REJECTJUNK	00A68090	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHNS_REMOTEERROR	00A6812A	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHNS_RING	00A68083	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHNS_SENDINGMAIL	00A6808B	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHNS_SHAREDMBX	00A6814C	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHNS_TARGTERM	00A68132	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHNS_UNPLUGGED	00A6813A	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHONS_FACILITY RMS\$_CRN	000000A6 0001C0EC	PHONE_MESSAGES RMS\$GLOBALS	TERMINAL UN\$NET_CONNECT

Symbol	Value	Defined By	Referenced By ...
RMS\$ NOD	000185F4	RMS\$GLOBALS	UN\$NET_CONNECT
SCR\$ERASE_LINE	00004ABC-RX	SCR\$HR	TERMINAL
SCR\$ERASE_PAGE	00004AB8-RX	SCR\$HR	MISCCMDS
SCR\$PUT_BUFFER	00004AB4-RX	SCR\$HR	TERMINAL
SCR\$PUT_LINE	00004AB0-RX	SCR\$HR	TERMINAL
SCR\$PUT_SCREEN	00004AAC-RX	SCR\$HR	TERMINAL
SCR\$SET_BUFFER	00004AA8-RX	SCR\$HR	TERMINAL
SCR\$SET_CURSOR	00004AA4-RX	SCR\$HR	TERMINAL
SCR\$SET_SCROLL	00004AA0-RX	SCR\$HR	TERMINAL
SS\$ NORMAL	00000001	SY\$SSDEF	UN\$NET_CONNECT
SS\$ REJECT	00000294	SY\$SSDEF	UN\$NET_CONNECT
SS\$ REMOTE	00000649	SY\$SSDEF	UN\$NET_CONNECT
STR\$ANALYZE_SDESC	00004A60-RX	LIBRTL	CL\$IINTERFACE
STR\$COPY_DX	00004A64-RX	LIBRTL	CL\$IINTERFACE
STR\$TRIM	00004A68-RX	LIBRTL	PHONE
SY\$ASCTIM	7FFFEDE48	SY\$SP1_VECTOR	TERMINAL
SY\$ASSIGN	7FFFEDE50	SY\$SP1_VECTOR	LINKSUBS
			NETSLAVE
			UN\$NET_CONNECT
			PHONE
SY\$BRKTHRUW	7FFFE4E8	SY\$SP1_VECTOR	BASICCMDS
SY\$CANTIM	7FFFEDE68	SY\$SP1_VECTOR	LINKSUBS
SY\$CLI	7FFFEDE18	SY\$SP1_VECTOR	CL\$IINTERFACE
SY\$CLOSE	7FFFE1B8	SY\$SP1_VECTOR	FILECMDS
SY\$CLREF	7FFFEDE98	SY\$SP1_VECTOR	PHONE
SY\$CONNECT	7FFFE1C0	SY\$SP1_VECTOR	FILECMDS
SY\$CREATE	7FFFE1C8	SY\$SP1_VECTOR	FILECMDS
SY\$CREMBX	7FFFEDEB8	SY\$SP1_VECTOR	LINKSUBS
SY\$DASSGN	7FFFEDEE0	SY\$SP1_VECTOR	LINKSUBS
SY\$DCLEXH	7FFFEDEF0	SY\$SP1_VECTOR	PHONE
SY\$DELMBX	7FFFEDEF00	SY\$SP1_VECTOR	LINKSUBS
SY\$EXIT	7FFFEDEF40	SY\$SP1_VECTOR	MISCCMDS
SY\$FAO	7FFFEDEF50	SY\$SP1_VECTOR	BASICCMDS
SY\$FAOL	7FFFEDEF58	SY\$SP1_VECTOR	TERMINAL
SY\$GET	7FFFE180	SY\$SP1_VECTOR	FILECMDS
SY\$GETDEV	7FFFE0D0	SY\$SP1_VECTOR	TERMINAL
SY\$GETDVI	7FFFE410	SY\$SP1_VECTOR	TERMINAL
SY\$GETJPI	7FFFE0D8	SY\$SP1_VECTOR	BASICCMDS
SY\$GETJPIW	7FFFE420	SY\$SP1_VECTOR	LINKSUBS
SY\$GETMSG	7FFFE0B0	SY\$SP1_VECTOR	BASICCMDS
SY\$OPEN	7FFFE208	SY\$SP1_VECTOR	FILECMDS
SY\$PARSE	7FFFE230	SY\$SP1_VECTOR	UN\$NET_CONNECT
SY\$PUT	7FFFE188	SY\$SP1_VECTOR	FILECMDS
SY\$QIO	7FFFEDEF C8	SY\$SP1_VECTOR	LINKSUBS
SY\$QIOW	7FFFEDE00	SY\$SP1_VECTOR	LINKSUBS
			NETSLAVE
			TERMINAL
			UN\$NET_CONNECT
			PHONE
			BASICCMDS
			MISCCMDS
			LINKSUBS
			PHONE
			TERMINAL
			MISCCMDS
			PHONE
UN\$NET_CONNECT	0000424E-R	UN\$NET_CONNECT	LINKSUBS

-----  
! Symbols By Value !  
-----

Value	Symbols...
-----	-----
00000001	SS\$ NORMAL
00000030	IOS_WRITEVBLK
00000031	IOS_READVBLK
00000032	IOS_ACCESS
000000A6	PHONES FACILITY
00000200	R-PHNSGQ_NODE_NAME
00000214	R-PHNSGQ_SWITCH_HOOK
00000220	R-PHNSGL_VIEWPORT_SIZE
00000224	R-PHNSGB_SCROLL
00000228	R-PHNSGQ_PUBHEAD
00000230	R-PHNSGB_FLAGS
00000294	SS\$ REJECT
00000649	SS\$ REMOTE
00000A00	R-PHNSPHONE
00000ADB	R-PHNSINIT MAIN
00000C06	R-PHNSDCL_COMMAND_LINE
00000CE2	R-PHNSQUEUE SMB
00000D66	R-PHNSKILL SMB
00000D8A	R-PHNSPREPARE_USERS_TARGET
00000DE8	R-PHNSDIAL_CMD
00000E70	R-PHNSRING_OUT
00000F31	R-PHNSLOCAL_JANGLE
00001065	R-PHNSRANG_IN
00001140	R-PHNSJANGLE_STRING
00001221	R-PHNSANSWER_CMD
000012AA	R-PHNSANSWERED
00001332	R-PHNSREJECT_CMD
0000139A	R-PHNSREJECTED
000013EF	R-PHNSBUSY
00001465	R-PHNS_TALK
000014A4	R-PHNSLISTEN
00001523	R-PHNSHANGUP_CMD
0000155B	R-PHNSHUNGUP
00001642	R-PHNSMBX_ENABLE
000016A7	R-PHNS_ESTAB_LINK
00001A57	R-PHNSMBX_NAME
00001B2E	R-PHNSBREAK_LINK
00001B6C	R-PHNSBREAK_CALL
00001B90	R-PHNSSEND_SMB
00001C81	R-PHNSFORCE_LINKS
00001CC7	R-PHNSFORCED_LINK
00001DD3	R-PHNSKBD_ROUTE
00001EE7	R-PHNSCMD_PARSE
00001FF8	R-PHNSMAKE_PUB
000020A2	R-PHNSMAKE_TSB
00002204	R-PHNSREDUNDANT
00002237	R-PHNSCONVERSING
00002264	R-PHNSCMP_TARGET
000022AC	R-PHNSKILL_PUB

Value	Symbols...
000022E0	R-PHNSMAKE_CTL
00002341	R-PHNSKILL_CTL
00002360	R-PHNSEXIT_CMD
0000236C	R-PHNSEXIT_HANDLER
000023B3	R-PHNSHELP_CMD
0000249E	R-PHNSHELP2
000024EA	R-PHNSDIRECTORY_CMD
00002578	R-PHNSDIRECTORY2
00002673	R-PHNSDIRECTORY_LINE
0000272A	R-PHNSMAIL_CMD
00002848	R-PHNSFACSIMILE_CMD
000028CA	R-PHNSFACSIMILE2
00002A05	R-PHNSTRANSCRIBE_CMD
00002B9C	R-PHNSINIT_TERM
00002CB4	R-PHNSTERM_CHARACTERISTIC
00002D18	R-PHNSKBD_ENABLE
00002D51	R-PHNSKBD_GET
00002DCA	R-PHNSFRESH_SCREEN
00002E7D	R-PHNSINFORM
00002F2E	R-PHNSREVIEW
00002FC9	R-PHNSVIEW_GOODIES
000030A6	R-PHNSFRESH_VIEW
0000315F	R-PHNSFRESH_HOLD
00003205	R-PHNSSHOW_TEXT
0000354F	R-PHNSSCROLL_PREP
0000358A	R-PHNSSCROLL_LINE
0000359C	R-PHNSHOLD_CMD
000035F7	R-PHNSHELD
00003650	R-PHNSUNHOLD_CMD
000036D9	R-PHNSUNHELD
00003734	R-PHNSINIT_SLAVE
0000377D	R-PHNSSLAVE_DRIVE
00003814	R-PHNSSLAVE_DIRECTORY2
00003858	R-PHNSSLAVE_VERIFY
000038D3	R-PHNSSLAVE_RING_OUT
000038FA	R-PHNSSLAVE_PASS_SMB
00003942	R-PHNSWRITE_SLAVE_STATUS
00003989	R-PHNSREAD_SLAVE
000039E0	R-CLISPRESNT
00003A23	R-CLISGET_VALUE
00003AAF	R-CLISDCL_PARSE
00003B60	R-CLISDISPATCH
00003BA1	R-CLISNEXT_QUAL
0000424E	R-UNSSNET_CONNECT
0000459E	R-COMMAND_KEY
000045B6	R-HELP_KEY
00004606	R-COMMAND_STATE
000046BE	R-HELP_STATE
00004A48	RX-LBR\$GET_HELP
00004A4C	RX-LBR\$CLOSE
00004A50	RX-LBR\$OPEN
00004A54	RX-LBR\$INI_CONTROL

Value	Symbols...
00004A60	RX-STR\$ANALYZE_SDESC
00004A64	RX-STR\$COPY_DX
00004A68	RX-STR\$TRIM
00004A6C	RX-OT\$SCVT_TI_L
00004A70	RX-LIB\$ANALYZE_SDESC
00004A74	RX-LIB\$ASN_WTH_MBX
00004A78	RX-LIB\$GET_EF
00004A7C	RX-LIB\$FREE_EF
00004A80	RX-LIB\$SIGNAL
00004A84	RX-LIB\$SIG_TO_RET
00004A88	RX-LIB\$SPAWN
00004A8C	RX-LIB\$TPARSE
00004A90	RX-LIB\$FREE_VM
00004A94	RX-LIB\$GET_VM
00004AA0	RX-SCR\$SET_SCROLL
00004AA4	RX-SCR\$SET_CURSOR
00004AA8	RX-SCR\$SET_BUFFER
00004AAC	RX-SCR\$PUT_SCREEN
00004AB0	RX-SCR\$PUT_LINE
00004AB4	RX-SCR\$PUT_BUFFER
00004AB8	RX-SCR\$ERASE_PAGE
00004ABC	RX-SCR\$ERASE_LINE
000185F4	RM\$S_NOD
0001C0EC	RM\$S_CHN
000380B0	CLIS_NOCOMD
000381F0	CLIS_ABSENT
000381F8	CLIS_NEGATED
00038230	CLIS_LOCNEG
0003FD19	CLIS_PRESENT
0003FD21	CLIS_DEFAULTED
0003FD29	CLIS_CONCAT
0003FD31	CLIS_LOCPRES
0003FD39	CLIS_COMMA
00158011	LIB\$STRTRU
00158284	LIB\$SYNTAXERR
00A68009	PHNS_OK
00A68013	PHNS_ANSWERED
00A6801B	PHNS_BUSYCALL
00A68023	PHNS_CANCALL
00A6802B	PHNS_CANTREACH
00A68033	PHNS_CONF CALL
00A6803B	PHNS_DEAD
00A68043	PHNS_DECNETLINK
00A6804B	PHNS_DIRCAN
00A68053	PHNS_FACSCAN
00A6805B	PHNS_HELPCAN
00A68063	PHNS_HUNGUP
00A6806B	PHNS_JUSTRANG
00A68073	PHNS_LOGGEDOFF
00A6807B	PHNS_REJECTED
00A68083	PHNS_RING
00A6808B	PHNS_SENDINGMAIL



Value	Symbols...
00A68090	PHNS_REJECTJUNK
00A6809A	PHNS_BADCMD
00A680A2	PHNS_BADHELP
00A680AA	PHNS_BADMAILCMD
00A680B2	PHNS_BADSMB
00A680BA	PHNS_BADSPEC
00A680C2	PHNS_HELPMISSING
00A680CA	PHNS_IVREDUNANS
00A680D2	PHNS_IVREDUNCALL
00A680DA	PHNS_LINKERROR
00A680E2	PHNS_NEEDUSER
00A680EA	PHNS_NOCALL
00A680F2	PHNS_NOHOLDS
00A680FA	PHNS_NOPORTS
00A68102	PHNS_NOPRIV
00A6810A	PHNS_NOPROC
00A68112	PHNS_NOTCONV
00A6811A	PHNS_ONLYNODE
00A68122	PHNS_PHONEBUSY
00A6812A	PHNS_REMOTEERROR
00A68132	PHNS_TARGTERM
00A6813A	PHNS_UNPLUGGED
00A68144	PHNS_BADTERM
00A6814C	PHNS_SHAREDMBX
00A68154	PHNS_INPUTTERM
7FFEDE00	SYSSQIOW
7FFEDE18	SYSSCLI
7FFEDE48	SYSSASCTIM
7FFEDE50	SYSSASSIGN
7FFEDE68	SYSSCANTIM
7FFEDE98	SYSSCLREF
7FFEDEB8	SYSSCREMBX
7FFEDEE0	SYSSDASSGN
7FFEDEF0	SYSSDCLEXH
7FFEDF00	SYSSDELMBX
7FFEDF40	SYSS\$EXIT
7FFEDF50	SYSS\$FAO
7FFEDF58	SYSS\$FAOL
7FFEDFC8	SYSS\$QIO
7FFEE000	SYSS\$SETEF
7FFEE020	SYSS\$SETIMR
7FFEE058	SYSS\$TRNLOG
7FFEE078	SYSS\$WAITFR
7FFEE0B0	SYSS\$GETMSG
7FFEE0D0	SYSS\$GETDEV
7FFEE0D8	SYSS\$GETJPI
7FFEE100	SYSS\$SETPRV
7FFEE180	SYSS\$GET
7FFEE188	SYSS\$PUT
7FFEE1B8	SYSS\$CLOSE
7FFEE1C0	SYSS\$CONNECT
7FFEE1C8	SYSS\$CREATE

.....

Value	Symbols...
7FFEE208	SYSSOPEN
7FFEE230	SYSSPARSE
7FFEE410	SYSSGETDVI
7FFEE420	SYSSGETJPIW
7FFEE490	SYSTRNLNM
7FFEE4E8	SYSSBRKTHRUW

Key for special characters above:

- \* - Undefined
- U - Universal
- R - Relocatable
- X - External

-----  
! Image Synopsis !  
-----

Virtual memory allocated: 00000200 00004BFF 00004A00 (18944. bytes, 37. pages)  
 Stack size: 20. pages  
 Image header virtual block limits: 1. 1. ( 1. block)  
 Image binary virtual block limits: 2. 38. ( 37. blocks)  
 Image name and identification: PHONE V04-000  
 Number of files: 7.  
 Number of modules: 22.  
 Number of program sections: 18.  
 Number of global symbols: 576.  
 Number of cross references: 934.  
 Number of image sections: 14.  
 User transfer address: 00000A00  
 Number of code references to shareable images: 26.  
 Image type: EXECUTABLE.  
 Map format: FULL WITH CROSS REFERENCE in file \_\$255\$DUA28:[PHONE.LIS]PHONE.MAP;1  
 Estimated map length: 166. blocks

-----  
! Link Run Statistics !  
-----

Performance Indicators	Page Faults	CPU Time	Elapsed Time
Command processing:	127	00:00:00.33	00:00:00.87
Pass 1:	242	00:00:04.12	00:00:22.28
Allocation/Relocation:	36	00:00:00.18	00:00:02.00
Pass 2:	71	00:00:01.99	00:00:10.29
Map data after object module synopsis:	23	00:00:02.10	00:00:03.39
Symbol table output:	1	00:00:00.04	00:00:00.41
Total run values:	500	00:00:08.76	00:00:39.24

Using a working set limited to 1500 pages and 104 pages of data storage (excluding image)

Total number object records read (both passes): 1487  
of which 726 were in libraries and 134 were DEBUG data records containing 8725 bytes

Number of modules extracted explicitly = 1  
with 18 extracted to resolve undefined symbols

123 library searches were for symbols not in the library searched

A total of 0 global symbol table records was written

LINK/USERLIB=PROC/NOTRACEBACK/EXECUTABLE=EXE\$:PHONE/MAP=MAP\$:PHONE/FULL/CROSS\_REFERENCE LIB\$:PHONE/LIBRARY/INCLUDE=PHONE,SYSSINPUT/OPTION

Options input

psect=\$plit\$,exe



0304 AH-BT13A-SE  
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION  
CONFIDENTIAL AND PROPRIETARY

The image displays a grid of 100 terminal windows, arranged in 10 rows and 10 columns. Each window contains a different screen from a VAX/VMS system. The screens are densely packed with text, including headers, data lists, and reports. Several windows are clearly labeled with titles such as:

- PHONE
- PHONE MAP
- BASICMDS LIS
- PATSTO LIS
- PATVEC LIS
- PHONREQ REQ
- PATWRT LIS
- FILEMDS LIS

The text on the screens is small and difficult to read, but it appears to be a mix of system status, user prompts, and data output. The overall appearance is that of a multi-user terminal session on a mainframe or minicomputer system.