

PPPPPPPP	HH	HH	000000	NN	NN	EEEEEEEEEE	
PPPPPPPP	HH	HH	000000	NN	NN	EEEEEEEEEE	
PP	PP	HH	00	00	NN	NN	EE
PP	PP	HH	00	00	NN	NN	EE
PP	PP	HH	00	00	NNNN	NN	EE
PP	PP	HH	00	00	NNNN	NN	EE
PPPPPPPP	HHHHHHHHHH	00	00	NN	NN	NN	EEEEEEEE
PPPPPPPP	HHHHHHHHHH	00	00	NN	NN	NN	EEEEEEEE
PP	HH	HH	00	00	NN	NNNN	EE
PP	HH	HH	00	00	NN	NNNN	EE
PP	HH	HH	00	00	NN	NN	EE
PP	HH	HH	00	00	NN	NN	EE
PP	HH	HH	000000	NN	NN	EEEEEEEEEE	
PP	HH	HH	000000	NN	NN	EEEEEEEEEE	

```

MM      MM      AAAAAA      PPPPPPPP
MM      MM      AAAAAA      PPPPPPPP
MMM     MMM     AA          AA      PP          PP
MMM     MMM     AA          AA      PP          PP
MM      MM      MM      AA          AA      PP          PP
MM      MM      MM      AA          AA      PP          PP
MM      MM      MM      AA          AA      PPPPPPPP
MM      MM      MM      AA          AA      PPPPPPPP
MM      MM      AAAAAAAAAA      PP
MM      MM      AAAAAAAAAA      PP
MM      MM      AA          AA      PP
MM      MM      AA          AA      PP
MM      MM      AA          AA      PP
MM      MM      AA          AA      PP

```

§2

Val

[illegible]


```

+-----+
! Object Module Synopsis !
+-----+

```

Module Name	Ident	Bytes	File	Creation Date	Creator
PHONE	V04-000	1374	-\$255\$DUA28:[PHONE.OBJ]PHONE.OLB;1	16-Sep-1984 02:15	VAX-11 Bliss-32 V4.0-742
BASICCMDS	V04-000	2508	-\$255\$DUA28:[PHONE.OBJ]PHONE.OLB;1	16-Sep-1984 02:07	VAX-11 Bliss-32 V4.0-742
LINKSUBS	V04-000	2530	-\$255\$DUA28:[PHONE.OBJ]PHONE.OLB;1	16-Sep-1984 02:11	VAX-11 Bliss-32 V4.0-742
INPUT	V04-000	1146	-\$255\$DUA28:[PHONE.OBJ]PHONE.OLB;1	16-Sep-1984 02:10	VAX-11 Bliss-32 V4.0-742
PUBSUBS	V04-000	879	-\$255\$DUA28:[PHONE.OBJ]PHONE.OLB;1	16-Sep-1984 02:17	VAX-11 Bliss-32 V4.0-742
MISCCMDS	V04-000	1891	-\$255\$DUA28:[PHONE.OBJ]PHONE.OLB;1	16-Sep-1984 02:13	VAX-11 Bliss-32 V4.0-742
FILECMDS	V04-000	1461	-\$255\$DUA28:[PHONE.OBJ]PHONE.OLB;1	16-Sep-1984 02:09	VAX-11 Bliss-32 V4.0-742
TERMINAL	V04-000	2894	-\$255\$DUA28:[PHONE.OBJ]PHONE.OLB;1	16-Sep-1984 02:18	VAX-11 Bliss-32 V4.0-742
STACKCMDS	V04-000	406	-\$255\$DUA28:[PHONE.OBJ]PHONE.OLB;1	16-Sep-1984 02:18	VAX-11 Bliss-32 V4.0-742
NETSLAVE	V04-000	748	-\$255\$DUA28:[PHONE.OBJ]PHONE.OLB;1	16-Sep-1984 02:15	VAX-11 Bliss-32 V4.0-742
PHONE MESSAGES	0	42	-\$255\$DUA28:[PHONE.OBJ]PHONE.OLB;1	16-SEP-1984 02:21	VAX-11 Message V04-00
UNSS\$NET CONNECT	V04-000	926	-\$255\$DUA28:[SYSLIB]SYSLIB.DLIB.OLB;1	16-SEP-1984 02:18	VAX/VMS Macro V04-00
CLIS\$INTERFACE	V04-000	516	-\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-Sep-1984 00:32	VAX-11 Bliss-32 V4.0-742
CLIS\$GLOBALS	V04-000	0	-\$255\$DUA28:[SYSLIB]STARLET.OLB;2	15-SEP-1984 23:38	VAX/VMS Macro V04-00
SYSS\$IODEF	V04-000	0	-\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-SEP-1984 00:18	VAX/VMS Macro V04-00
LIB\$MSGDEF	2-018	0	-\$255\$DUA28:[SYSLIB]STARLET.OLB;2	15-SEP-1984 23:43	VAX-11 Message V04-00
RMSS\$GLOBALS	V04-000	0	-\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-SEP-1984 01:35	VAX/VMS Macro V04-00
SYSS\$SDEF	V04-000	0	-\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-SEP-1984 01:18	VAX/VMS Macro V04-00
SYSS\$P1_VECTOR	V04-000	0	-\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-SEP-1984 00:40	VAX/VMS Macro V04-00
LBR\$SHR	V04-000	0	-\$255\$DUA28:[SYSLIB]LBR\$SHR.EXE;1	16-SEP-1984 04:16	VAX-11 Linker V04-00
LIBRTL	V04-000	0	-\$255\$DUA28:[SYSLIB]LIBRTL.EXE;1	16-SEP-1984 04:00	VAX-11 Linker V04-00
SCR\$SHR	V04-000	0	-\$255\$DUA28:[SYSLIB]SCR\$SHR.EXE;1	16-SEP-1984 04:04	VAX-11 Linker V04-00

! Image Section Synopsis !

Cluster	Type	Pages	Base Addr	Disk VBN	PFC	Protection and Paging	Global Sec. Name	Match	Majorid	Minorid
DEFAULT_CLUSTER	0	4	00000200		2	0 READ WRITE COPY ON REF				
	0	31	00000A00		6	0 READ ONLY				
	0	1	P-00004800		37	0 READ WRITE COPY ON REF				
	0	1	00004A00		38	0 READ WRITE FIXUP VECTORS				
	253	20	7FFFD800		0	0 READ WRITE DEMAND ZERO				
LBRSHR	1	1	00000000-R		0	0 READ ONLY	LBRSHR_001	LESS/EQUAL	2	9
	2	3	00000200-R		0	0 READ WRITE COPY ON REF	LBRSHR_002	LESS/EQUAL	2	9
	2	54	00000800-R		0	0 READ ONLY	LBRSHR_003	LESS/EQUAL	2	9
	4	1	00007400-R		0	0 READ WRITE COPY ON REF	LBRSHR_004	LESS/EQUAL	2	9
LIBRTL	3	111	00000000-R		0	0 READ ONLY	LIBRTL_001	LESS/EQUAL	1	11
	4	1	0000DE00-R		0	0 READ WRITE DEMAND ZERO	LIBRTL_002	LESS/EQUAL	1	11
SCRSHR	3	14	00000000-R		0	0 READ ONLY	SCRSHR_001	LESS/EQUAL	1	2900
	4	1	00001C00-R		0	0 READ WRITE COPY ON REF	SCRSHR_002	LESS/EQUAL	1	2900
	2	1	00001E00-R		0	0 READ WRITE FIXUP VECTORS	SCRSHR_003	LESS/EQUAL	1	2900

Key for special characters above:

```

+-----+
| R - Relocatable |
| P - Protected   |
+-----+

```

—\$2

[illegible]

+-----+
! Program Section Synopsis !
+-----+

Psect Name	Module Name	Base	End	Length	Align	Attributes
\$GLOBALS	PHONE	00000200 00000200	00000230 00000230	00000031 () 00000031 ()	49.) LONG 2 49.) LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD, WRT,NOVEC
\$OWNS	PHONE	00000234 00000234	000008AF 000002AF	0000067C () 0000007C ()	1660.) LONG 2 124.) LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD, WRT,NOVEC
	BASICCMDS	000002B0	000003E2	00000133 ()	307.) LONG 2	
	LINKSUBS	000003E4	0000051F	0000013C ()	316.) LONG 2	
	INPUT	00000520	000005F3	000000D4 ()	212.) LONG 2	
	PUBSUBS	000005F4	000005F7	00000004 ()	4.) LONG 2	
	MISCCMDS	000005F8	000006DF	000000E8 ()	232.) LONG 2	
	FILECMDS	000006E0	0000085F	00000180 ()	384.) LONG 2	
	TERMINAL	00000860	0000087C	0000001D ()	29.) LONG 2	
	NETSLAVE	00000880	000008AF	00000030 ()	48.) LONG 2	
\$CODES	PHONE	00000A00 00000A00	00003BE3 00000DE4	000031E4 () 000003E5 ()	12772.) LONG 2 997.) LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD,NOWRT,NOVEC
	BASICCMDS	00000DE8	0000160F	00000828 ()	2088.) LONG 2	
	LINKSUBS	00001610	00001DA5	00000796 ()	1942.) LONG 2	
	INPUT	00001DA8	00001FF5	0000024E ()	590.) LONG 2	
	PUBSUBS	00001FF8	0000235E	00000367 ()	871.) LONG 2	
	MISCCMDS	00002360	00002844	000004E5 ()	1253.) LONG 2	
	FILECMDS	00002848	00002B9B	00000354 ()	852.) LONG 2	
	TERMINAL	00002B9C	00003598	000009FD ()	2557.) LONG 2	
	STACKCMDS	0000359C	00003731	00000196 ()	406.) LONG 2	
	NETSLAVE	00003734	000039DF	000002AC ()	684.) LONG 2	
	CLIS\$INTERFACE	000039E0	00003BE3	00000204 ()	516.) LONG 2	
\$SPLITS	PHONE	00003BE4 00003BE4	000041FF 00003CAF	0000061C () 000000CC ()	1564.) LONG 2 204.) LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD,NOWRT,NOVEC
	BASICCMDS	00003CB0	00003D20	00000071 ()	113.) LONG 2	
	LINKSUBS	00003D24	00003E33	00000110 ()	272.) LONG 2	
	INPUT	00003E34	00003E6B	00000038 ()	56.) LONG 2	
	PUBSUBS	00003E6C	00003E6F	00000004 ()	4.) LONG 2	
	MISCCMDS	00003E70	00003FD7	00000168 ()	360.) LONG 2	
	FILECMDS	00003FD8	000040B8	000000E1 ()	225.) LONG 2	
	TERMINAL	000040BC	000041EF	00000134 ()	308.) LONG 2	
	NETSLAVE	000041F0	000041FF	00000010 ()	16.) LONG 2	
_LIB\$CODE	UNSS\$NET_CONNECT	00004200 00004200	0000459D 0000459D	0000039E () 0000039E ()	926.) LONG 2 926.) LONG 2	PIC,USR,CON,REL,LCL, SHR, EXE, RD,NOWRT,NOVEC
_LIB\$KEY0\$	INPUT	0000459E	000045B5	00000018 ()	24.) WORD 1	PIC,USR,CON,REL,LCL, SHR, EXE, RD,NOWRT,NOVEC
	MISCCMDS	0000459E	000045B5	00000018 ()	24.) WORD 1	
		000045B6	000045B6	00000000 ()	0.) WORD 1	
_LIB\$KEY1\$	INPUT	000045B6	00004605	00000050 ()	80.) WORD 1	PIC,USR,CON,REL,LCL, SHR, EXE, RD,NOWRT,NOVEC
		000045B6	00004605	00000050 ()	80.) WORD 1	

<u>Psect Name</u>	<u>Module Name</u>	<u>Base</u>	<u>End</u>	<u>Length</u>	<u>Align</u>	<u>Attributes</u>
_LIB\$STATES		00004606	000046EB	000000E6 (	230.) WORD 1	PIC,USR,CON,REL,LCL, SHR, EXE, RD,NOWRT,NOVEC
	INPUT	00004606	000046BD	000000B8 (	184.) WORD 1	
	MISCCMDS	000046BE	000046EB	0000002E (	46.) WORD 1	
MSGPTR\$AAAAAAA	PHONE_MESSAGES	00004800	0000480F	00000010 (	16.) LONG 2	PIC,USR,OVR,REL,LCL,NOSHR,NOEXE, RD, WRT, VEC
		00004800	0000480F	00000010 (	16.) LONG 2	
MSGPTR\$AAAAAAB	PHONE_MESSAGES	00004810	00004813	00000004 (	4.) LONG 2	PIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD, WRT, VEC
		00004810	00004813	00000004 (	4.) LONG 2	
MSGPTR\$AAAAAAC	PHONE_MESSAGES	00004814	00004817	00000004 (	4.) LONG 2	PIC,USR,OVR,REL,LCL,NOSHR,NOEXE, RD, WRT, VEC
		00004814	00004817	00000004 (	4.) LONG 2	
MSGPTR\$SECTION	PHONE_MESSAGES	00004818	00004829	00000012 (	18.) BYTE 0	PIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD, WRT, VEC
		00004818	00004829	00000012 (	18.) BYTE 0	

Vir
Sta
Ima
Ima
Num
Num
Num
Num
Num
Use
Num
Ima
Map
Est

Per

Tot
Usi
Tot

Num

123

A t

LIN
PTI

0

pse


```

+-----+
! Symbol Cross Reference !
+-----+

```

Symbol	Value	Defined By	Referenced By ...
CLISDCL_PARSE	00003AAF-R	CLISINTERFACE	
CLISDISPATCH	00003B60-R	CLISINTERFACE	
CLISGET_VALUE	00003A23-R	CLISINTERFACE	PHONE
CLISNEXT_QUAL	00003BA1-R	CLISINTERFACE	
CLISPRESNT	000039E0-R	CLISINTERFACE	PHONE
CLIS_ABSENT	000381F0	CLISGLOBALS	CLISINTERFACE
CLIS_COMMA	0003FD39	CLISGLOBALS	CLISINTERFACE
CLIS_CONCAT	0003FD29	CLISGLOBALS	CLISINTERFACE
CLIS_DEFAULTED	0003FD21	CLISGLOBALS	CLISINTERFACE
CLIS_LOCNEG	00038230	CLISGLOBALS	CLISINTERFACE
CLIS_LOCPRES	0003FD31	CLISGLOBALS	CLISINTERFACE
CLIS_NEGATED	000381F8	CLISGLOBALS	CLISINTERFACE
CLIS_NOCMD	000380B0	CLISGLOBALS	CLISINTERFACE
CLIS_PRESENT	0003FD19	CLISGLOBALS	CLISINTERFACE
COMMAND_KEY	0000459E-R	INPUT	
COMMAND_STATE	00004606-R	INPUT	
HELP_KEY	000045B6-R	MISCCMDS	
HELP_STATE	000046BE-R	MISCCMDS	
IOS_ACCESS	00000032	SYSSIODEF	UNSSNET_CONNECT
IOS_READVBLK	00000031	SYSSIODEF	UNSSNET_CONNECT
IOS_WRITEVBLK	00000030	SYSSIODEF	UNSSNET_CONNECT
LBR\$CLOSE	00004A4C-RX	LBR\$HR	MISCCMDS
LBR\$GET_HELP	00004A48-RX	LBR\$HR	MISCCMDS
LBR\$INI_CONTROL	00004A54-RX	LBR\$HR	MISCCMDS
LBR\$OPEN	00004A50-RX	LBR\$HR	MISCCMDS
LIB\$ANALYZE_SDESC	00004A70-RX	LIBRTL	UNSSNET_CONNECT
LIB\$ASN_WTH_MBX	00004A74-RX	LIBRTL	UNSSNET_CONNECT
LIB\$FREE_EF	00004A7C-RX	LIBRTL	UNSSNET_CONNECT
LIB\$FREE_VM	00004A90-RX	LIBRTL	CLISINTERFACE
LIB\$GET_EF	00004A78-RX	LIBRTL	UNSSNET_CONNECT
LIB\$GET_VM	00004A94-RX	LIBRTL	CLISINTERFACE
LIB\$SIGNAL	00004A80-RX	LIBRTL	BASICCMDS
			LINKSUBS
			PHONE
			TERMINAL
			UNSSNET_CONNECT
			MISCCMDS
			INPUT
			UNSSNET_CONNECT
			INPUT
			PHONE
			PHONE
			INPUT
			BASICCMDS
			BASICCMDS
			PHONE
			PHONE
			BASICCMDS
			LINKSUBS
			FILECMDS
LIB\$SIG_TO_RET	00004A84-RX	LIBRTL	
LIB\$SPAWN	00004A88-RX	LIBRTL	
LIB\$TPARSE	00004A8C-RX	LIBRTL	
LIB\$STRTRU	00158011	LIB\$MSGDEF	
LIB\$SYNTAXERR	00158284	LIB\$MSGDEF	
OT\$SCVT_TIL	00004A6C-RX	LIBRTL	
PHN\$ANSWERED	000012AA-R	BASICCMDS	
PHN\$ANSWER_CMD	00001221-R	BASICCMDS	
PHN\$BREAK_CALL	00001B6C-R	LINKSUBS	
PHN\$BREAK_LINK	00001B2E-R	LINKSUBS	
PHN\$BUSY	000013EF-R	BASICCMDS	
PHN\$CMD_PARSE	00001EE7-R	INPUT	
PHN\$CMP_TARGET	00002264-R	PUBSUBS	
PHN\$CONVERSING	00002237-R	PUBSUBS	

Symbol	Value	Defined By	Referenced By ...
PHN\$DCL_COMMAND_LINE	00000C06-R	PHONE	
PHN\$DIAC_CMD	00000DE8-R	BASICCMDS	INPUT
PHN\$DIRECTORY2	00002578-R	MISCCMDS	PHONE
PHN\$DIRECTORY_CMD	000024EA-R	MISCCMDS	INPUT
PHN\$DIRECTORY_LINE	00002673-R	MISCCMDS	NETSLAVE
PHN\$ESTAB_LINK	000016A7-R	LINKSUBS	BASICCMDS
PHN\$EXIT_CMD	00002360-R	MISCCMDS	BASICCMDS
PHN\$EXIT_HANDLER	0000236C-R	MISCCMDS	PHONE
PHN\$FACSIMILE2	000028CA-R	FILECMDS	PHONE
PHN\$FACSIMILE_CMD	00002848-R	FILECMDS	INPUT
PHN\$FORCED_LINK	00001CC7-R	LINKSUBS	PHONE
PHN\$FORCE_LINKS	00001C81-R	LINKSUBS	BASICCMDS
PHN\$FRESH_HOLD	0000315F-R	TERMINAL	STACKCMDS
PHN\$FRESH_SCREEN	00002DCA-R	TERMINAL	BASICCMDS
			FILECMDS
			STACKCMDS
PHN\$FRESH_VIEW	000030A6-R	TERMINAL	
PHN\$GB_FLAGS	00000230-R	PHONE	BASICCMDS
			FILECMDS
			LINKSUBS
			MISCCMDS
			STACKCMDS
PHN\$GB_SCROLL	00000224-R	PHONE	PHONE
			BASICCMDS
			LINKSUBS
			PUBSUBS
			STACKCMDS
			FILECMDS
			MISCCMDS
			NETSLAVE
			TERMINAL
			INPUT
PHN\$GL_VIEWPORT_SIZE	00000220-R	PHONE	PHONE
			BASICCMDS
			LINKSUBS
			PUBSUBS
			STACKCMDS
			FILECMDS
			MISCCMDS
			NETSLAVE
			TERMINAL
			INPUT
PHN\$GQ_NODE_NAME	00000200-R	PHONE	PHONE
			BASICCMDS
			LINKSUBS
			PUBSUBS
			STACKCMDS
			FILECMDS
			MISCCMDS
			NETSLAVE
			TERMINAL
			INPUT
PHN\$GQ_PUBHEAD	00000228-R	PHONE	PHONE
			BASICCMDS
			LINKSUBS
			PUBSUBS
			STACKCMDS
			FILECMDS
			MISCCMDS
			NETSLAVE
			TERMINAL
			INPUT
PHN\$GQ_SWITCH_HOOK	00000214-R	PHONE	PHONE
			BASICCMDS
			LINKSUBS
			PUBSUBS
			STACKCMDS
			FILECMDS
			MISCCMDS
			NETSLAVE
			TERMINAL
PHN\$HANGUP_CMD	00001523-R	BASICCMDS	INPUT
PHN\$HOLD	000035F7-R	STACKCMDS	PHONE
PHN\$HELP2	0000249E-R	MISCCMDS	PHONE
PHN\$HELP_CMD	000023B3-R	MISCCMDS	INPUT
PHN\$HOLD_CMD	0000359C-R	STACKCMDS	INPUT
PHN\$HUNGUP	0000155B-R	BASICCMDS	PHONE
PHN\$INFORM	00002E7D-R	TERMINAL	BASICCMDS
			FILECMDS
			LINKSUBS
			STACKCMDS
			MISCCMDS
			INPUT
			PHONE
PHN\$INIT_MAIN	00000ADB-R	PHONE	
PHN\$INIT_SLAVE	00003734-R	NETSLAVE	
PHN\$INIT_TERM	00002B9C-R	TERMINAL	PHONE
PHN\$JANGLE_STRING	00001140-R	BASICCMDS	
PHN\$KBD_ENABLE	00002D18-R	TERMINAL	
PHN\$KBD_GET	00002D51-R	TERMINAL	
PHN\$KBD_ROUTE	00001DD3-R	INPUT	PHONE
PHN\$KIL_CTL	00002341-R	PUBSUBS	PHONE
PHN\$KILL_PUB	000022AC-R	PUBSUBS	FILECMDS
			LINKSUBS
			MISCCMDS

Symbol -----	Value -----	Defined By -----	Referenced By ... -----		
PHN\$_BADSMB	00A680B2	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	PUBSUBS FILECMDS MISCCMDS PUBSUBS	STACKCMDS INPUT NETSLAVE STACKCMDS
PHN\$_BADSPEC	00A680BA	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	FILECMDS MISCCMDS PUBSUBS	INPUT NETSLAVE STACKCMDS
PHN\$_BADTERM	00A68144	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	FILECMDS MISCCMDS PUBSUBS	INPUT NETSLAVE STACKCMDS
PHN\$_BUSYCALL	00A6801B	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	FILECMDS MISCCMDS PUBSUBS	INPUT NETSLAVE STACKCMDS
PHN\$_CANCALL	00A68023	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	FILECMDS MISCCMDS PUBSUBS	INPUT NETSLAVE STACKCMDS
PHN\$_CANTREACH	00A6802B	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	FILECMDS MISCCMDS PUBSUBS	INPUT NETSLAVE STACKCMDS
PHN\$_CONFCALL	00A68033	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	FILECMDS MISCCMDS PUBSUBS	INPUT NETSLAVE STACKCMDS
PHN\$_DEAD	00A6803B	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	FILECMDS MISCCMDS PUBSUBS	INPUT NETSLAVE STACKCMDS
PHN\$_DECNETLINK	00A68043	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	FILECMDS MISCCMDS PUBSUBS	INPUT NETSLAVE STACKCMDS
PHN\$_DIRCAN	00A6804B	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	FILECMDS MISCCMDS PUBSUBS	INPUT NETSLAVE STACKCMDS
PHN\$_FACSCAN	00A68053	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	FILECMDS MISCCMDS PUBSUBS	INPUT NETSLAVE STACKCMDS
PHN\$_HELPCAN	00A6805B	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	FILECMDS MISCCMDS PUBSUBS	INPUT NETSLAVE STACKCMDS
PHN\$_HELPMISSING	00A680C2	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS	FILECMDS MISCCMDS	INPUT NETSLAVE

<u>Symbol</u>	<u>Value</u>	<u>Defined By</u>	<u>Referenced By ...</u>
PHN\$_HUNGUP	00A68063	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHN\$_INPUTTERM	00A68154	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHN\$_IVREDUNANS	00A680CA	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHN\$_IVREDUNCALL	00A680D2	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHN\$_JUSTRANG	00A6806B	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHN\$_LINKERROR	00A680DA	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHN\$_LOGGEDOFF	00A68073	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHN\$_NEEDUSER	00A680E2	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHN\$_NOCALL	00A680EA	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHN\$_NOHOLDS	00A680F2	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHN\$_NOPORTS	00A680FA	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHN\$_NOPRIV	00A68102	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE
PHN\$_NOPROC	00A6810A	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE PUBSUBS FILECMDS MISCCMDS STACKCMDS INPUT NETSLAVE

<u>Symbol</u>	<u>Value</u>	<u>Defined By</u>	<u>Referenced By ...</u>		
PHNS_NOTCONV	00A68112	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	PUBSUBS FILECMDS MISCCMDS PUBSUBS	STACKCMDS INPUT NETSLAVE STACKCMDS
PHNS_OK	00A68009	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	FILECMDS MISCCMDS PUBSUBS	INPUT NETSLAVE STACKCMDS
PHNS_ONLYNODE	00A6811A	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	FILECMDS MISCCMDS PUBSUBS	INPUT NETSLAVE STACKCMDS
PHNS_PHONEBUSY	00A68122	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	FILECMDS MISCCMDS PUBSUBS	INPUT NETSLAVE STACKCMDS
PHNS_REJECTED	00A6807B	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	FILECMDS MISCCMDS PUBSUBS	INPUT NETSLAVE STACKCMDS
PHNS_REJECTJUNK	00A68090	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	FILECMDS MISCCMDS PUBSUBS	INPUT NETSLAVE STACKCMDS
PHNS_REMOTEERROR	00A6812A	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	FILECMDS MISCCMDS PUBSUBS	INPUT NETSLAVE STACKCMDS
PHNS_RING	00A68083	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	FILECMDS MISCCMDS PUBSUBS	INPUT NETSLAVE STACKCMDS
PHNS_SENDINGMAIL	00A6808B	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	FILECMDS MISCCMDS PUBSUBS	INPUT NETSLAVE STACKCMDS
PHNS_SHAREDMBX	00A6814C	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	FILECMDS MISCCMDS PUBSUBS	INPUT NETSLAVE STACKCMDS
PHNS_TARGTERM	00A68132	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	FILECMDS MISCCMDS PUBSUBS	INPUT NETSLAVE STACKCMDS
PHNS_UNPLUGGED	00A6813A	PHONE_MESSAGES	PHONE TERMINAL BASICCMDS LINKSUBS PHONE	FILECMDS MISCCMDS PUBSUBS	INPUT NETSLAVE STACKCMDS
PHONES FACILITY RMS\$_CRN	000000A6 0001C0EC	PHONE_MESSAGES RMS\$GLOBALS	PHONE TERMINAL UN\$NET_CONNECT		

Symbol	Value	Defined By	Referenced By ...
RMSS_NOD	000185F4	RMSSGLOBALS	UNSSNET_CONNECT
SCR\$ERASE_LINE	00004ABC-RX	SCR\$HR	TERMINAL
SCR\$ERASE_PAGE	00004AB8-RX	SCR\$HR	MISCCMDS
SCR\$PUT_BUFFER	00004AB4-RX	SCR\$HR	TERMINAL
SCR\$PUT_LINE	00004AB0-RX	SCR\$HR	TERMINAL
SCR\$PUT_SCREEN	00004AAC-RX	SCR\$HR	TERMINAL
SCR\$SET_BUFFER	00004AA8-RX	SCR\$HR	TERMINAL
SCR\$SET_CURSOR	00004AA4-RX	SCR\$HR	TERMINAL
SCR\$SET_SCROLL	00004AA0-RX	SCR\$HR	TERMINAL
SS\$_NORMAL	00000001	SYSS\$SDEF	UNSSNET_CONNECT
SS\$_REJECT	00000294	SYSS\$SDEF	UNSSNET_CONNECT
SS\$_REMOTE	00000649	SYSS\$SDEF	UNSSNET_CONNECT
STR\$ANALYZE_SDESC	00004A60-RX	LIBRTL	CLISINTERFACE
STR\$COPY_DX	00004A64-RX	LIBRTL	CLISINTERFACE
STR\$TRIM	00004A68-RX	LIBRTL	PHONE
SYSS\$ASCTIM	7FFFEDE48	SYSSP1_VECTOR	TERMINAL
SYSS\$ASSIGN	7FFFEDE50	SYSSP1_VECTOR	LINKSUBS
			TERMINAL
SYSS\$BRKTHRUW	7FFFE4E8	SYSSP1_VECTOR	BASICCMDS
SYSS\$CANTIM	7FFFEDE68	SYSSP1_VECTOR	LINKSUBS
SYSS\$CLI	7FFFEDE18	SYSSP1_VECTOR	CLISINTERFACE
SYSS\$CLOSE	7FFFE1B8	SYSSP1_VECTOR	FILECMDS
SYSS\$CLREF	7FFFEDE98	SYSSP1_VECTOR	PHONE
SYSS\$CONNECT	7FFFE1C0	SYSSP1_VECTOR	FILECMDS
SYSS\$CREATE	7FFFE1C8	SYSSP1_VECTOR	FILECMDS
SYSS\$CREMBX	7FFFEDEB8	SYSSP1_VECTOR	LINKSUBS
SYSS\$DASSGN	7FFFEDEE0	SYSSP1_VECTOR	LINKSUBS
SYSS\$DCLEXH	7FFFEDEF0	SYSSP1_VECTOR	PHONE
SYSS\$DELMBX	7FFFEDEF00	SYSSP1_VECTOR	LINKSUBS
SYSS\$EXIT	7FFFEDEF40	SYSSP1_VECTOR	MISCCMDS
SYSS\$FAO	7FFFEDEF50	SYSSP1_VECTOR	BASICCMDS
SYSS\$FAOL	7FFFEDEF58	SYSSP1_VECTOR	TERMINAL
SYSS\$GET	7FFFE180	SYSSP1_VECTOR	FILECMDS
SYSS\$GETDEV	7FFFE0D0	SYSSP1_VECTOR	TERMINAL
SYSS\$GETDVI	7FFFE410	SYSSP1_VECTOR	TERMINAL
SYSS\$GETJPI	7FFFE0D8	SYSSP1_VECTOR	BASICCMDS
SYSS\$GETJPIW	7FFFE420	SYSSP1_VECTOR	LINKSUBS
SYSS\$GETMSG	7FFFE0B0	SYSSP1_VECTOR	BASICCMDS
SYSS\$OPEN	7FFFE208	SYSSP1_VECTOR	FILECMDS
SYSS\$PARSE	7FFFE230	SYSSP1_VECTOR	UNSSNET_CONNECT
SYSS\$PUT	7FFFE188	SYSSP1_VECTOR	FILECMDS
SYSS\$QIO	7FFFEDEF C8	SYSSP1_VECTOR	LINKSUBS
SYSS\$QIOW	7FFFEDE00	SYSSP1_VECTOR	LINKSUBS
			UNSSNET_CONNECT
SYSS\$SETEF	7FFFE000	SYSSP1_VECTOR	PHONE
SYSS\$SETIMR	7FFFE020	SYSSP1_VECTOR	BASICCMDS
SYSS\$SETPRV	7FFFE100	SYSSP1_VECTOR	MISCCMDS
SYSS\$TRNLNM	7FFFE490	SYSSP1_VECTOR	LINKSUBS
SYSS\$TRNLOG	7FFFE058	SYSSP1_VECTOR	PHONE
SYSS\$WAITFR	7FFFE078	SYSSP1_VECTOR	BASICCMDS
			TERMINAL
UNSSNET_CONNECT	0000424E-R	UNSSNET_CONNECT	LINKSUBS

+-----+
! Symbols By Value !
+-----+

Value

Symbols...

00000001	SS\$ NORMAL
00000030	IOS_WRITEVBLK
00000031	IOS_READVBLK
00000032	IOS_ACCESS
000000A6	PHONES FACILITY
00000200	R-PHNSGQ_NODE_NAME
00000214	R-PHNSGQ_SWITCH_HOOK
00000220	R-PHNSGL_VIEWPORT_SIZE
00000224	R-PHNSGB_SCROLL
00000228	R-PHNSGQ_PUBHEAD
00000230	R-PHNSGB_FLAGS
00000294	SS\$ REJECT
00000649	SS\$ REMOTE
00000A00	R-PHNSPHONE
00000ADB	R-PHNSINIT MAIN
00000C06	R-PHNSDCL_COMMAND_LINE
00000CE2	R-PHNSQUEUE SMB
00000D66	R-PHNSKILL SMB
00000D8A	R-PHNSPREPARE_USERS_TARGET
00000DE8	R-PHNSDIAL_CMD
00000E70	R-PHNSRING_OUT
00000F31	R-PHNSLOCAL_JANGLE
00001065	R-PHNSRANG_IN
00001140	R-PHNSJANGLE_STRING
00001221	R-PHNSANSWER_CMD
000012AA	R-PHNSANSWERED
00001332	R-PHNSREJECT_CMD
0000139A	R-PHNSREJECTED
000013EF	R-PHNSBUSY
00001465	R-PHNSTALK
000014A4	R-PHNSLISTEN
00001523	R-PHNSHANGUP_CMD
0000155B	R-PHNSHUNGUP
00001642	R-PHNSMBX_ENABLE
000016A7	R-PHNSSTAB_LINK
00001A57	R-PHNSMBX_NAME
00001B2E	R-PHNSBREAK_LINK
00001B6C	R-PHNSBREAK_CALL
00001B90	R-PHNSSEND SMB
00001C81	R-PHNSFORCE_LINKS
00001CC7	R-PHNSFORCED_LINK
00001DD3	R-PHNSKBD_ROUTE
00001EE7	R-PHNSCMD_PARSE
00001FF8	R-PHNSMAKE_PUB
000020A2	R-PHNSMAKE_TSB
00002204	R-PHNSREDUNDANT
00002237	R-PHNSCONVERSING
00002264	R-PHNSCMP_TARGET
000022AC	R-PHNSKILL_PUB

Value

Symbols...

000022E0 R-PHNSMAKE_CTL
00002341 R-PHNSKILL_CTL
00002360 R-PHNSEXIT_CMD
0000236C R-PHNSEXIT_HANDLER
000023B3 R-PHNSHELP_CMD
0000249E R-PHNSHELP2
000024EA R-PHNSDIRECTORY_CMD
00002578 R-PHNSDIRECTORY2
00002673 R-PHNSDIRECTORY_LINE
0000272A R-PHNSMAIL_CMD
00002848 R-PHNSFACSIMILE_CMD
000028CA R-PHNSFACSIMILE2
00002A05 R-PHNSTRANSCRIBE_CMD
00002B9C R-PHNSINIT_TERM
00002CB4 R-PHNSTERM_CHARACTERISTIC
00002D18 R-PHNSKBD_ENABLE
00002D51 R-PHNSKBD_GET
00002DCA R-PHNSFRESH_SCREEN
00002E7D R-PHNSINFORM
00002F2E R-PHNSREVIEW
00002FC9 R-PHNSVIEW_GOODIES
000030A6 R-PHNSFRESH_VIEW
0000315F R-PHNSFRESH_HOLD
00003205 R-PHNS\$SHOW_TEXT
0000354F R-PHNS\$SCROLL_PREP
0000358A R-PHNS\$SCROLL_LINE
0000359C R-PHNSHOLD_CMD
000035F7 R-PHNSHELD
00003650 R-PHNSUNHOLD_CMD
000036D9 R-PHNSUNHELD
00003734 R-PHNSINIT_SLAVE
0000377D R-PHNS\$SLAVE_DRIVE
00003814 R-PHNS\$SLAVE_DIRECTORY2
00003858 R-PHNS\$SLAVE_VERIFY
000038D3 R-PHNS\$SLAVE_RING_OUT
000038FA R-PHNS\$SLAVE_PASS_SMB
00003942 R-PHNS\$WRITE_SLAVE_STATUS
00003989 R-PHNS\$READ_SLAVE
000039E0 R-CLISPRESENT
00003A23 R-CLISGET_VALUE
00003AAF R-CLISDCL_PARSE
00003B60 R-CLISDISPATCH
00003BA1 R-CLISNEXT_QUAL
0000424E R-UNSSNET_CONNECT
0000459E R-COMMAND_KEY
000045B6 R-HELP_KEY
00004606 R-COMMAND_STATE
000046BE R-HELP_STATE
00004A48 RX-LBR\$GET_HELP
00004A4C RX-LBR\$CLOSE
00004A50 RX-LBR\$OPEN
00004A54 RX-LDR\$INI_CONTROL

Value

Symbols...

00004A60	RX-STR\$ANALYZE_SDESC
00004A64	RX-STR\$COPY_DX
00004A68	RX-STR\$TRIM
00004A6C	RX-OTSS\$CVT_TL
00004A70	RX-LIB\$ANALYZE_SDESC
00004A74	RX-LIB\$ASN_WTH_MBX
00004A78	RX-LIB\$GET_EF
00004A7C	RX-LIB\$FREE_EF
00004A80	RX-LIB\$SIGNAL
00004A84	RX-LIB\$SIG_TO_RET
00004A88	RX-LIB\$SPAWN
00004A8C	RX-LIB\$TPARSE
00004A90	RX-LIB\$FREE_VM
00004A94	RX-LIB\$GET_VM
00004AA0	RX-SCR\$SET_SCROLL
00004AA4	RX-SCR\$SET_CURSOR
00004AA8	RX-SCR\$SET_BUFFER
00004AAC	RX-SCR\$PUT_SCREEN
00004AB0	RX-SCR\$PUT_LINE
00004AB4	RX-SCR\$PUT_BUFFER
00004AB8	RX-SCR\$ERASE_PAGE
00004ABC	RX-SCR\$ERASE_LINE
000185F4	RMSS_NOD
0001C0EC	RMSS_CHN
000380B0	CLIS_NOCMD
000381F0	CLIS_ABSENT
000381F8	CLIS_NEGATED
00038230	CLIS_LOCNEG
0003FD19	CLIS_PRESENT
0003FD21	CLIS_DEFAULTED
0003FD29	CLIS_CONCAT
0003FD31	CLIS_LOCPRES
0003FD39	CLIS_COMMA
00158011	LIBS_STRTRU
00158284	LIBS_SYNTAXERR
00A68009	PHNS_OK
00A68013	PHNS_ANSWERED
00A6801B	PHNS_BUSYCALL
00A68023	PHNS_CANCALL
00A6802B	PHNS_CANTREACH
00A68033	PHNS_CONFCALL
00A6803B	PHNS_DEAD
00A68043	PHNS_DECNETLINK
00A6804B	PHNS_DIRCAN
00A68053	PHNS_FACSCAN
00A6805B	PHNS_HELPCAN
00A68063	PHNS_HUNGUP
00A6806B	PHNS_JUSTRANG
00A68073	PHNS_LOGGEDOFF
00A6807B	PHNS_REJECTED
00A68083	PHNS_RING
00A6808B	PHNS_SENDINGMAIL

Value

Symbols...

00A68090	PHNS_REJECTJUNK
00A6809A	PHNS_BADCMD
00A680A2	PHNS_BADHELP
00A680AA	PHNS_BADMAILCMD
00A680B2	PHNS_BADSMB
00A680BA	PHNS_BADSPEC
00A680C2	PHNS_HELPMISSING
00A680CA	PHNS_IVREDUNANS
00A680D2	PHNS_IVREDUNCALL
00A680DA	PHNS_LINKERROR
00A680E2	PHNS_NEEDUSER
00A680EA	PHNS_NOCALL
00A680F2	PHNS_NOHOLDS
00A680FA	PHNS_NOPORTS
00A68102	PHNS_NOPRIV
00A6810A	PHNS_NOPROC
00A68112	PHNS_NOTCONV
00A6811A	PHNS_ONLYNODE
00A68122	PHNS_PHONEBUSY
00A6812A	PHNS_REMOTEERROR
00A68132	PHNS_TARGTERM
00A6813A	PHNS_UNPLUGGED
00A68144	PHNS_BADTERM
00A6814C	PHNS_SHAREDMBX
00A68154	PHNS_INPUTTERM
7FFEDE00	SYSSQIOW
7FFEDE18	SYSSCLI
7FFEDE48	SYSSASCTIM
7FFEDE50	SYSSASSIGN
7FFEDE68	SYSSCANTIM
7FFEDE98	SYSSCLREF
7FFEDEB8	SYSSCREMBX
7FFEDEE0	SYSSDASSGN
7FFEDEF0	SYSSDCLEXH
7FFEDF00	SYSSDELMBX
7FFEDF40	SYSSEXIT
7FFEDF50	SYSSFAO
7FFEDF58	SYSSFAOL
7FFEDFC8	SYSSQIO
7FFEE000	SYSSSETEF
7FFEE020	SYSSSETIMR
7FFEE058	SYSSTRNLOG
7FFEE078	SYSSWAITFR
7FFEE0B0	SYSSGETMSG
7FFEE0D0	SYSSGETDEV
7FFEE0D8	SYSSGETJPI
7FFEE100	SYSSSETPRV
7FFEE180	SYSSGET
7FFEE188	SYSSPUT
7FFEE1B8	SYSSCLOSE
7FFEE1C0	SYSSCONNECT
7FFEE1C8	SYSSCREATE

Value

Symbols...

7FFEE208	SY\$OPEN
7FFEE230	SY\$PARSE
7FFEE410	SY\$GETDVI
7FFEE420	SY\$GETJPIW
7FFEE490	SY\$TRNLNM
7FFEE4E8	SY\$BRKTHRUW

Key for special characters above:

*	- Undefined
U	- Universal
R	- Relocatable
X	- External

+-----+
! Image Synopsis !
+-----+

Virtual memory allocated: 00000200 00004BFF 00004A00 (18944. bytes, 37. pages)
Stack size: 20. pages
Image header virtual block limits: 1. (1. block)
Image binary virtual block limits: 2. (37. blocks)
Image name and identification: PHONE V04-000
Number of files: 7.
Number of modules: 22.
Number of program sections: 18.
Number of global symbols: 576.
Number of cross references: 934.
Number of image sections: 14.
User transfer address: 00000A00
Number of code references to shareable images: 26.
Image type: EXECUTABLE.
Map format: FULL WITH CROSS REFERENCE in file _S255SDUA28:[PHONE.LIS]PHONE.MAP;1
Estimated map length: 166. blocks

+-----+
! Link Run Statistics !
+-----+

Performance Indicators

	Page Faults	CPU Time	Elapsed Time
Command processing:	127	00:00:00.33	00:00:00.87
Pass 1:	242	00:00:04.12	00:00:22.28
Allocation/Relocation:	36	00:00:00.18	00:00:02.00
Pass 2:	71	00:00:01.99	00:00:10.29
Map data after object module synopsis:	23	00:00:02.10	00:00:03.39
Symbol table output:	1	00:00:00.04	00:00:00.41
Total run values:	500	00:00:08.76	00:00:39.24

Using a working set limited to 1500 pages and 104 pages of data storage (excluding image)

Total number object records read (both passes): 1487
of which 726 were in libraries and 134 were DEBUG data records containing 8725 bytesNumber of modules extracted explicitly = 1
with 18 extracted to resolve undefined symbols

123 library searches were for symbols not in the library searched

A total of 0 global symbol table records was written

LINK/USERLIB=PROC/NOTRACEBACK/EXECUTABLE=EXES:PHONE/MAP=MAP\$:PHONE/FULL/CROSS_REFERENCE LIB\$:PHONE/LIBRARY/INCLUDE=PHONE,SYSS\$INPUT/OPTION

Options input

psect=\$plit\$,exe

0304 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

