


```
/* environment codes. do not change this without corresponding changes to  
   plienvir.pli */
```

```
%replace append by 1;  
%replace batch by 2;  
%replace block_boundry by 3;  
%replace block_io by 4;  
%replace block_size by 5;  
%replace bucket_size by 6;  
%replace carriage by 7;  
%replace contiguous by 8;  
%replace contiguous_best_try by 9;  
%replace creation_date by 10;  
%replace current_position by 11;  
%replace default_file_name by 12;  
%replace deferred_write by 13;  
%replace delete by 14;  
%replace expiration_date by 15;  
%replace extension_size by 16;  
%replace file_id by 17;  
%replace file_id_to by 18;  
%replace file_size by 19;  
%replace fixed_control_size by 20;  
%replace fixed_control_size_to by 21;  
%replace fixed_length_records by 22;  
%replace group_protection by 23;  
%replace ignore_line_marks by 24;  
%replace indexed by 25;  
%replace indexed_fill by 26;  
%replace index_number by 27;  
%replace max_record_number by 28;  
%replace max_record_size by 29;  
%replace multiblock_count by 30;  
%replace multibuffer_count by 31;  
%replace no_share by 32;  
%replace owner_group by 33;  
%replace owner_member by 34;  
%replace owner_protection by 35;  
%replace printer by 36;  
%replace read_ahead by 37;  
%replace read_check by 38;  
%replace record_id_access by 39;  
%replace retrieval_pointers by 40;  
%replace rewind_close by 41;  
%replace rewind_open by 42;  
%replace scalarvarying by 43;  
%replace shared_read by 44;  
%replace shared_write by 45;  
%replace spool by 46;  
%replace supersede by 47;  
%replace system_protection by 48;  
%replace temporary by 49;  
%replace truncate by 50;  
%replace world_protection by 51;  
%replace write_behind by 52;  
%replace write_check by 53;  
%replace num_envir_opts by 53;
```

%replace unused_envir_opt by 54;

