

(1) 50

pli\$subscript - signal subscript range check

```
0000 1 .title pli$caserr - case or label constant array error routine
0000 2 .ident /1-002/ ; Edit WHM1002
0000 3 .
0000 4 .
0000 5 *****
0000 6 *
0000 7 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *
0000 8 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *
0000 9 * ALL RIGHTS RESERVED. *
0000 10 *
0000 11 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *
0000 12 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *
0000 13 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *
0000 14 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *
0000 15 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *
0000 16 * TRANSFERRED. *
0000 17 *
0000 18 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *
0000 19 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *
0000 20 * CORPORATION. *
0000 21 *
0000 22 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *
0000 23 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *
0000 24 *
0000 25 *
0000 26 *****
0000 27 .
0000 28 ++
0000 29 : facility:
0000 30 :
0000 31 : VAX/VMS PL1 runtime library.
0000 32 :
0000 33 : abstract:
0000 34 :
0000 35 : This module contains the pl1 runtime routine for case and label array
0000 36 : error handling.
0000 37 :
0000 38 : author: r. heinen 18-jan-1979
0000 39 :
0000 40 : Modifications:
0000 41 :
0000 42 :
0000 43 : 1-002 Bill Matthews 29-September-1982
0000 44 :
0000 45 : Invoke macros $defdat and rtshare instead of $defopr and share.
0000 46 :
0000 47 :--
0000 48 : rtshare
```

```

0000 50      .sbttl  pli$subscript - signal subscript range check
0000 51      :++
0000 52      : pli$subscript - signal subscript range check for uninitialized label vector
0000 53      :
0000 54      : functional description:
0000 55      :
0000 56      : This routine is used by the generated code to cause a subscript range check
0000 57      : to occur when an uninitialized label vector entry is used.
0000 58      :
0000 59      : inputs:
0000 60      :
0000 61      :     none - JSB interface.
0000 62      :
0000 63      : outputs:
0000 64      :
0000 65      :     program is exited on return from condition
0000 66      :--
0000 67      pli$rt_subscrip::
0000 68      pli$rt_subscrip::
0000 69      pushl  #pli$_labelrange      ;
0000 70      calls  #1,g^lib$signal      ;
000D 71      $exit_s #pli$_labelrange  ; program is done
001A 72      .end

```

00000000'8F DD 0000
00000000'GF 01 FB 0006
000D 000D
001A 001A

PLI
Sym
DAT
PLI
PLI
PLI
SET
SET
SET
PSE

_PL
Pha

Ini
Com
Pas
Sym
Pas
Sym
Pse
Cro
Ass
The
451
The
274
3 p
Mac

_S2
-S2
TOT
32
The
MAC

PLI\$CASERR
Symbol table

F 12
- case or label constant array error ro 16-SEP-1984 02:10:15 VAX/VMS Macro V04-00 Page 3
6-SEP-1984 11:36:20 [PLIRTL.SRC]PLICASERR.MAR;1 (1)

**F

```
LIB$SIGNAL      ***** X 01
PLI$RT_SUBSCRIP 00000000 RG 01
PLI$RT_SUBSCRIP 00000000 RG 01
PLI$ LABELRANGE ***** X 01
SYS$EXIT        ***** GX 01
```

+-----+
! Psect synopsis !
+-----+

PSECT name	Allocation	PSECT No.	Attributes												
. ABS	00000000 (0.)	00 (0.)	NOPIC	USR	CON	ABS	LCL	NOSHR	NOEXE	NORD	NOWRT	NOVEC	BYTE		
_PLI\$CODE	0000001A (26.)	01 (1.)	PIC	USR	CON	REL	LCL	SHR	EXE	RD	NOWRT	NOVEC	LONG		

+-----+
! Performance indicators !
+-----+

Phase	Page faults	CPU Time	Elapsed Time
Initialization	9	00:00:00.07	00:00:00.77
Command processing	72	00:00:00.53	00:00:03.21
Pass 1	62	00:00:00.44	00:00:03.94
Symbol table sort	0	00:00:00.00	00:00:00.00
Pass 2	22	00:00:00.17	00:00:01.54
Symbol table output	1	00:00:00.01	00:00:00.01
Psect synopsis output	1	00:00:00.02	00:00:00.02
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	167	00:00:01.24	00:00:09.49

The working set limit was 600 pages.
879 bytes (2 pages) of virtual memory were used to buffer the intermediate code.
There were 10 pages of symbol table space allocated to hold 5 non-local and 0 local symbols.
72 source lines were read in Pass 1, producing 8 object records in Pass 2.
2 pages of virtual memory were used to define 2 macros.

+-----+
! Macro library statistics !
+-----+

Macro library name	Macros defined
-\$255\$DUA28:[PLIRTL.OBJ]PLIRTMAC.MLB;1	1
-\$255\$DUA28:[SYSLIB]STARLET.MLB;2	1
TOTALS (all libraries)	2

8 GETS were required to define 2 macros.

There were no errors, warnings or information messages.

MACRO/ENABLE=SUPPRESSION/DISABLE=TRACEBACK/LIS=LIS\$:PLICASERR/OBJ=OBJ\$:PLICASERR MSRC\$:PLICASERR/UPDATE=(ENH\$:PLICASERR)+LIB\$:PLIRTM

PLICASERR LIS	PLICONDIT LIS
DATDEF SDL	FILEDEF IN
PLIRTRDEF MAR	PLICHRSTR LIS
PLIRTL	PLICHR LIS
PLIRTL MAP	PLICLOSE LIS
ENUCODES IN	PLIFILDSP IN
PLIBIT LIS	PLIBYTSIZ LIS