

PLI
PLI
PLI
PLI
PLI
PLI
PLI
PLI

```
PPPPPPPP  LL      IIIIII  GGGGGGGG  EEEEEEEEE  TTTTTTTTTT  BBBB88888  UU      UU  FFFFFFFFFF
PPPPPPPP  LL      IIIIII  GGGGGGGG  EEEEEEEEE  TTTTTTTTTT  BBBB88888  UU      UU  FFFFFFFFFF
PP      PP  LL      II      GG      EE      TT      BB      BB  UU      UU  FF
PP      PP  LL      II      GG      EE      TT      BB      BB  UU      UU  FF
PP      PP  LL      II      GG      EE      TT      BB      BB  UU      UU  FF
PPPPPPPP  LL      II      GG      EEEEEEE  TT      BBBB88888  UU      UU  FFFFFFFF
PPPPPPPP  LL      II      GG      EEEEEEE  TT      BBBB88888  UU      UU  FFFFFFFF
PP      LL      II      GG      EE      TT      BB      BB  UU      UU  FF
PP      LL      II      GG      EE      TT      BB      BB  UU      UU  FF
PP      LL      II      GG      EE      TT      BB      BB  UU      UU  FF
PP      LL      II      GG      EE      TT      BB      BB  UU      UU  FF
PP      LLLLLLLLLL  IIIIII  GGGGGG  EEEEEEEEE  TT      BBBB88888  UUUUUUUUUU  FF
PP      LLLLLLLLLL  IIIIII  GGGGGG  EEEEEEEEE  TT      BBBB88888  UUUUUUUUUU  FF
                                         ....
                                         ....
                                         ....
                                         ....

LL      IIIIII  SSSSSSSS
LL      IIIIII  SSSSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SSSSSS
LL      II      SSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LL      IIIIII  SSSSSSSS
LL      IIIIII  SSSSSSSS
```

PL
Ps

PS
--
\$A
_P

Ph
--
In
Co
Pa
Sy
Pa
Sy
Ps
Cr
As

Th
51
Th
54
22

Ma
--
\$
-
\$
TO
88
Th
MA


```

0000 1      .title pli$getbuffer - pl1 runtime input buffer manipulation
0000 2      .ident  /1-002/                                     ; Edit WHM1002
0000 3
0000 4
0000 5 :*****
0000 6 :*
0000 7 :*  COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0000 8 :*  DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0000 9 :*  ALL RIGHTS RESERVED.
0000 10 :*
0000 11 :*  THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0000 12 :*  ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0000 13 :*  INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0000 14 :*  COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0000 15 :*  OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0000 16 :*  TRANSFERRED.
0000 17 :*
0000 18 :*  THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0000 19 :*  AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0000 20 :*  CORPORATION.
0000 21 :*
0000 22 :*  DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0000 23 :*  SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0000 24 :*
0000 25 :*
0000 26 :*****
0000 27 :
0000 28 :
0000 29 :++
0000 30 : facility:
0000 31 :
0000 32 :     VAX/VMS PL1 runtime library.
0000 33 :
0000 34 : abstract:
0000 35 :
0000 36 :     This module contains the pl1 runtime routines for buffer manipulation
0000 37 :     used for input stream files.
0000 38 :
0000 39 : author: c. spitz 4-oct-79
0000 40 :
0000 41 : modified:
0000 42 :
0000 43 :
0000 44 :     1-002  Bill Matthews  29-September-1982
0000 45 :
0000 46 :     Invoke macros $defdat and rtshare instead of $defopr and share.
0000 47 :
0000 48 :--
0000 49 :
0000 50 :
0000 51 : external definitions
0000 52 :
0000 53 :     $deffcb      ;define phile control block
0000 54 :     $defstr      ;define stream block offsets
0000 55 :     $defcvtind   ;define convert indices
0000 56 :     $rmsdef      ;define rms error codes
0000 57 :     $defrtscan   ;define runtime scan masks

```



```
0000 58      $devdef      ;define device bits in fab
0000 59      $fabdef      ;define fab offsets
0000 60      $rabdef      ;define rms rab offsets
0000 61
0000 62      ;
0000 63      ; local definitions
0000 64      ;
0000 65
00000013 0000 66 terminator = pli$c_blank+pli$c_comma ;stream input field terminator
0000 67
0000 68      rtshare          ;shareable
0000 69
0000 70      ;
0000 71      ; local data
0000 72      ;
0000 73
0000 74 revbit: .byte 0,1      ;reversed bits for b1
0002 75      .byte 0,2,1,3   ;reversed bits for b2
0006 76      .byte 0,4,2,6,1,5,3,7 ;reversed bits for b3
000E 77      .byte 0,8,4,12,2,10,6,14,1,9 ;reversed bits for b4
0018 78      .byte 5,13,3,11,7,15 ;
001E 79
001E 80      ;++
001E 81      ; local commentary
001E 82      ;
001E 83      ; The stream input buffer manipulation routines operate on 2 entities.
001E 84      ; These are the buffer and the field. The buffer contains the characters re-
001E 85      ; turned by an rms $get. The field contains the characters that the conversion
001E 86      ; routines process. They are different to handle quoted strings, bit strings,
001E 87      ; and fields that cross buffer boundaries. They are accessed by three pointers,
001E 88      ; the starting address, the address of the next character to be processed, and
001E 89      ; the address one byte past the current end of the buffer or field. e.g.
001E 90      ;
001E 91      ; <-----buffer--data----->|-|
001E 92      ; |this is the data in the| % |buffer. 123, 12345, 12345679|
001E 93      ; |-----|
001E 94      ; ^ ^ ^
001E 95      ; fcb_l_buf          fcb_l_buf_pt          fcb_l_buf_end
001E 96      ;
001E 97      ; <-----field--data----->|-|
001E 98      ; str_l_field: |this is the data in the| |
001E 99      ; |-----|
001E 100      ; ^ ^ ^
001E 101      ; str_l fld_pt          str_l fld_end
001E 102      ;
001E 103      ; Note that str_b_field(r11) is the first character in the field,
001E 104      ; while fcb_l_buf(ap) is the address of the first character in the buffer.
001E 105      ;
001E 106      ; The following properties are used throughout this module:
001E 107      ; 1. The length of the string "this is the data in the" is:
001E 108      ; fcb_l_buf_pt - fcb_l_buf for the buffer and
001E 109      ; str_l fld_pt - addr(str_l field) for the field
001E 110      ; 2. The length of the un-processed characters in the buffer (from the
001E 111      ; character pointed to by fcb_l_buf_pt (the "%") to the end of
001E 112      ; the buffer (the "9") is: fcb_l_buf_end - fcb_l_buf_pt
001E 113      ; 3. Field overflow occurs when (str_l fld_pt + <the length of the
001E 114      ; string to move to the field>) is gequ str_l fld_end.
```


PLI\$GETBUFFER
1-002

- pl1 runtime input buffer manipulation ^{G 3} 16-SEP-1984 02:18:51 VAX/VMS Macro V04-00 Page 3
6-SEP-1984 11:38:07 [PLIRTL.SRC]PLIGETBUF.MAR;1 (1)

001E 115 :
001E 116 ;--
001E 117


```
001E 119 :++
001E 120 : pli$$getnlis_r6 -- get next list field from the input stream
001E 121 :
001E 122 : functional description:
001E 123 :
001E 124 : This routine gets elements from a pl1 input stream. It is called by
001E 125 : the pli$getl*** routines to return the next list field in the
001E 126 : stream buffer. It returns the address and length of the character
001E 127 : string or bit string that contains the value of the next field in the
001E 128 : stream. It handles the allocation and filling of the stream buffer.
001E 129 :
001E 130 : calling sequence:
001E 131 : jsb pli$$getnlis_r6
001E 132 :
001E 133 : inputs:
001E 134 : ap = address of file control block
001E 135 : r11 = address of stream block
001E 136 : outputs: - the file control block and stream block are updated.
001E 137 : r0 = address of field or 0 if the list element is to be skipped
001E 138 : r1 = length of field
001E 139 : r4 = data type of field set for src case index for pli$cvrt_cg_r3
001E 140 :--
001E 141 :
001E 142 : .enabl lsb
001E 143 :
001E 144 pli$$getnlis_r6::
001E 145 : get next list field
001E 146 10$: bbc #atr_v_eof, fcb_l_attr(ap), 20$ ;if end of file
0023 147 10$: bbc #atr_v_string, fcb_l_attr(ap), 15$ ;if its reall end of string
0028 147 movl #pli$_endstring, r0 ;set endstring error
002F 148 13$: brw fail ;and fail
0032 149 15$: movl #pli$_endfile, r0 ;set endfile condition
0039 150 brb 13$ ;and fail
003B 151 20$: movab str_b_field(r11), str_l fld_pt(r11) ;start at beginning of field
0040 152 :
0040 153 : skip blanks and tabs
0040 154 :
0040 155 30$: subl3 fcb_l_buf_pt(ap), - ;get length left in buffer
0046 156 fcb_l_buf_end(ap), r0 ;
0046 157 beql 40$ ;if eql, get a new buffer
0048 158 spanc r0, a fcb_l_buf_pt(ap), - ;scan past blanks and tabs
0051 159 g^pli$b_scan, #pli$c_blank ;
0052 160 bneq 50$ ;if neq, then not end of buffer, cont
0054 161 40$: bbcc #str_v_null_line, str_l fs(r11), 45$ ;if not null line, cont
0059 162 bicl #atr_m_comma_exp, fcb_l_attr(ap) ;set comma not expected
005D 163 movab str_b_field(r11), r0 ;set addr of field
0061 164 clrl r1 ;set zero length
0063 165 movl #cvt_k_src_char, r4 ;set char data type
0066 166 rsb ;return
0067 167 45$: bsbw pli$$get_rec ;end of buffer, so get new record
006A 168 bbc #atr_v_eof, fcb_l_attr(ap), 30$ ;if not end of file, go again
006F 169 brb 10$ ;signal eof
0071 170 50$: movl r1, fcb_l_buf_pt(ap) ;copy address of next char in buffer
0075 171 :
0075 172 : if the next char is a comma then see if it is expected. if it is, then
0075 173 : ignore it, and skip any succeeding blanks and tabs. if it is not expected,
0075 174 : we will ignore this field.
0075 175 :
```

18 0C AC 00 E1 001E 145
0A 0C AC 17 E1 0023 146
50 00000000'8F D0 0028 147
0363 31 002F 148
50 00000000'8F D0 0032 149
F4 11 0039 150
10 AB 18 AB 9E 003B 151
0040 152
0040 153
0040 154
50 18 AC 1C AC C3 0040 155
0046 156
00000000'GF 1C BC 50 2B 0046 157
11 0051 158
1D 12 0052 159
0E 0C AB 05 E5 0054 161
0C AC 04 CA 0059 162
50 18 AB 9E 005D 163
51 D4 0061 164
54 2D D0 0063 165
05 0066 166
02E0 30 0067 167
D1 0C AC 00 E1 006A 168
B2 11 006F 169
1C AC 51 D0 0071 170
0075 171
0075 172
0075 173
0075 174
0075 175


```
1C BC 2C 91 0075 176 cmpb #^x2c,@fcb_l_buf_pt(ap) ;is next character a comma?
0B 12 0079 177 bneq 60$ ;if neq, then no
1C AC D6 007B 178 incl fcb_l_buf_pt(ap) ;skip comma in buf
BB OC AC 02 E4 007E 179 bbsc #atr_v_comma_exp,fcb_l_attr(ap),20$ ;if comma expected
50 05 D4 0083 180 clrl r0 ;clear address
05 0085 181 rsb ;return
0086 182 ;
0086 183 ; if the next char is a quote then try to parse as a string constant. double
0086 184 ; quotes are converted to single quotes and inserted in field. after we find
0086 185 ; the trailing quote, the next char must be either a valid terminator (space,
0086 186 ; tab, or comma) or a B or b. if it is a terminator, process as a char string.
0086 187 ; if it is a B or b, process as a bit string. otherwise, raise the error con-
0086 188 ; dition.
0086 189 ;
1C BC 27 91 0086 190 60$: cmpb #^x27,@fcb_l_buf_pt(ap) ;is next char a quote?
03 13 008A 191 beql 70$ ;if eql, then yes
0174 31 008C 192 brw 300$ ;go process as unquoted string
1C AC D6 008F 193 70$: incl fcb_l_buf_pt(ap) ;skip the quote
50 18 AC 1C AC C3 0092 194 subl3 fcb_l_buf_pt(ap), - ;get length remaining
0098 195 fcb_l_buf_end(ap),r0 ;
12 14 0098 196 bgtr 90$ ;if gtr, then continue
02AD 30 009A 197 80$: bsbw pl1$$get_rec ;else get new record
0A OC AC 00 E1 009D 198 bbc #atr_v_eof,fcb_l_attr(ap),90$ ;if not end of file, continue
50 00000000'8F D0 00A2 199 movl #pl1$_cnverr,r0 ;set error code
02E9 31 00A9 200 brw fail ;and fail
00AC 201 ;
00AC 202 ; find next quote
00AC 203 ;
1C BC 50 27 3A 00AC 204 90$: locc #^x27,r0,@fcb_l_buf_pt(ap) ;look for a quote
07 12 00B1 205 bneq 100$ ;if neq, then we found quote
02 OC AC 15 E1 00B3 206 bbc #atr_v_app_comma,fcb_l_attr(ap),100$ ;if append comma
51 D7 00B8 207 decl r1 ;then don't copy the comma
50 DD 00BA 208 100$: pushl r0 ;save length remaining in buf
0192 30 00BC 209 bsbw copy_chars ;copy intervening chars to the field
8E D5 00BF 210 tstl (sp)+ ;did we find a quote
D7 13 00C1 211 beql 80$ ;if eql, no so go again
00C3 212 ;
00C3 213 ; quote found.
00C3 214 ;
18 AC 1C AC D6 00C3 215 110$: incl fcb_l_buf_pt(ap) ;skip the quote
1C AC D1 00C6 216 cmpl fcb_l_buf_pt(ap), - ;end of buffer?
0B 1F 00CB 217 fcb_l_buf_end(ap) ;
027A 30 00CD 218 blssu 120$ ;if lssu, then no
03 OC AC 00 E1 00D0 219 bsbw pl1$$get_rec ;get new record
014C 31 00D5 220 bbc #atr_v_eof,fcb_l_attr(ap),120$ ;if not eof continue
00D8 221 brw 310$ ;treat eof as terminator
00D8 222 ;
00D8 223 ;check for double quotes
00D8 224 ;
1C BC 27 91 00D8 225 120$: cmpb #^x27,@fcb_l_buf_pt(ap) ;is next char a quote?
1A 12 00DC 226 bneq 140$ ;if neq, then no
14 AB 10 AB D1 00DE 227 cmpl str_l_fld_pt(r11), - ;space left in field?
00E3 228 str_l_fld_end(r11) ;
0A 1F 00E3 229 blssu 130$ ;if lssu, yes, continue
50 00000000'8F D0 00E5 230 movl #pl1$_strovfl,r0 ;set field overflow
02A6 31 00EC 231 brw fail ;and fail
10 BB 27 90 00EF 232 130$: movb #^x27,@str_l_fld_pt(r11) ;copy a single quote to field
```



```
10 AB D6 00F3 233      incl str_l_fld_pt(r11)      ;include quote in field
97 11 00F6 234      brb 70$                        ;go again
      00F8 235      ;
      00F8 236      ;routine to check for valid terminator. if char pointed to by fcb_l_buf_pt(ap)
      00F8 237      ;is a blank or tab or comma, r0 is non-zero. if @fcb_l_buf_pt(ap) is a comma,
      00F8 238      ;comma_exp is set false. else, it is set to true.
      00F8 239      ;
      00F8 240      ;
      00F8 241      ;check for bit constant
      00F8 242      ;
00000000'GF 1C BC 01 2B 00F8 243 140$: spanc #1,@fcb_l_buf_pt(ap), - ;is next char a blank,
      13 0101 244      g^plib_scan,#terminator ;tab or comma?
      03 12 0102 245      bneq 150$              ;if neq, no, look for b/B
      011D 31 0104 246      brw 310$              ;if neq, then we found terminator
1C BC 42 8F 91 0107 247 150$: cmpb #^x42,@fcb_l_buf_pt(ap) ;next char a B?
      11 13 010C 248      beql 170$              ;if eql, then yes
1C BC 62 8F 91 010E 249      cmpb #^x62,@fcb_l_buf_pt(ap) ;next char a b?
      0A 13 0113 250      beql 170$              ;if eql, then yes
50 00000000'8F D0 0115 251 160$: movl #pli$_cnverr,r0 ;set invalid conversion
      0276 31 011C 252      brw fail              ;and fail
      011F 253      ;
      011F 254      ; found a b/B.
      011F 255      ;
      18 AC 1C AC D6 011F 256 170$: incl fcb_l_buf_pt(ap) ;skip b/B in buf
      1C AC D1 0122 257      cmpl fcb_l_buf_pt(ap), - ;buf exhausted?
      08 1F 0127 258      fcb_l_buf_end(ap)
      021E 30 0129 259      blssu 180$            ;if lssu, no
0C 0C AC 00 E0 012C 260      bsbw pli$$get_rec ;get a new buffer
00000000'GF 1C BC 01 2B 0131 261      bbs #atr_v_eof,fcb_l_attr(ap) ;190$ ;if eof, treat as terminator
      13 013A 262 180$: spanc #1,@fcb_l_buf_pt(ap), - ;is next char a blank,
      05 12 013B 263      g^plib_scan,#terminator ;tab or comma?
      50 01 D0 013D 264      bneq 200$            ;if neq, no, look for 1-4
      31 11 0140 265 190$: movl #1,r0 ;treat as b1
      50 1C BC 9A 0142 266      brb 230$            ;continue
      50 30 C2 0146 267 200$: movzbl @fcb_l_buf_pt(ap),r0 ;get next char
      04 50 D1 0149 268      subl #^x30,r0 ;normalize char to bin
      C5 15 014B 269      bleq 160$            ;if leq, then invalid char, fail
      50 D1 014E 270      cmpl r0,#4 ;is it greater than 4?
      50 DD 0150 271      bgtr 160$            ;if gtr, then invalid char, fail
      18 AC 1C AC D6 0152 272      pushl r0 ;save radix
      1C AC D1 0155 273      incl fcb_l_buf_pt(ap) ;skip the 1-4
      08 1F 015A 274      cmpl fcb_l_buf_pt(ap), - ;buf exhausted?
      01EB 30 015C 275      fcb_l_buf_end(ap)
      0C 0C AC 00 E0 015F 276      blssu 210$      ;if lssu, no, continue
00000000'GF 1C BC 01 2B 0164 277      bsbw pli$$get_rec ;get new record
      13 A5 12 016E 278      bbs #atr_v_eof,fcb_l_attr(ap) ;220$ ;if eof, treat as terminator
      50 8ED0 0170 279 210$: spanc #1,@fcb_l_buf_pt(ap), - ;look for a terminator
      0173 280      g^plib_scan,#terminator ;
      0173 281      bneq 160$ ;if neq, then no terminator, error
      0173 282 220$: popl r0 ;restore radix
      0173 283      ;
      0173 284      ; allocate room for the bit string on the stack. convert the char string to
      0173 285      ; a bit string, based upon the character after the b/B.
      0173 286      ;
      0173 287      ; local reg usage
      0173 288      ; r0 - radix, number of bits per char
      0173 289      ; r1 - pointer to next char in field
```



```
0173 290 : r2 - number of bytes to allocate for bit temp
0173 291 : r3 - number of bytes in field
0173 292 : r4 - 2*(r0-1)-1 max valid integer in field
0173 293 : r5 - current char
0173 294 : r6 - offset into bit temp
0173 295 :
00000230'EF 9F 0173 296 230$: pushab 320$ ;set return address
53 51 18 AB 9E 0179 297 pl1$chrbitn r6:: ;entry for getformat
53 10 AB 51 C3 017D 298 movab str_b_field(r11),r1 ;get addr of start of field
52 53 50 C5 0182 299 subl3 r1,str_l_fld_pt(r11),r3 ;get length of field
52 52 07 C0 0186 300 mull3 r0,r3,r2 ;get number of bits required
52 52 FD 8F 78 0189 301 addl #7,r2 ;round up
5E 52 C2 018E 302 ashl #-3,r2,r2 ;get number of bytes to allocate
FF AE 42 94 0191 303 subl r2,sp ;allocate temp
54 01 50 78 0195 304 clrb -1(sp)[r2] ;clear last byte
54 54 D7 0199 305 ashl r0,#1,r4 ;get the max bit value
56 D4 019B 306 decl r4 ;
4A 11 019D 307 clrl r6 ;start at bit offset 0
55 81 9A 019F 308 brb 280$ ;enter loop
55 30 82 01A2 309 240$: movzbl (r1)+,r5 ;pick up next char
0A 18 01A5 310 subb #^x30,r5 ;find bit equiv
50 00000000'8F D0 01A7 311 bgeq 260$ ;if geq then continue
01E4 31 01AE 312 250$: movl #pl1$_cnverr,r0 ;else set invalid conversion
09 55 91 01B1 313 brw fail ;and fail
10 55 91 01B4 314 260$: cmpb r5,#9 ;is it a number?
1C 15 01B6 315 bleq 270$ ;if leq, then yes, cont
55 07 82 01B9 316 cmpb r5,#16 ;is it between 9 and A
OF 55 91 01BB 317 bleq 250$ ;if leq, then yes, fail
29 55 91 01BE 318 subb #7,r5 ;try for cap A-f
DF 15 01C1 319 cmpb r5,#15 ;is it A-f?
55 20 82 01C3 320 bleq 270$ ;if leq, then yes, cont
OF 55 91 01C6 321 cmpb r5,#41 ;is it between F and a?
55 02 15 01CB 322 bleq 250$ ;if leq, then yes, fail
D5 11 01CD 323 subb #32,r5 ;try for a-f
54 55 91 01CE 324 cmpb r5,#15 ;is it a-f?
D0 14 01D0 325 bleq 270$ ;if leq, then yes
55 FE23 CF45 9E 01D7 326 brb 250$ ;it's past f, fail
55 55 90 01D2 327 270$: cmpb r5,r4 ;is it in range?
56 55 F0 01D5 328 bgtr 250$ ;if gtr then fail
6E 50 56 55 F4 01DD 329 movab <revbit-1>[r5],r5 ;get addr of table entry
56 50 C0 01E1 330 movb (r5)[r4],r5 ;get the reversed bits of the value
18 AB 6E 52 28 01E6 331 insv r5,r6,r0,(sp) ;insert reversed bits in string
5E 51 D0 01E9 332 addl r0,r6 ;address next offset
54 00000048 8F D0 01EC 333 280$: sobgeq r3,240$ ;go again
50 18 AB 5E 51 D0 01F1 334 290$: movc3 r2,(sp),str_b_field(r11) ;copy temp to field
51 56 D0 01F4 335 movl r1,sp ;clean stack
05 0202 336 movl #cvt_k_src_abit,r4 ;set data type
0203 337 movab str_b_field(r11),r0 ;set data address
0203 338 movl r6,r1 ;set data size
0203 339 rsb ;return
0203 340 :
0203 341 : not a quoted string. find the terminator, copy intervening chars to field
0203 342 :
50 18 AC 1C AC C3 0203 343 300$: subl3 fcb_l_buf_pt(ap), - ;get length left in buf
00000000'GF 1C BC 50 2A 0209 344 fcb_l_buf_end(ap),r0 ;
0209 345 scanc r0,fcb_l_buf_pt(ap), - ;look for a blank,
0212 346 g^pl1$b_scan,#terminator ;tab or comma
```



```

      50 DD 0213 347      pushl r0 ;save result
      0039 30 0215 348      bsbw copy_chars ;copy chars to field
      8E D5 0218 349      tstl (sp)+ ;did we find the terminator?
      08 12 021A 350      bneq 310$ ;if neq, yes, all done
      012B 30 021C 351      bsbw pli$$get_rec ;get a new record
DF OC AC 00 E1 021F 352      bbc #atr_v_eof, fcb_l_attr(ap), 300$ ;if not eof, go again
      0224 353      :
      0224 354      : finish up. set size in r1, addr in r0, char src case index in r4, update
      0224 355      : column in fcb.
      0224 356      :
51 50 18 AB 9E 0224 357 310$: movab str_b_field(r11), r0 ;set address
      10 AB 50 C3 0228 358      subl3 r0, str_l_fld_pt(r11), r1 ;set size
      54 2D D0 022D 359      movl #cvt_k_src_char, r4 ;set data type
      OC AC 04 C8 0230 360 320$: bisl #atr_m_comma_exp, fcb_l_attr(ap) ;set comma expected
      1C BC 2C 91 0234 361      cmpb #^x2C, a_fcb_l_buf_pt(ap) ;was the terminating char a comma?
      04 12 0238 362      bneq 330$ ;if neq, then no
      OC AC 04 CA 023A 363      bicl #atr_m_comma_exp, fcb_l_attr(ap) ;clear comma expected
OD OC AC 00 E0 023E 364 330$: bbs #atr_v_eof, fcb_l_attr(ap), 340$ ;if eof, don't touch column
      1C AC 1C AC D6 0243 365      incl fcb_l_buf_pt(ap) ;skip the terminating character
52 1C AC 14 AC C3 0246 366      subl3 fcb_l_buf(ap), - ;update column
      2E AC 52 B0 024C 367      fcb_l_buf_pt(ap), r2
      05 0250 368      movw r2, fcb_w_column(ap)
      0251 369 340$: rsb ;return
      0251 370      .dsabl lsb
      0251 371
      0251 372
      0251 373      :++
      0251 374      : copy_chars
      0251 375      :
      0251 376      : copy chars from buffer to field.
      0251 377      :--
      0251 378      copy_chars:
50 51 1C AC C3 0251 379      subl3 fcb_l_buf_pt(ap), r1, r0 ;get length to move
51 10 AB 50 C1 0256 380      addl3 r0, str_l_fld_pt(r11), r1 ;will this put us
      14 AB 51 D1 025B 381      cmpl r1, str_l_fld_end(r11) ;past end of field?
      0A 1F 025F 382      blssu 10$ ;if lssu, then no
50 00000000'8F D0 0261 383      movl #pli$_strovfl, r0 ;set field overflow
      012A 31 0268 384      brw fail ;and fail
10 BB 1C BC 50 28 026B 385 10$: movc3 r0, a_fcb_l_buf_pt(ap), - ;copy to field
      1C AC 51 D0 0271 386      astr_l_fld_pt(r11)
      10 AB 53 D0 0275 387      movl r1, fcb_l_buf_pt(ap) ;update buf pointer
      05 0279 388      movl r3, str_l_fld_pt(r11) ;update field pointer
      027A 389      rsb ;return
      027A 390
      027A 391      :pli$$getnedi_r6
      027A 392      : inputs:
      027A 393      : r0 - width of field to get
      027A 394      : outputs:
      027A 395      : r0 - addr of str_b field(r11)
      027A 396      : r1 - length of field
      027A 397      : side effects:
      027A 398      : stream block and fcb updated
      027A 399      : r2-ap preserved
      027A 400      pli$$getnedi_r6::
50 0A OC AC 00 E1 027A 401      bbc #atr_v_eof, fcb_l_attr(ap), 2$ ;if end of file
      00000000'8F D0 027F 402 1$: movl #pli$_endfile, r0 ;get endfile code
      010C 31 0286 403      brw fail ;fail
```



```
10 AB 007C 8F BB 0289 404 2$: pushr #^m<r2,r3,r4,r5,r6> ;save regs
18 AB 18 AB 9E 028D 405 movab str_b_field(r11),str_l_fld_pt(r11) ;start at beginning of field
50 56 50 DD 0292 406 pushl r0 ;save requested width
18 AC 1C AC D0 0294 407 movl r0,r6 ;copy width
50 02 0C AC 15 E1 0297 408 5$: subl3 fcb_l_buf_pt(ap), - ;get length left in buffer
15 50 DD 029D 409 fcb_l_buf_end(ap),r0 ;
50 50 D7 02A2 410 bbc #atr_v_app_comma,fcb_l_attr(ap),6$ ;if append comma set
19 14 D5 02A4 411 decl r0 ;don't count comma
2A 0C AB 05 E4 02A6 412 6$: tstl r0 ;set cond code
009A 30 02AD 413 10$ bgtr r0 ;if gtr, cont
E2 0C AC 00 E1 02A8 414 7$: bbsc #str_v_null_line,str_l_fs(r11),155$ ;if null line, return it
C5 0C AC 15 E1 02AD 415 8$: bsbw pli$$get_rec ;get a new record
6E 56 D1 02B0 416 bbc #atr_v_eof,fcb_l_attr(ap),5$ ;if not eof, cont
C0 13 D1 02B5 417 bbc #atr_v_app_comma,fcb_l_attr(ap),1$ ;if not append comma fail
16 11 D1 02BA 418 cmpl r6,(sp) ;was there anything copied yet?
56 50 D1 02BD 419 beql 1$ ;if eql, no, endfile
18 18 D1 02BF 420 brb 155$ ;use what we copied
56 50 D1 02C1 421 10$: cmpl r0,r6 ;is there enough in the buffer?
51 18 AC 15 E1 02C4 422 bgeq 20$ ;if geq, then yes
50 50 C2 02C6 423 subl r0,r6 ;get length not processed
02 0C AC 15 E1 02C9 424 movl fcb_l_buf_end(ap),r1 ;set end addr for copy
51 D7 02CD 425 bbc #atr_v_app_comma,fcb_l_attr(ap),15$ ;if append comma set
FF7A 30 02D2 426 decl r1 ;don't copy comma
D1 0C AC 15 E1 02D4 427 15$: bsbw copy_chars ;copy from buf to field
6E 56 C2 02D7 428 155$: bbc #atr_v_app_comma,fcb_l_attr(ap),8$ ;if not app comma, get a rec
08 11 C2 02DC 429 subl r6,(sp) ;get length of what we did
51 1C AC 56 C1 02DF 430 brb 30$ ;cont
FF68 30 02E1 431 20$: addl3 r6,fcb_l_buf_pt(ap),r1 ;get end addr for copy
2E AC 56 A0 02E6 432 bsbw copy_chars ;copy from buf to field
50 18 AB 9E 02E9 433 30$: addw r6,fcb_w_column(ap) ;update column
51 8ED0 02ED 434 movab str_b_field(r11),r0 ;set address of field
007C 8F BA 02F1 435 popl r1 ;set length
05 02F4 436 popr #^m<r2,r3,r4,r5,r6> ;restore registers
02F8 437 rsb ;return
02F9 438
02F9 439
02F9 440 ;++
02F9 441 : pli$$getskip_r2 - skip records for stream input
02F9 442 : pli$$getskip1_r2 - skip 1 record for stream input
02F9 443 :
02F9 444 : functional description:
02F9 445 :
02F9 446 : This routine processes the skip option and skip formats of get statements.
02F9 447 : It is called by pli$$getnlis_r6 and pli$$getnedi_r6. It will read enough
02F9 448 : records to satisfy the skip request and update the line number and column
02F9 449 : number of the stream file's fcb.
02F9 450 :
02F9 451 : inputs: r2 = number of skips to process
02F9 452 : outputs: none
02F9 453 :--
02F9 454 : .enabl lsb
02F9 455
02F9 456 pli$$getskip1_r2::
52 01 D0 02F9 457 movl #1,r2 ;set to skip 1
02FC 458 pli$$getskip_r2::
18 AB 00000A0D 8F D0 02FC 459 movl #^x0a0d,str_b_field(r11) ;set to prompt with <cr><lf>
0096 CC 02 90 0304 460 movb #2,<fcb_b_rab+rab$b_psz>(ap) ;set prompt size in rab
```



```
0092 CC 18 AB 9E 0309 461 movab str_b_field(r11),<fcb_b_rab+ - ;set prompt addr
030F 462 rab$l_pbf>(ap) ;in rab
66 AC 40000000 8F C8 030F 463 bisl #rab$m_pmt,<fcb_b_rab+rab$l_rop>(ap) ;set to prompt in rab
OC AC 00040000 8F CA 0317 464 bicl #atr_m_currec,fcb_l_attr(ap) ;clear currec to do skips
08 OC AC 19 E1 031F 465 bbc #atr_v_virgin,fcb_l_attr(ap),10$ ;skip first rec if virgin
17 OC AC 00 E0 0324 466 5$: bbs #atr_v_eof,fcb_l_attr(ap),20$ ;if eof, signal endfile
001E 30 0329 467 bsbw pli$$get_rec ;skip a record
F5 52 F4 032C 468 10$: sobgeq r2,5$ ;dec count and go again
OC AC 00040000 8F C8 032F 469 bisl #atr_m_currec,fcb_l_attr(ap) ;set currec to turn off skipping
66 AC 40000000 8F CA 0337 470 bicl #rab$m_pmt,<fcb_b_rab+rab$l_rop>(ap) ;clear prompt in rab
05 033F 471 rsb ;return
50 00000000'8F D0 0340 472 20$: movl #pli$_endfile,r0 ;set endfile condition
004B 31 0347 473 brw fail ;and fail
034A 474 .dsabl lsb
034A 475
034A 476 :++
034A 477 : pli$$get_rec
034A 478 :
034A 479 : functional description:
034A 480 :
034A 481 : This routine reads records from a stream file. It will append a blank
034A 482 : to each record if atr_m_app_comma is set in fcb_l_attr. null records are
034A 483 : are ignored unless append comma is 1 or atr_m_currec is 0. if atr_m_currec
034A 484 : is 0, we are processing a skip function so null records count. if the
034A 485 : end of file is encountered, atr_m_eof is set, and a null record is
034A 486 : returned. if atr_m_eof is set when this routine is called, the endfile
034A 487 : condition ; is raised.
034A 488 :
034A 489 : inputs: atr_m_currec = 0 to process a skip.
034A 490 : atr_m_app_comma = 1 will append a blank unless we are
034A 491 : parsing a quoted string
034A 492 : outputs: r0 = number of chars in record
034A 493 : atr_m_virgin = 0 (file has been touched)
034A 494 : fcb_w_column is set to 1
034A 495 : the buffer pointed to by fcb_l_buf gets the next non-null
034A 496 : record.
034A 497 :--
034A 498 .enabl lsb
034A 499
034A 500 pli$$get_rec::
OC AB 20 CA 034A 501 bicl #str_m_null_line,str_l_fs(r11) ;assume not a null line
13 OC AC 17 E1 034E 502 bbc #atr_v_string,fcb_l_attr(ap),10$ ;if string
04 AB D5 0353 503 tstl str_l_fp(r11) ;is this get edit?
05 12 0356 504 bneq !$ ;if neq, yes, cont
OC AC 01 C8 0358 505 bisl #atr_m_eof,fcb_l_attr(ap) ;set end of file
05 035C 506 rsb ;return
50 00000000'8F D0 035D 507 1$: movl #pli$_endstring,r0 ;set endstring condition
2F 11 0364 508 brb fail ;and fail
50 00000000'8F D0 0366 509 10$: movl #pli$_endfile,r0 ;assume eof
23 OC AC 00 E0 036D 510 bbs #atr_v_eof,fcb_l_attr(ap),fail ;if eof already, fail
0372 511 11$: $get fcb_b_rab(ap) ;get the record
037C 512 blbs r0,30$ ;if lsb, cont
0001827A 8F 50 D1 037F 513 15$: cmpl r0,#rms$_eof ;end of file encountered?
06 12 0386 514 bneq 20$ ;if neq, then no
OC AC 01 C8 0388 515 bisl #atr_m_eof,fcb_l_attr(ap) ;set end of file in fcb
51 11 038C 516 brb 40$ ;continue
50 00000000'8F D0 038E 517 20$: movl #pli$_rmsr,r0 ;set rms rab error
```



```
00000000'8F 5C DD 0395 518 fail: pushl ap ;set fcb addr
50 D1 0397 519 cmpl r0,#pli$_endfile ;endfile condition?
10 13 039E 520 beql 25$ ;if eql, yes, cont
50 DD 03A0 521 pushl r0 ;set error code
00000000'8F DD 03A2 522 pushl #pli$_error ;set error condition
00000000'GF 03 FB 03A8 523 23$: calls #3,g^pli$_io_error ;signal error
04 03AF 524 ret ;return
00 DD 03B0 525 25$: pushl #0 ;set no error code
00000000'8F DD 03B2 526 pushl #pli$_endfile ;set endfile condition
EE 11 03B8 527 brb 23$ ;signal endfile
50 0084 CC 3C 03BA 528 30$: movzwl <fcb_b_rab+rab$w_rsz>(ap),r0 ;get size of record
04 12 03BF 529 bneq 35$ ;if neq, cont
14 AC 0C AB 20 C8 03C1 530 bisl #str_m_null_line,str_l_fs(r11) ;indicate null line
18 AC 14 AC 50 C0 03C5 531 35$: movl <fcb_b_rab+rab$l_rbf>(ap),fcb_l_buf(ap) ;set buffer address
09 0C AC 15 E1 03D1 532 addl3 r0,fcb_l_buf(ap) ;set end of buffer
18 BC 20 90 03D6 533 fcb_l_buf_end(ap) ;
18 AC 50 D6 03DA 534 bbc #atr_v_app_comma,fcb_l_attr(ap),40$ ;if append comma set
2E AC 01 B0 03DF 535 movb #^x20,fcb_l_buf_end(ap) ;then append a comma
1C AC 14 AC D0 03E3 536 incl fcb_l_buf_end(ap) ;update end of buffer
18 AC 14 AC D1 03E8 537 incl r0 ;update number of chars in rec
0D 12 03ED 538 40$: movw #1,fcb_w_column(ap) ;set column to 1
08 0C AC 12 E1 03EF 539 movl fcb_l_buf(ap),fcb_l_buf_pt(ap) ;update buf pointer
03 0C AC 00 E0 03F4 540 cmpl fcb_l_buf(ap),fcb_l_buf_end(ap) ;null record?
FF4E 31 03F9 541 bneq 60$ ;if neq, then no
0C AC 02000000 8F CA 03FC 542 bbc #atr_v_currec,fcb_l_attr(ap),60$ ;if currec set (not skipping)
05 0404 543 bbs #atr_v_eof,fcb_l_attr(ap),60$ ;if eof, return
0405 544 brw pli$_get_rec ;then go again
0405 545 60$: bicl #atr_m_virgin,fcb_l_attr(ap) ;file has been touched
0405 546 rsb ;return
.dsabl lsb
.end
```


PLISGETBUFFER
Symbol table

C 4

- pl1 runtime input buffer manipulation 16-SEP-1984 02:18:51 VAX/VMS Macro V04-00 Page 12
6-SEP-1984 11:38:07 [PLIRTL.SRC]PLIGETBUF.MAR;1 (1)

```

$$TMP1      = 00000001
$$TMP2      = 000000AC
ATR_M_COMMA_EXP = 00000004
ATR_M_CURREC = 00040000
ATR_M_EOF    = 00000001
ATR_M_VIRGIN = 02000000
ATR_V_APP_COMMA = 00000015
ATR_V_COMMA_EXP = 00000002
ATR_V_CURREC  = 00000012
ATR_V_EOF     = 00000000
ATR_V_STRING  = 00000017
ATR_V_VIRGIN  = 00000019
COPY_CHARS    = 00000251 R    02
CVT_K_SRC_ABIT = 00000048
CVT_K_SRC_CHAR = 0000002D
FAIC          = 00000395 R    02
FCB_B_ENVIR   = 000001C2
FCB_B_ESA     = 0000012E
FCB_B_EXTRA   = 0000003D
FCB_B_FAB     = 000000A6
FCB_B_IDENT   = 00000040
FCB_B_IDENT_NAM = 00000042
FCB_B_NAM     = 000000F6
FCB_B_NUMKCBS = 0000003C
FCB_B_RAB     = 00000062
FCB_C_LEN     = 000001C2
FCB_C_STRLEN  = 00000034
FCB_L_ATTR    = 0000000C
FCB_L_BUF     = 00000014
FCB_L_BUF_END = 00000018
FCB_L_BUF_PT  = 0000001C
FCB_L_CNDADDR = 000001B2
FCB_L_CONDIT  = 000001AE
FCB_L_DTTR    = 00000010
FCB_L_ERROR   = 00000008
FCB_L_KCB     = 00000038
FCB_L_NEXT    = 00000000
FCB_L_PREVIOUS = 00000004
FCB_L_PRN     = 00000034
FCB_Q_RFA     = 00000020
FCB_W_COLUMN  = 0000002E
FCB_W_IDENT_LEN = 00000040
FCB_W_LINE    = 00000030
FCB_W_LINESIZE = 0000002A
FCB_W_PAGE    = 00000032
FCB_W_PAGESIZE = 0000002C
FCB_W_REVISION = 00000028
PLISSCHRBITN_R6 = 00000179 RG    02
PLISSGETNEDI_R6 = 0000027A RG    02
PLISSGETNLIS_R6 = 0000001E RG    02
PLISSGETSKIP_R2 = 000002FC RG    02
PLISSGETSKIP1_R2 = 000002F9 RG    02
PLISSGET_REC   = 0000034A RG    02
PLISB_SCAN     = ***** X    02
PLISC_BLANK    = 00000011
PLISC_COMMA    = 00000002
PLISIO_ERROR   = ***** X    02

```

```

PLIS_CNVERR    ***** X    02
PLIS_ENDFILE   ***** X    02
PLIS_ENDSTRING ***** X    02
PLIS_ERROR     ***** X    02
PLIS_RMSR      ***** X    02
PLIS-STROVFL   ***** X    02
RAB$B_PSZ      = 00000034
RAB$L_PBF      = 00000030
RAB$L_RBF      = 00000028
RAB$L_RBP      = 00000004
RAB$M_PMT      = 40000000
RAB$W_RSZ      = 00000022
REVBIT         = 00000000 R    02
RMS$ EOF       = 0001827A
SIZ...         = 00000001
STR_B_FIELD    = 00000018
STR_C_LEN      = 000000C8
STR_L_FLD_END  = 00000014
STR_L_FLD_PT   = 00000010
STR_L_FP       = 00000004
STR_L_FS       = 0000000C
STR_L_PARENT   = 00000008
STR_L_SP       = 00000000
STR_L_STACK    = 000000C4
STR_L_STACK_END = 00000408
STR_M_NULL_LINE = 00000020
STR_V_NULL_LINE = 00000005
SYS$GET        ***** GX    02
TERMINATOR     = 00000013

```


+-----+
! Psect synopsis !
+-----+

PSECT name	Allocation	PSECT No.	Attributes
ABS	00000000 (0.)	00 (0.)	NOPIC USR CON ABS LCL NOSHR NOEXE NORD NOWRT NOVEC BYTE
\$ABSS	00000C08 (3080.)	01 (1.)	NOPIC USR CON ABS LCL NOSHR EXE RD WRT NOVEC BYTE
_PLI\$CODE	00000405 (1029.)	02 (2.)	PIC USR CON REL LCL SHR EXE RD NOWRT NOVEC LONG

+-----+
! Performance indicators !
+-----+

Phase	Page faults	CPU Time	Elapsed Time
Initialization	9	00:00:00.05	00:00:00.37
Command processing	75	00:00:00.53	00:00:02.89
Pass 1	227	00:00:09.37	00:00:19.41
Symbol table sort	0	00:00:00.97	00:00:02.13
Pass 2	109	00:00:02.09	00:00:04.27
Symbol table output	9	00:00:00.08	00:00:00.18
Psect synopsis output	2	00:00:00.03	00:00:00.03
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	431	00:00:13.12	00:00:29.28

The working set limit was 1200 pages.
51821 bytes (102 pages) of virtual memory were used to buffer the intermediate code.
There were 40 pages of symbol table space allocated to hold 783 non-local and 63 local symbols.
549 source lines were read in Pass 1, producing 12 object records in Pass 2.
22 pages of virtual memory were used to define 20 macros.

+-----+
! Macro library statistics !
+-----+

Macro library name	Macros defined
-\$255\$DUA28:[PLIRTL.OBJ]PLIRTMAC.MLB;1	5
-\$255\$DUA28:[SYSLIB]STARLET.MLB;2	11
TOTALS (all libraries)	16

880 GETS were required to define 16 macros.

There were no errors, warnings or information messages.

MACRO/ENABLE=SUPPRESSION/DISABLE=TRACEBACK/LIS=LIS\$:PLIGETBUF/OBJ=OBJ\$:PLIGETBUF MSRC\$:PLIGETBUF/UPDATE=(ENH\$:PLIGETBUF)+LIB\$:PLIRTM

0308 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

PLIFORMAT
LIS

PLIGETBUF
LIS

PLIGETEDT
LIS

PLIHEEP
LIS

PLIMSGTXT
LIS

PLIPUTFIL
LIS

PLIRMSBIS
LIS

PLIRECOPT
LIS

PLIOPEN
LIS

PLIREAD
LIS

PLIPROTEC
LIS

PLIREWRT
LIS

PLIGETLIS
LIS

PLIPUTEDT
LIS

PLIPKDIUL
LIS

PLIPUTLIS
LIS

PLIMSGPTR
LIS

PLIPKDIUS
LIS

PLIPUTBUF
LIS

PLIGETFIL
LIS