PRISMB

```
SMBMSG

LIS
```

```
 1            .IDENT   'V04-000'
 2
 3     !****************************************************************
 4     !*                                                              *
 5     !*  COPYRIGHT (c) 1978, 1980, 1982, 1984 BY                     *
 6     !*  DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.      *
 7     !*  ALL RIGHTS RESERVED.                                        *
 8     !*                                                              *
 9     !*  THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *
10     !*  ONLY IN  ACCORDANCE WITH  THE  TERMS  OF  SUCH  LICENSE  AND WITH THE *
11     !*  INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR  ANY  OTHER *
12     !*  COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *
13     !*  OTHER PERSON.  NO TITLE TO AND OWNERSHIP OF  THE  SOFTWARE IS  HEREBY *
14     !*  TRANSFERRED.                                                *
15     !*                                                              *
16     !*  THE INFORMATION IN THIS SOFTWARE IS  SUBJECT TO CHANGE WITHOUT NOTICE *
17     !*  AND  SHOULD  NOT  BE  CONSTRUED AS  A COMMITMENT BY DIGITAL EQUIPMENT *
18     !*  CORPORATION.                                                *
19     !*                                                              *
20     !*  DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE  OR  RELIABILITY OF ITS *
21     !*  SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.     *
22     !*                                                              *
23     !*                                                              *
24     !****************************************************************
25     !
26     !
27     !++
28     ! FACILITY:
29     !       Symbiont.
30     !
31     ! ABSTRACT:
32     !       Symbiont  messages.
33     !
34     !       These are the messages common to VAX/VMS symbionts.  Message types for
35     !       messages sent from the symbionts to the job controller are defined by
36     !       the $MSGDEF macro.
37     !
38     ! ENVIRONMENT:
39     !       VAX/VMS user and kernel mode.
40     !
41     ! AUTHOR: Rowland R. Bradley, CREATION DATE: 20-July-1984
42     !
43     ! MODIFIED BY:
44     !
45     !       3B-010  BLS0336        Benn Schreiber          5-AUG-1984
46     !               Add .END.
47     !
48     !       3B-009  RRB0009        Rowland R. Bradley      20-Jul-184
49     !               Removed these definitions for SMB and placed in a separate
50     !               file SMBMSG.MSG.  This accomplishes the renaming of messages
51     !               with a separate facility code.  Now two types of messages
52     !               SMB$... AND PSM$... depending on the context of the
53     !               error.  Audit trail begins at higher number since this is
54     !               a continuation of PSMMSG.MSG.
55     !
56     !**
```

```
                                57 !
                                58
                                59
        00000110                60 .FACILITY SMB, 272 /SYSTEM /MACRO = $PSMMSGDEF
                                61 .BASE 0
                                62
                                63
                                64 .SEVERITY ERROR
        01108002                65 NOMOREITEMS       <no more items in message>
                                66
                                67 .SEVERITY FATAL
        0110800C                68 INVSTMNBR         <invalid stream number>
        01108014                69 INVSTRLEV         <invalid structure level>
                                70
                                71 .END
```

There were 0 errors, 0 warnings, and 0 informational messages issued.
MESSAGE/FILE_NAME=CLIUTLMSG/LIS=LIS$:SMBMSG/OBJ=OBJ$:SMBMSG MSRC$:SMBMSG

SERVICES
LIS

SMBMSG
LIS

TABLES
LIS