


```

RRRRRRRR      EEEEEEEEEE      MM      MM      AAAAAA      CCCCCCCC      PPPPPPPP      DDDDDDDD      AAAAAA      TTTTTTTTTT
RRRRRRRR      EEEEEEEEEE      MM      MM      AAAAAA      CCCCCCCC      PPPPPPPP      DDDDDDDD      AAAAAA      TTTTTTTTTT
RR      RR      EE      MMMM      MM      AA      AA      CC      PP      PP      DD      DD      AA      AA      TT
RR      RR      EE      MMMM      MM      AA      AA      CC      PP      PP      DD      DD      AA      AA      TT
RR      RR      EE      MM      MM      AA      AA      CC      PP      PP      DD      DD      AA      AA      TT
RR      RR      EE      MM      MM      AA      AA      CC      PP      PP      DD      DD      AA      AA      TT
RRRRRRRR      EEEEEEEEEE      MM      MM      AA      AA      CC      PPPPPPPP      DD      DD      AA      AA      TT
RRRRRRRR      EEEEEEEEEE      MM      MM      AA      AA      CC      PPPPPPPP      DD      DD      AA      AA      TT
RR      RR      EE      MM      MM      AAAAAAAAAA      CC      PP      DD      DD      AAAAAAAAAA      TT
RR      RR      EE      MM      MM      AAAAAAAAAA      CC      PP      DD      DD      AAAAAAAAAA      TT
RR      RR      EE      MM      MM      AA      AA      CC      PP      DD      DD      AA      AA      TT
RR      RR      EE      MM      MM      AA      AA      CC      PP      DD      DD      AA      AA      TT
RR      RR      EEEEEEEEEE      MM      MM      AA      AA      CCCCCCCC      PP      DDDDDDDD      AA      AA      TT
RR      RR      EEEEEEEEEE      MM      MM      AA      AA      CCCCCCCC      PP      DDDDDDDD      AA      AA      TT

```

```

LL      IIIIII      SSSSSSSS
LL      IIIIII      SSSSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SSSSSS
LL      II      SSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      IIIIII      SSSSSSSS
LLLLLLLLLL      IIIIII      SSSSSSSS
LLLLLLLLLL      IIIIII      SSSSSSSS

```

```
0000 1 .TITLE REMACPDAT - GLOBAL DATA STORAGE FOR REMACP
0000 2 .IDENT 'V04-000'
0000 3
0000 4
0000 5 :*****
0000 6 :*
0000 7 :* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0000 8 :* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0000 9 :* ALL RIGHTS RESERVED.
0000 10 :*
0000 11 :* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0000 12 :* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0000 13 :* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0000 14 :* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0000 15 :* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0000 16 :* TRANSFERRED.
0000 17 :*
0000 18 :* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0000 19 :* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0000 20 :* CORPORATION.
0000 21 :*
0000 22 :* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0000 23 :* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0000 24 :*
0000 25 :*
0000 26 :*****
0000 27
0000 28 :++
0000 29 : FACILITY: REMOTE I/O ACP
0000 30
0000 31 : ABSTRACT:
0000 32 : THIS MODULE CONTAINS ALL DATA USED GLOBALLY BY REMACP.
0000 33
0000 34 : ENVIRONMENT:
0000 35 : MODE = KERNEL
0000 36 :--
```

0000 38
0000 39 : AUTHOR: SCOTT G. DAVIS, CREATION DATE: 06-JUL-79
0000 40 :
0000 41 : MODIFIED BY:
0000 42 :
0000 43 : V02-003 DJD2001 Darrell Duffy 5-Mar-1981
0000 44 : Allow configuration of maxlinks at initialization time.
0000 45 : RTTDRIVER calls NETDRIVER directly for IO
0000 46 :
0000 47 : V02-002 SGD2001 Scott G. Davis 23-Sep-1980
0000 48 : Remove multiple devices, ignore unknown messages

REM
Sym
AQE
BUG
DYN
DYN
EXE
EXE
IOS
IOS
IOS
IRF
IRF
IRF
IRF
IRF
IRF
IRF
IRF
IRF
IRF
IRF
IRF
PR
PR
RAM
REN
REN
REN
REN
REN
REN
REN
REN
REN
REN
SCH
SS
SYS
SYS
SYS
UCE
UCE
UN
WOR

PSE

\$A
RE
RE
RE

Ph

In
Co
Pa
Sy

```

0000 50
0000 51
0000 52 :
0000 53 : INCLUDE FILES
0000 54 :
0000 55 :     $REMDEF
0000 56 :
0000 57 :
0000 58 : MACROS:
0000 59 :
0000 60 :
0000 61 :
0000 62 : EQUATED SYMBOLS:
0000 63 :
0000 64 :
0000 65 :
0000 66 : OWN STORAGE:
0000 67 :
0000 68 :
00000000 69 :     .PSECT  REM_IMPURE      NOSHR,NOEXE,RD,WRT
0000 70 :
00000004 0000 71 REM$GL_Q_HEAD::      .BLKL      ; ACP QUEUE HEAD (IN AQB)
00000008 0004 72 REM$GL_TEMPLATE::  .BLKL      ; UCB template address
0000 73 :
0000000C 0008 74 REM$GL_UCBVEC::     .BLKL      ; POINTER TO UCB VECTOR
00000010 000C 75 REM$GL_RBUFVEC::   .BLKL      ; POINTER TO RBUF VECTOR
00000014 0010 76 REM$GL_RIOSBVEC::  .BLKL      ; POINTER TO RIOSB VECTOR
00000018 0014 77 REM$GL_MBX_UNITS:: .BLKL      ; Pointer to mailbox unit vector
0000001C 0018 78 REM$GL_CHANVEC::   .BLKL      ; POINTER TO CHAN VECTOR
00000020 001C 79 REM$GL_REJ_CHAN::  .BLKL      ; I/O channel for connect rejects
0020 80 :     ; The address is here. The channel
0020 81 :     ; is at the end of the channel vector
0020 82 :
0020 83 :*****
0020 84 : The channel vector and the reject channel MUST be contiguous,
0020 85 : since the search algorithms will want to find the reject channel.
0020 86 :*****
0020 87 :
00000022 0020 88 REM$GW_MBX_CHAN::   .BLKW      ; Mailbox channel
0022 89 :     ; Max links to remote terminals
00000000 0022 90 REM$GB_MAXLINKS::  .LONG      ; Long to provide for result storage
0026 91 :     ; of a conversion routine
0026 92 :
00000000 93 :     .PSECT  REM_PURE, NOWRT, NOEXE
0000 94 :
0000 95 :
0000 96 : This vector controls building the various control vectors and
0000 97 : setting their addresses in the above storage locations.
0000 98 : The vector table is a string of pairs: The address of the start
0000 99 : of a vector area and the length of each element of the vector.
0000 100 :
0000 101 :
0000 102 REM$GT_VECTBL::
00000004 00000008 0000 103 .LONG  REM$GL_UCBVEC,      4      ; UCB addresses
00000004 0000000C 0008 104 .LONG  REM$GL_RBUFVEC,    4      ; Vector of receive buffers
00000008 00000010 0010 105 .LONG  REM$GL_RIOSBVEC,   8      ; Vector of iosbs
00000002 00000014 0018 106 .LONG  REM$GL_MBX_UNITS,  2      ; Vector of mailbox units

```

REI
VA
Pa
Syl
Psi
Cri
As
Th
53
Th
19
22
Ma
--
-S
-S
TO
11
Th
MA

```
00000002 00000018' 0020 107 ; *** The next item must be last since we use its end to place the
00000000 0020 108 ; *** address of the REM$GL_REJ_CHAN
0020 109 .LONG REM$GL_CHANVEC, 2 ; Vector of channels
0028 110 .LONG 0
002C 111
00000014 002C 112 REM$GL_VECSIZE::
002C 113 .LONG 4+4+8+2+2 ; Sum of items required
0030 114 ; Used to compute space
0030 115 ; to obtain for all
0030 116
0030 117
0030 118 .END
```

```

REMSC_CURECO      = 00000001
REMSC_CURVRS      = 00000001
REMSC_LNK_READ    = 00000002
REMSC_MAXDEVS     = 0000000A
REMSC_MAXLINKS    = 00000010
REMSC_MAXUNITS    = 00000010
REMSC_MBX_READ    = 00000001
REMSC_ST_ATTRIB   = 00000002
REMSC_ST_CONFIG   = 00000001
REMSGB_MAXLINKS   = 00000022 RG 01
REMSGC_CHANVEC    = 00000018 RG 01
REMSGC_MBX_UNITS  = 00000014 RG 01
REMSGC_Q_HEAD     = 00000000 RG 01
REMSGC_RBUFVEC    = 0000000C RG 01
REMSGC_REJ_CHAN   = 0000001C RG 01
REMSGC_RIOSBVEC   = 00000010 RG 01
REMSGC_TEMPLATE   = 00000004 RG 01
REMSGC_UCBVEC     = 00000008 RG 01
REMSGC_VEC_SIZE   = 0000002C RG 02
REMSGT_VECTBL     = 00000000 RG 02
REMSGW_MBX_CHAN   = 00000020 RG 01
    
```

+-----+
! Psect synopsis !
+-----+

PSECT name	Allocation	PSECT No.	Attributes
. ABS	00000000 (0.)	00 (0.)	NOPIC USR CON ABS LCL NOSHR NOEXE NORD NOWRT NOVEC BYTE
REM_IMPURE	00000026 (38.)	01 (1.)	NOPIC USR CON REL LCL NOSHR NOEXE RD WRT NOVEC BYTE
REM_PURE	00000030 (48.)	02 (2.)	NOPIC USR CON REL LCL NOSHR NOEXE RD NOWRT NOVEC BYTE

+-----+
! Performance indicators !
+-----+

Phase	Page faults	CPU Time	Elapsed Time
Initialization	46	00:00:00.10	00:00:00.50
Command processing	162	00:00:00.78	00:00:03.11
Pass 1	99	00:00:00.51	00:00:01.46
Symbol table sort	0	00:00:00.01	00:00:00.01
Pass 2	37	00:00:00.31	00:00:00.97
Symbol table output	5	00:00:00.03	00:00:00.03
Psect synopsis output	1	00:00:00.02	00:00:00.02
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	353	00:00:01.77	00:00:06.11

The working set limit was 1050 pages.
 1516 bytes (3 pages) of virtual memory were used to buffer the intermediate code.
 There were 10 pages of symbol table space allocated to hold 21 non-local and 0 local symbols.
 118 source lines were read in Pass 1, producing 13 object records in Pass 2.
 1 page of virtual memory was used to define 1 macro.

! Macro library statistics !

Macro library name	Macros defined
-----	-----
_\$255\$DUA28:[REM.OBJ]REM.MLB;1	1
-\$255\$DUA28:[SYS.OBJ]LIB.MLB;1	0
-\$255\$DUA28:[SYSLIB]STARLET.MLB;2	0
TOTALS (all libraries)	1

15 GETS were required to define 1 macros.

There were no errors, warnings or information messages.

MACRO/LIS=LISS:REMACPDAT/OBJ=OBJ\$:REMACPDAT MSRC\$:REMACPDAT/UPDATE=(ENH\$:REMACPDAT)+EXECML\$/LIB+LIB\$:REM/LIB

REMLOCKDB LIS	REMINT LIS	REMPOST LIS	REMGETIRP LIS	REMACROS MAP	REMACP MAP	REMACP DAT LIS	TRANSFER LIS	STOPREM MAP	REMPROTCL LIS	REMSUBR LIS	REMXPORT LIS	STOPREM LIS	DAPODEF MDL
REMINT LIS	REMGETIRP LIS	REMACROS MAP	REMACP MAP	REMACP DAT LIS	TRANSFER LIS	STOPREM MAP	REMPROTCL LIS	REMSUBR LIS	REMXPORT LIS	STOPREM LIS	DAPODEF MDL		
REMACROS MAP	REMACP MAP	REMACP DAT LIS	TRANSFER LIS	STOPREM MAP	REMPROTCL LIS	REMSUBR LIS	REMXPORT LIS	STOPREM LIS	DAPODEF MDL				
TRANSFER LIS	STOPREM MAP	REMPROTCL LIS	REMSUBR LIS	REMXPORT LIS	STOPREM LIS	DAPODEF MDL							

REMLOCKDB LIS

REMINT LIS

REMPOST LIS

REMGETIRP LIS

REMACROS MAP

REMACP MAP

REMACP DAT LIS

TRANSFER LIS

STOPREM MAP

REMPROTCL LIS

REMSUBR LIS

REMXPORT LIS

STOPREM LIS

DAPODEF MDL