

RRRRRRRRRRRR		UUU		UUU	NNN	NNN	000000000		FFFFFFFFFFFFFF	FFFFFFFFFFFFFF
RRRRRRRRRRRR		UUU		UUU	NNN	NNN	000000000		FFFFFFFFFFFFFF	FFFFFFFFFFFFFF
RRRRRRRRRRRR		UUU		UUU	NNN	NNN	000000000		FFFFFFFFFFFFFF	FFFFFFFFFFFFFF
RRR	RRR	UUU		UUU	NNN	NNN	000	000	FFF	FFF
RRR	RRR	UUU		UUU	NNN	NNN	000	000	FFF	FFF
RRR	RRR	UUU		UUU	NNN	NNN	000	000	FFF	FFF
RRR	RRR	UUU		UUU	NNNNNN	NNN	000	000	FFF	FFF
RRR	RRR	UUU		UUU	NNNNNN	NNN	000	000	FFF	FFF
RRR	RRR	UUU		UUU	NNNNNN	NNN	000	000	FFF	FFF
RRRRRRRRRRRR		UUU		UUU	NNN	NNN	000	000	FFFFFFFFFFFFFF	FFFFFFFFFFFFFF
RRRRRRRRRRRR		UUU		UUU	NNN	NNN	000	000	FFFFFFFFFFFFFF	FFFFFFFFFFFFFF
RRRRRRRRRRRR		UUU		UUU	NNN	NNN	000	000	FFFFFFFFFFFFFF	FFFFFFFFFFFFFF
RRR	RRR	UUU		UUU	NNN	NNNNNN	000	000	FFF	FFF
RRR	RRR	UUU		UUU	NNN	NNNNNN	000	000	FFF	FFF
RRR	RRR	UUU		UUU	NNN	NNNNNN	000	000	FFF	FFF
RRR	RRR	UUU		UUU	NNN	NNN	000	000	FFF	FFF
RRR	RRR	UUU		UUU	NNN	NNN	000	000	FFF	FFF
RRR	RRR	UUU		UUU	NNN	NNN	000	000	FFF	FFF
RRR	RRR	UUU		UUU	NNN	NNN	000	000	FFF	FFF
RRR	RRR	UUUUUUUUUUUUUUUU		UUUUUUUUUUUUUUUU	NNN	NNN	000000000		FFF	FFF
RRR	RRR	UUUUUUUUUUUUUUUU		UUUUUUUUUUUUUUUU	NNN	NNN	000000000		FFF	FFF
RRR	RRR	UUUUUUUUUUUUUUUU		UUUUUUUUUUUUUUUU	NNN	NNN	000000000		FFF	FFF

```

FFFFFFFFF LL      IIIIII  PPPPPPP  RRRRRRR  EEEEEEEEE  CCCCCCC  SSSSSSS
FFFFFFFFF LL      IIIIII  PPPPPPP  RRRRRRR  EEEEEEEEE  CCCCCCC  SSSSSSS
FF        LL      II      PP        RR        EE        CC        SS
FF        LL      II      PP        RR        EE        CC        SS
FF        LL      II      PP        RR        EE        CC        SS
FF        LL      II      PP        RR        EE        CC        SS
FFFFFFFFF LL      II      PPPPPPP  RRRRRRR  EEEEEEEEE  CC        SSSSSS
FFFFFFFFF LL      II      PPPPPPP  RRRRRRR  EEEEEEEEE  CC        SSSSSS
FF        LL      II      PP        RR        EE        CC        SS
FF        LL      II      PP        RR        EE        CC        SS
FF        LL      II      PP        RR        EE        CC        SS
FF        LL      II      PP        RR        EE        CC        SS
FF        LL      IIIIII  PP        RR        EE        CCCCCC  SSSSSSS
FF        LLLLLLLLL IIIIII  PP        RR        EEEEEEEE  CCCCCC  SSSSSSS

```

```

RRRRRRRR  EEEEEEEEE  QQQQQQ
RRRRRRRR  EEEEEEEEE  QQQQQQ
RR        EE        QQ        QQ
RR        EE        QQ        QQ
RR        EE        QQ        QQ
RR        EE        QQ        QQ
RRRRRRRR  EEEEEEEEE  QQ        QQ
RRRRRRRR  EEEEEEEEE  QQ        QQ
RR        EE        QQ        QQ
RR        EE        QQ        QQ
RR        EE        QQ        QQ
RR        EE        QQ        QQ
RR        EEEEEEEEE  QQQQ    QQ
RR        EEEEEEEEE  QQQQ    QQ

```

```

....
....
....
....

```


Version: 'v04-000'

COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
ALL RIGHTS RESERVED.

THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
TRANSFERRED.

THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
CORPORATION.

DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.

```

++
FACILITY:      DSR (Digital Standard RUNOFF) / DSRPLUS

ABSTRACT:
  This file documents the records emitted by RUNOFF for processing by FLIP.

ENVIRONMENT:
  DSRPLUS

AUTHOR: George C. Hetrick

CREATION DATE: 1981

MODIFIED BY:

003      KAD00003      Keith Dawson      17-May-1983
         Made all ~ CODES [$TINY INTEGER]'s again. The reason for
         having changed to [$INTEGER]'s in the first place has gone
         away: FLIP code is now more tightly conditionalized (for
         the benefit of TOPS-20 mainly).

002      KAD00002      Keith Dawson      07-Mar-1983
         Global edit of all modules. Updated module names, ids,
         copyright dates. Changed require files to BLISS library.

```

Ve

1

•

10

★

10

★

•

★

•

★

•

★

•

✦ ✦

FA

AB

EN

20

%sbttl 'FLIP/RUNOFF record types';

\$LITERAL

FL'PSK_INIT = \$DISTINCT;
FLIPSK_RNOTXT = \$DISTINCT;
FLIPSK_TCXTXT = \$DISTINCT;
FLIPSK_TCXTN = \$DISTINCT;
FLIPSK_TCXINI = \$DISTINCT;
FLIPSK_TOCRD = \$DISTINCT;
FLIPSK_TOCTXT = \$DISTINCT;
FLIPSK_TOCPAG = \$DISTINCT;
FLIPSK_TOCHLI = \$DISTINCT;
FLIPSK_TOCHL = \$DISTINCT;
FLIPSK_NEWPAG = \$DISTINCT;

LITERAL

FLIPSK_VERSION = 1;

%sbttl 'INIT -- initial FLIP record';

\$FIELD

```
$FLIP$INIT_FIELDS = SET
  INIT_CODE      = [$TINY_INTEGER],    ! record type
  INIT_FLAGS     = [$BYTE],            ! various flags
  $OVERLAY(INIT_FLAGS)
  INIT_CONTENTS  = [$BIT],             ! was /CONTENTS specified
  $CONTINUE
  INIT_LEVEL     = [$SHORT_INTEGER]    ! FLIP version
TES;                                     ! Size in UNITS
```

LITERAL

```
FLIP$K_INIT_LENGTH = $FIELD SET SIZE,    ! Size in FULLWORDS
FLIP$K_INIT_SIZE   = %UPVAL*$FIELD_SET_SIZE; ! Size in UNITS
```

MACRO

```
$FLIP_INIT = BLOCK[FLIP$K_INIT_LENGTH] FIELD($FLIP$INIT_FIELDS)%;
```


%sbttl 'RNOTXT -- text record';

\$FIELD
\$FLIP\$RNOTXT_FIELDS1= SET
RNOTXT_CODE = [\$TINY_INTEGER] ! record type
RNOTXT_LENGTH = [\$SHORT_INTEGER] ! length of data portion
TES;

LITERAL
FLIP\$RNOTXT_BASELEN = \$FIELD SET SIZE ! Size in FULLWORDS
FLIP\$K_RNOTXT_BASESIZ = %UPVAL*\$FIELD_SET_SIZE ! Size in UNITS

\$FIELD
\$FLIP\$RNOTXT_FIELDS2= SET
RNOTXT_FILLER = [\$SUB_BLOCK(FLIP\$K_RNOTXT_BASELEN)],
RNOTXT_TEXT = [\$SUB_BLOCK(1000)] ! TEXT segment
TES;

LITERAL
FLIP\$K_RNOTXT_LENGTH = \$FIELD SET SIZE ! Size in FULLWORDS
FLIP\$K_RNOTXT_SIZE = %UPVAL*\$FIELD_SET_SIZE ! Size in UNITS

MACRO
\$FLIP_RNOTXT = BLOCK[FLIP\$K_RNOTXT_LENGTH] FIELD(\$FLIP\$RNOTXT_FIELDS1,
\$FLIP\$RNOTXT_FIELDS2)%;

FNCT

MACR

MACR

MACR

! En

%sbttl 'TOCTXT -- TOC text record';

```
$FIELD
$FLIP$TOCTXT_FIELDS1= SET
    TOCTXT_CODE      = [$TINY_INTEGER],      ! record type
    TOCTXT_MAJOR     = [$TINY_INTEGER],      ! major code
    TOCTXT_MINOR     = [$TINY_INTEGER],      ! minor code
    TOCTXT_LENGTH    = [$INTEGER]           ! length of data portion
TES;
```

```
LITERAL
FLIP$K_TOCTXT_BASELEN = $FIELD SET SIZE,      ! Size in FULLWORDS
FLIP$K_TOCTXT_BASESZ  = %UPVAL*$FIELD_SET_SIZE; ! Size in UNITS
```

```
$FIELD
$FLIP$TOCTXT_FIELDS2= SET
    TOCTXT_FILLER    = [$SUB_BLOCK(FLIP$K_TOCTXT_BASELEN)],
    TOCTXT_TEXT      = [$SUB_BLOCK(1000)]      ! TEXT segment
TES;
```

```
LITERAL
FLIP$K_TOCTXT_LENGTH = $FIELD SET SIZE,      ! Size in FULLWORDS
FLIP$K_TOCTXT_SIZE   = %UPVAL*$FIELD_SET_SIZE; ! Size in UNITS
```

```
MACRO
$FLIP_TOCTXT = BLOCK[FLIP$K_TOCTXT_LENGTH] FIELD($FLIP$TOCTXT_FIELDS1,
    $FLIP$TOCTXT_FIELDS2)%;
```


%sbttl 'TOCRD -- TOC descriptor';

\$FIELD
\$FLIP\$TOCRD_FIELDS = SET
TOCRD_CODE = [\$TINY_INTEGER], ! record type
TOCRD_MAJOR = [\$INTEGER], ! major code
TOCRD_MINOR = [\$INTEGER] ! minor code
TES;

LITERAL
FLIP\$K_TOCRD_LENGTH = \$FIELD_SET_SIZE, ! Size in FULLWORDS
FLIP\$K_TOCRD_SIZE = %UPVAL*\$FIELD_SET_SIZE; ! Size in UNITS

MACRO
\$FLIP_TOCRD = BLOCK[FLIP\$K_TOCRD_LENGTH] FIELD(\$FLIP\$TOCRD_FIELDS)%;

FLIPRECS.REQ;1

16-SEP-1984 16:54:31.^{K 3}66 Page 7

%sbttl 'TOCPAG -- TOC page record';

\$FIELD
\$FLIP\$TOCPAG_FIELDS = SET
TOCPAG_CODE = [\$TINY_INTEGER] ! record type
TOCPAG_PAGENO = [\$SUB_BLOCK(PAGE_SCT_SIZE)] ! page number segment
TES;

LITERAL
FLIP\$K_TOCPAG_LENGTH = \$FIELD SET SIZE, ! Size in FULLWORDS
FLIP\$K_TOCPAG_SIZE = %UPVAL*\$FIELD_SET_SIZE; ! Size in UNITS

MACRO
\$FLIP_TOCPAG = BLOCK[FLIP\$K_TOCPAG_LENGTH] FIELD(\$FLIP\$TOCPAG_FIELDS)%;

FOOF

LITE

LITE

LITE

!

%sbttl 'TCXXTN -- index';

\$FIELD

\$FLIP\$TCXXTN_FIELDS = SET
TCXXTN_CODE = [\$TINY_INTEGER], ! record type
\$ALIGN(FULLWORD)
TCXXTN_XTN = [\$INTEGER], ! transaction type
TCXXTN_SCT = [\$SUB_BLOCK(PAGE_SCT_SIZE)] ! page number segment

TES;

LITERAL

FLIP\$K_TCXXTN_LENGTH = \$FIELD_SET_SIZE, ! Size in FULLWORDS
FLIP\$K_TCXXTN_SIZE = %UPVAL*\$FIELD_SET_SIZE; ! Size in UNITS

MACRO

\$FLIP_TCXXTN = BLOCK[FLIP\$K_TCXXTN_LENGTH] FIELD(\$FLIP\$TCXXTN_FIELDS)%;

%sbttl 'TOCHLI -- TOC header level info record';

\$FIELD
\$FLIP\$TOCHLI_FIELDS = SET
TOCHLI_CODE = [\$TINY_INTEGER], ! record type
TOCHLI_HLLIST = [\$SUB_BLOCK(2+MAX_LEVELS)], ! header level info
TOCHLI_HLDSP = [\$SUB_BLOCK(MAX_LEVELS)] ! header level display info
TES;

LITERAL
FLIP\$K_TOCHLI_LENGTH = \$FIELD_SET_SIZE, ! Size in FULLWORDS
FLIP\$K_TOCHLI_SIZE = %UPVAL*\$FIELD_SET_SIZE; ! Size in UNITS

MACRO
\$FLIP_TOCHLI = BLOCK[FLIP\$K_TOCHLI_LENGTH] FIELD(\$FLIP\$TOCHLI_FIELDS)%;

FLIPRECS.REQ;1

16-SEP-1984 16:54:31.66^{N 3} Page 10

%sbttl 'TCXINI -- Index Header record';

\$FIELD

\$FLIP\$TCXINI_FIELDS = SET
TCXINI_CODE = [\$TINY INTEGER], ! record type
TCXINI_HEADER = [\$INTEGER] ! TCX format indicator
TES;

LITERAL

FLIP\$K_TCXINI_LENGTH = \$FIELD_SET_SIZE, ! Size in FULLWORDS
FLIP\$K_TCXINI_SIZE = %UPVAL*\$FIELD_SET_SIZE; ! Size in UNITS

MACRO

\$FLIP_TCXINI = BLOCK[FLIP\$K_TCXINI_LENGTH] FIELD(\$FLIP\$TCXINI_FIELDS)%;

FOOR

MACR

LITE

MACR

!Her
LITE

LITE

!

%sbttl 'TCXTXT -- Index TEXT record';

\$FIELD

```
$FLIP$TCXTXT_FIELDS1 = SET
  TCXTXT_CODE      = [$TINY_INTEGER],      ! record type
  $ALIGN(FULLWORD)
  TCXTXT_ENTRY     = [$INTEGER],           ! ENTRY flag
  TCXTXT_LENGTH    = [$INTEGER],           ! length of data
  TCXTXT_XTN       = [$INTEGER],           ! transaction number
  TCXTXT_BAR       = [$INTEGER]           ! change bar flag
```

TES;

LITERAL

```
FLIP$K_TCXTXT_BASELEN = $FIELD_SET_SIZE,      ! Size in FULLWORDS
FLIP$K_TCXTXT_BASESIZ = %UPVAL*$FIELD_SET_SIZE;! Size in UNITS
```

\$FIELD

```
$FLIP$TCXTXT_FIELDS2 = SET
  TCXTXT_DUMMY     = [$SUB_BLOCK(FLIP$K_TCXTXT_BASELEN)],
  TCXTXT_TEXT      = [$SUB_BLOCK(1000)] ! text of entry
```

TES;

LITERAL

```
FLIP$K_TCXTXT_LENGTH = $FIELD_SET_SIZE,      ! Size in FULLWORDS
FLIP$K_TCXTXT_SIZE   = %UPVAL*$FIELD_SET_SIZE;! Size in UNITS
```

MACRO

```
$FLIP_TCXTXT = BLOCK[FLIP$K_TCXTXT_LENGTH] FIELD($FLIP$TCXTXT_FIELDS1,
  $FLIP$TCXTXT_FIELDS2)%;
```


16-SEP-1984 16:54:31^C.66⁴ Page 12

```
$FIELD
$FLIP$TOCHL_FIELDS = SET
    TOCHL_CODE      = [$TINY_INTEGER]      ! record type
TES;
```

```

LITERAL
    FLIP$K_TOCHL_LENGTH = $FIELD_SET_SIZE,      ! Size in FULLWORDS
    FLIP$K_TOCHL_SIZE = %UPVAL*$FIELD_SET_SIZE; ! Size in UNITS

```

```
MACRO
    $FLIP_TOCHL = BLOCK[FLIP$K_TOCHL_LENGTH] FIELD($FLIP$TOCHL_FIELDS)%;
```

LITE

CONVRT REQ			FRMSTK REQ	GETQSC REQ						NDXCLI REQ	NDXRTY REQ			
	ECC REQ						KWITEM REQ					PHDEF REQ		RUNTAB REQ
		FLIPRECS REQ	FNCT REQ		GNCC REQ	IFSTK REQ		LSTOPS REQ				OUTOPT REQ		
DIGIT REQ				FSPACK REQ							NDXXPL REQ			
								MAXIMA REQ				POOL REQ	RUNHAN REQ	
DMDEFS REQ	FFDEFS REQ				GSLUCC REQ	INDEX REQ				NDXLIN REQ		PAGEN REQ		
							LETTER REQ				NMLST REQ			
			FOOFIL REQ	GCA REQ				MSG REQ					RNODEF REQ	
DSRLIB REQ	FLGT REQ				HCT REQ	IRAC REQ				NDXPOL REQ		PASS REQ		
							LODEFS REQ				NUMPRM REQ			
			FOOREC REQ					MSGTXT REQ	NBITS REQ					
						KC REQ						PDT REQ	RNOMAC REQ	
	FLIRCHARS REQ				HLC REQ		LSTBTS REQ				OPDEV REQ			