



```

RRRRRRRR UU      UU  NN      NN  TTTTTTTTTT  AAAAAA  98888888
RRRRRRRR UU      UU  NN      NN  TTTTTTTTTT  AAAAAA  88888888
RR      RR UU      UU  NN      NN      TT      AA      AA  88      88
RR      RR UU      UU  NN      NN      TT      AA      AA  88      88
RR      RR UU      UU  NNNN     NN      TT      AA      AA  88      88
RR      RR UU      UU  NNNN     NN      TT      AA      AA  88      88
RRRRRRRR UU      UU  NN      NN  NN      TT      AA      AA  88888888
RRRRRRRR UU      UU  NN      NN  NN      TT      AA      AA  88888888
RR  RR  UU      UU  NN      NN  NNNN     TT      AAAAAAAAAA  88      88
RR  RR  UU      UU  NN      NN  NNNN     TT      AAAAAAAAAA  88      88
RR      RR UU      UU  NN      NN      TT      AA      AA  88      88
RR      RR UU      UU  NN      NN      TT      AA      AA  88      88
RR      RR UUUUUUUUUU NN      NN      TT      AA      AA  88888888
RR      RR UUUUUUUUUU NN      NN      TT      AA      AA  88888888

```

```

RRR. ?RRR EEEEEEEEEEE QQQQQQ
RRRRRRRR EEEEEEEEEEE QQQQQQ
RR      RR EE          QQ      QQ
RR      RR EE          QQ      QQ
RR      RR EE          QQ      QQ
RRRRRRRR EEEEEEEEEEE QQ      QQ
RRRRRRRR EEEEEEEEEEE QQ      QQ
RR  RR  EE          QQ  QQ  QQ
RR  RR  EE          QQ  QQ  QQ
RR      RR EE          QQ      QQ
RR      RR EE          QQ      QQ
RR      RR EEEEEEEEEEE QQQQ  QQ
RR      RR EEEEEEEEEEE QQQQ  QQ

```

RUNTAB.REQ - This file contains the binary search paths for command processing

Version: 'V04-000'

```

*****
*
* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
* ALL RIGHTS RESERVED.
*
* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
* TRANSFERRED.
*
* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
* CORPORATION.
*
* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
*
*****

```

♦♦ FACILITY: DSR (Digital Standard RUNOFF) / DSRPLUS

ABSTRACT: This file contains directive definition tables. It is required by LP1.BLI only.

ENVIRONMENT: Transportable BLISS

AUTHOR: Rich Friday CREATION DATE: 1978

## MODIFIED BY:

027 REM00021 Ray Marshall 15-May-1984  
Modified the definition for .DO by changing the fourth parameter of the macro call from CAN\_TRUNCATE to ABBREVIATION. Since .DO can not be truncated to less than 2 characters, it seems meaningless to say it can be truncated. But, the major reason for this change is to allow recognition of the .DOV directive.

020 KFA00020 Ken Alden 04-Aug-1983  
Added disable appendix, .PAGE NOW

019 KFA00019 Ken Alden 03-Aug-1983  
Added directive(DSRPLUS) .enable appendix/chapter, .disable chapter.

018 RER00018 Ron Randall 16-May-1983  
Made .REFERENCEPOINT illegal (again) in footnotes.

017 RAD00017 Keith Dawson 14-Apr-1983  
Rationalized abbreviations for some DSRPLUS commands, to wit:  
.Begin Topnote .BT ==> .BTN  
.Do Table (new) .DT  
.Disable Xplus (new) .DXP  
.Enable Xplus (new) .EXP  
Deleted .BPA (.Begin Passthrough), .EPA (.End Passthrough).  
Deleted unneeded abbreviation .REQ (truncation suffices).

016 RERC0016 Ron Randall 14-Apr-1983  
Made .REFERENCEPOINT legal in footnotes.

015 REROC015 Ron Randall 06-Apr-1983  
Made .KEEP and .NO KEEP legal in topnotes and footnotes.

014 RER00014 Ron Randall 17-Mar-1983  
For DSRPLUS:  
Changed iih to iit to better reflect its topnote meaning.  
Deleted passthrough flag code.  
Added new h\_number\_footno (nfn) and h\_no\_number\_foo (nnf).

013 KFA00013 Ken Alden 16-Mar-1983  
SAVE/RESTORE now visible to DSR.  
Changed REFERENCEPOIN to REFERENCEPOINT.

012 KAD00012 Keith Dawson 07-Mar-1983  
Global edit of all modules. Updated module names, idents, copyright dates. Changed require files to BLISS library.

♦♦  
DEFINITION OF TERMS:

Most of the names herein described are initialized in LP1.BLI as literals.

P\_xxx Directive character string where xxx is the actual sequence of characters that make up the directive

H\_x\_x Name of the handler which will process this directive.

CONTINUES Indicates that this is not the last word of the directive. To find the next word, look for the macro definition L\_name\_n where 'name' is the xxx from the current line's P\_xxx and 'n' is the number of the next word number. Example: Take the .HEADERS LOWER directive -- while looking at the definition for the HEADERS word, we find P\_HEADERS and the term CONTINUES. The next words will be defined in the macro L\_HEADERS\_2.

CHAIN\_ENDS Indicates this is the last word of the actual directive. (It says nothing about any possible following parameters.)

CAN\_TRUNCATE A flag indicating that the directive may be truncated. This term will be followed by an integer value that indicates the number of characters in the shortest possible valid truncation.

ABBREVIATION A flag indicating that this entry is for the abbreviated form of the directive indicated by the H\_ term.

RIF A flag indicating that this directive is related to an IF directive. i.e. it will be processed while within the range of an IF/ENDIF block.

NOT\_RIF A flag indicating that this directive is NOT related to an IF directive. i.e. it will be ignored while within the range of an IF/ENDIF block.

IIF A flag indicating that this directive is ILLEGAL within the range of a FOOTNOTE.

NOT\_IIF A flag indicating that this directive is LEGAL within the range of a FOOTNOTE.

DO\_OUTNJ A flag indicating that a .BREAK should be performed before invoking the routine to do this directive. Also cancels any pending paragraph before this directive is processed.

DONT\_OUTNJ A flag indicating that a .BREAK should NOT be performed before invoking the routine to do this directive.

DO\_GETNUM A flag indicating that this directive may be followed by a numeric parameter. The parameter will be fetched before invoking the routine to do this directive.

DONT\_GETNUM A flag indicating that this directive's first parameter, if one is expected, is NOT numeric.

NCT\_IIT A flag indicating that this directive is LEGAL within the range of a TOPNOTE.

IIT A flag indicating that this directive is ILLEGAL within the range of a TOPNOTE.

```

MACRO L_BEGIN_2 = PLIT (
  ITEM (P_BARS ,H_BEGIN_BAR ,CHAIN_ENDS ,CAN_TRUNCATE ,1
        ,NOT_RIF ,NOT_IIF ,DONT_OUTNJ ,DONT_GETNUM ,NOT_IIT)

%IF DSRPLUS %THEN
  ITEM (P_PASSTHROUGH ,H_BEGIN_PASSIHR ,CHAIN_ENDS ,CAN_TRUNCATE ,1
        ,NOT_RIF ,NOT_IIF ,DONT_OUTNJ ,DONT_GETNUM ,NOT_IIT)
  ITEM (P_TOPNOTE ,H_BEGIN_TOPNOTE ,CHAIN_ENDS ,CAN_TRUNCATE ,1
        ,NOT_RIF ,IIF ,DO_OUTNJ ,DO_GETNUM ,IIT)
%FI

) %;

MACRO L_CONTROL_2 = PLIT (
  ITEM (P_CHARACTERS ,H_CONTROL_CHARA ,CHAIN_ENDS ,CAN_TRUNCATE ,1
        ,NOT_RIF ,NOT_IIF ,DONT_OUTNJ ,DONT_GETNUM ,NOT_IIT)

) %;

MACRO L_CONTROL_3 = PLIT (
  ITEM (P_CHARACTERS ,H_NO_CONTROL_CH ,CHAIN_ENDS ,CAN_TRUNCATE ,1
        ,NOT_RIF ,NOT_IIF ,DONT_OUTNJ ,DONT_GETNUM ,NOT_IIT)

) %;

MACRO L_DISABLE_2 = PLIT (
%IF DSRPLUS %THEN
  ITEM (P_APPENDIX ,H_DISABLE_APPEN ,CHAIN_ENDS ,CAN_TRUNCATE ,1
        ,NOT_RIF ,IIF ,DONT_OUTNJ ,DONT_GETNUM ,IIT)
%FI

  ITEM (P_BARS ,H_DISABLE_BAR ,CHAIN_ENDS ,CAN_TRUNCATE ,2
        ,NOT_RIF ,NOT_IIF ,DONT_OUTNJ ,DONT_GETNUM ,NOT_IIT)
  ITEM (P_BOLDING ,H_DISABLE_BOLDI ,CHAIN_ENDS ,CAN_TRUNCATE ,2
        ,NOT_RIF ,NOT_IIF ,DONT_OUTNJ ,DONT_GETNUM ,NOT_IIT)

%IF DSRPLUS %THEN
  ITEM (P_CHAPTER ,H_DISABLE_CHAPT ,CHAIN_ENDS ,CAN_TRUNCATE ,1
        ,NOT_RIF ,IIF ,DONT_OUTNJ ,DONT_GETNUM ,IIT)
%FI

  ITEM (P_HYPHENATION ,H_DISABLE_HYPHE ,CHAIN_ENDS ,CAN_TRUNCATE ,1
        ,NOT_RIF ,NOT_IIF ,DONT_OUTNJ ,DONT_GETNUM ,NOT_IIT)
  ITEM (P_INDEXING ,H_DISABLE_INDEX ,CHAIN_ENDS ,CAN_TRUNCATE ,1
        ,NOT_RIF ,NOT_IIF ,DONT_OUTNJ ,DONT_GETNUM ,NOT_IIT)
  ITEM (P_OVERSTRIKING ,H_DISABLE_OVERS ,CHAIN_ENDS ,CAN_TRUNCATE ,1
        ,NOT_RIF ,NOT_IIF ,DONT_OUTNJ ,DONT_GETNUM ,NOT_IIT)
  ITEM (P_TOC ,H_DISABLE_TOC ,CHAIN_ENDS ,CAN_TRUNCATE ,1
        ,NOT_RIF ,NOT_IIF ,DONT_OUTNJ ,DONT_GETNUM ,NOT_IIT)
  ITEM (P_UNDERLINING ,H_DISABLE_UNDER ,CHAIN_ENDS ,CAN_TRUNCATE ,1
        ,NOT_RIF ,NOT_IIF ,DONT_OUTNJ ,DONT_GETNUM ,NOT_IIT)

%IF DSRPLUS %THEN
  ITEM (P_XPLUS ,H_DISABLE_XPLUS ,CHAIN_ENDS ,CAN_TRUNCATE ,1
        ,NOT_RIF ,NOT_IIF ,DONT_OUTNJ ,DONT_GETNUM ,IIT)
%FI

```

```

) %;
MACRO L_DISPLAY_2 = PLIT (
  ITEM (P_APPENDIX
        ,NOT_RIF
        ,ITEM (P_CHAPTER
              ,NOT_RIF
              ,H_DISPLAY_APPEN,CHAIN ENDS      ,CAN TRUNCATE      ,1
              ,IF              ,DONT_OUTNJ    ,DONT_GETNUM       ,IIT)
              ,H_DISPLAY_CHAPT,CHAIN ENDS      ,CAN TRUNCATE      ,2
              ,IF              ,DONT_OUTNJ    ,DONT_GETNUM       ,IIT)
%IF DSRPLUS %THEN
  ITEM (P_COUNTER
        ,NOT_RIF
        ,H_DISPLAY_COUNT,CHAIN ENDS      ,CAN TRUNCATE      ,2
        ,NOT_IIF          ,DO_OUTNJ        ,DONT_GETNUM       ,NOT_IIT)
%FI

  ITEM (P_DAY
        ,NOT_RIF
        ,ITEM (P_ELEMENTS
              ,NOT_RIF
              ,H_DISPLAY_DAY ,CHAIN ENDS      ,CAN TRUNCATE      ,1
              ,NOT_IIF      ,DO_OUTNJ        ,DONT_GETNUM       ,NOT_IIT)
              ,H_DISPLAY_ELEME,CHAIN ENDS      ,CAN TRUNCATE      ,2
              ,NOT_IIF      ,DO_OUTNJ        ,DONT_GETNUM       ,NOT_IIT)
%IF DSRPLUS %THEN
  ITEM (P_EXAMPLE
        ,NOT_RIF
        ,ITEM (P_FIGURE
              ,NOT_RIF
              ,ITEM (P_HEADER
                    ,NOT_RIF
                    ,H_DISPLAY_EXAMP,CHAIN ENDS      ,CAN TRUNCATE      ,2
                    ,IF              ,DO_OUTNJ        ,DONT_GETNUM       ,IIT)
                    ,H_DISPLAY_FIGUR,CHAIN ENDS      ,CAN TRUNCATE      ,1
                    ,IF              ,DO_OUTNJ        ,DONT_GETNUM       ,IIT)
                    ,H_DISPLAY_HEAD ,CHAIN ENDS      ,CAN TRUNCATE      ,2
                    ,IF              ,DO_OUTNJ        ,DONT_GETNUM       ,IIT)
%FI

  ITEM (P_HOURS
        ,NOT_RIF
        ,ITEM (P_LEVELS
              ,NOT_RIF
              ,ITEM (P_MINUTES
                    ,NOT_RIF
                    ,ITEM (P_MONTH
                          ,NOT_RIF
                          ,ITEM (P_NUMBER
                                ,NOT_RIF
                                ,ITEM (P_SECONDS
                                      ,NOT_RIF
                                      ,ITEM (P_SUBPAGE
                                            ,NOT_RIF
                                            ,H_DISPLAY_HOURS,CHAIN ENDS      ,CAN TRUNCATE      ,1
                                            ,NOT_IIF          ,DO_OUTNJ        ,DONT_GETNUM       ,NOT_IIT)
                                            ,H_DISPLAY_LEVEL,CHAIN ENDS      ,CAN TRUNCATE      ,1
                                            ,IF              ,DO_OUTNJ        ,DONT_GETNUM       ,IIT)
                                            ,H_DISPLAY_MINUT,CHAIN ENDS      ,CAN TRUNCATE      ,2
                                            ,NOT_IIF          ,DO_OUTNJ        ,DONT_GETNUM       ,NOT_IIT)
                                            ,H_DISPLAY_MONTH,CHAIN ENDS      ,CAN TRUNCATE      ,2
                                            ,NOT_IIF          ,DO_OUTNJ        ,DONT_GETNUM       ,NOT_IIT)
                                            ,H_DISPLAY_NUMBE,CHAIN ENDS      ,CAN TRUNCATE      ,1
                                            ,IF              ,DO_OUTNJ        ,DONT_GETNUM       ,NOT_IIT)
                                            ,H_DISPLAY_SECON,CHAIN ENDS      ,CAN TRUNCATE      ,2
                                            ,NOT_IIF          ,DO_OUTNJ        ,DONT_GETNUM       ,NOT_IIT)
                                            ,H_DISPLAY_SUBPA,CHAIN ENDS      ,CAN TRUNCATE      ,2
                                            ,IF              ,DO_OUTNJ        ,DONT_GETNUM       ,NOT_IIT)
%IF DSRPLUS %THEN
  ITEM (P_TABLE
        ,NOT_RIF
        ,H_DISPLAY_TABLE,CHAIN ENDS      ,CAN TRUNCATE      ,1
        ,IF              ,DO_OUTNJ        ,DONT_GETNUM       ,IIT)
%FI

  ITEM (P_YEAR
        ,NOT_RIF
        ,H_DISPLAY_YEAR ,CHAIN ENDS      ,CAN TRUNCATE      ,1
        ,NOT_IIF        ,DO_OUTNJ        ,DONT_GETNUM       ,NOT_IIT)
) %;
MACRO L_DO_2 = PLIT (
%IF DSRPLUS %THEN
  ITEM (P_CONTENTS
        ,H_DO_CONTENTS ,CHAIN ENDS      ,CAN TRUNCATE      ,1

```

```

      .NOT_RIF      .IIF      .DO_OUTNJ      .DONT_GETNUM      .IIT)
%FI
      ITEM (P_INDEX .H DO_INDEX .CHAIN ENDS .CAN TRUNCATE .1
      .NOT_RIF      .IIF      .DO_OUTNJ      .DONT_GETNUM      .IIT)
%IF DSRPLUS %THEN
      .ITEM (P_TABLE .H DO_TABLE .CHAIN ENDS .CAN TRUNCATE .1
      .NOT_RIF      .IIF      .DO_OUTNJ      .DONT_GETNUM      .IIT)
%FI
) %:
MACRO L_ENABLE_2 = PLIT (
%IF DSRPLUS %THEN
      ITEM (P_APPENDIX .H ENABLE_APPEND .CHAIN ENDS .CAN TRUNCATE .1
      .NOT_RIF      .IIF      .DONT_OUTNJ      .DONT_GETNUM      .IIT)
%FI
      ITEM (P_BARS .H ENABLE_BAR .CHAIN ENDS .CAN TRUNCATE .2
      .NOT_RIF      .NOT_IIF      .DONT_OUTNJ      .DONT_GETNUM      .NOT_IIT)
      .ITEM (P_BOLDING .H ENABLE_BOLDING .CHAIN ENDS .CAN TRUNCATE .2
      .NOT_RIF      .NOT_IIF      .DONT_OUTNJ      .DONT_GETNUM      .NOT_IIT)
%IF DSRPLUS %THEN
      .ITEM (P_CHAPTERS .H ENABLE_CHAPTE .CHAIN ENDS .CAN TRUNCATE .1
      .NOT_RIF      .IIF      .DONT_OUTNJ      .DONT_GETNUM      .IIT)
%FI
      .ITEM (P_HYPHENATION .H ENABLE_HYPHEN .CHAIN ENDS .CAN TRUNCATE .1
      .NOT_RIF      .NOT_IIF      .DONT_OUTNJ      .DONT_GETNUM      .NOT_IIT)
      .ITEM (P_INDEXING .H ENABLE_INDEXI .CHAIN ENDS .CAN TRUNCATE .1
      .NOT_RIF      .NOT_IIF      .DONT_OUTNJ      .DONT_GETNUM      .NOT_IIT)
      .ITEM (P_OVERSTRIKING .H ENABLE_OVERST .CHAIN ENDS .CAN TRUNCATE .1
      .NOT_RIF      .NOT_IIF      .DONT_OUTNJ      .DONT_GETNUM      .NOT_IIT)
      .ITEM (P_TOC .H ENABLE_TOC .CHAIN ENDS .CAN TRUNCATE .1
      .NOT_RIF      .NOT_IIF      .DONT_OUTNJ      .DONT_GETNUM      .NOT_IIT)
      .ITEM (P_UNDERLINING .H ENABLE_UNDERL .CHAIN ENDS .CAN TRUNCATE .1
      .NOT_RIF      .NOT_IIF      .DONT_OUTNJ      .DONT_GETNUM      .NOT_IIT)
%IF DSRPLUS %THEN
      .ITEM (P_XPLUS .H ENABLE_XPLUS .CHAIN ENDS .CAN TRUNCATE .1
      .NOT_RIF      .NOT_IIF      .DONT_OUTNJ      .DONT_GETNUM      .IIT)
%FI
) %:
MACRO L_END_2 = PLIT (
      ITEM (P_BARS .H END_BAR .CHAIN ENDS .CAN TRUNCATE .1
      .NOT_RIF      .NOT_IIF      .DONT_OUTNJ      .DONT_GETNUM      .NOT_IIT)
      .ITEM (P_FOOTNOTE .H END_FOOTNOTE .CHAIN ENDS .CAN TRUNCATE .1
      .NOT_RIF      .NOT_IIF      .DO_OUTNJ      .DONT_GETNUM      .IIT)
      .ITEM (P_LIST .H END_LIST .CHAIN ENDS .CAN TRUNCATE .3
      .NOT_RIF      .NOT_IIF      .DO_OUTNJ      .DO_GETNUM      .NOT_IIT)
      .ITEM (P_LITERAL .H END_LITERAL .CHAIN ENDS .CAN TRUNCATE .3
      .NOT_RIF      .NOT_IIF      .DO_OUTNJ      .DONT_GETNUM      .NOT_IIT)

```

```

        .ITEM (P_NOTE
              ,NOT_RIF
        ,H_END_NOTE
        ,NOT_IF
        ,CHAIN_ENDS
        ,DO_OUTNJ
        ,CAN_TRUNCATE
        ,DO_GETNUM
        ,1
        ,NOT_IIT)
%IF DSRPLUS %THEN
        .ITEM (P_PASSTHROUGH
              ,NOT_RIF
        ,H_END_PASSTHROU
        ,IF
        ,CHAIN_ENDS
        ,DONT_OUTNJ
        ,CAN_TRUNCATE
        ,DONT_GETNUM
        ,1
        ,NOT_IIT)
%FI

        .ITEM (P_SUBPAGE
              ,NOT_RIF
        ,H_END_SUBPAGE
        ,IF
        ,CHAIN_ENDS
        ,DO_OUTNJ
        ,CAN_TRUNCATE
        ,DONT_GETNUM
        ,1
        ,NOT_IIT)
%IF DSRPLUS %THEN
        .ITEM (P_TOPNOTE
              ,NOT_RIF
        ,H_END_TOPNOTE
        ,IF
        ,CHAIN_ENDS
        ,DO_OUTNJ
        ,CAN_TRUNCATE
        ,DO_GETNUM
        ,1
        ,NOT_IIT)
%FI

) %;

MACRO L_FIGURE_2 = PLIT (
        .ITEM (P_00
              ,NOT_RIF
        ,H_FIGURE
        ,NOT_IF
        ,CHAIN_ENDS
        ,DO_OUTNJ
        ,ABBREVIATION
        ,DO_GETNUM
        ,1
        ,NOT_IIT)
        .ITEM (P_DEFERRED
              ,NOT_RIF
        ,H_FIGURE_DEFERR
        ,NOT_IF
        ,CHAIN_ENDS
        ,DO_OUTNJ
        ,CAN_TRUNCATE
        ,DO_GETNUM
        ,1
        ,NOT_IIT)
) %;

MACRO L_FIRST_2 = PLIT (
%IF DSRPLUS %THEN
        .ITEM (P_TITLE
              ,0 ,0 ,0 ,0 ,0)
        ,L_FIRST_TITLE_3,CONTINUES
        ,CAN_TRUNCATE
        ,1
%ELSE
        .ITEM (P_TITLE
              ,NOT_RIF
        ,H_FIRST_TITLE
        ,IF
        ,CHAIN_ENDS
        ,DONT_OUTNJ
        ,CAN_TRUNCATE
        ,DONT_GETNUM
        ,1
        ,IIT)
%FI

) %;

%IF DSRPLUS %THEN
MACRO L_FIRST_TITLE_3 = PLIT (
        .ITEM (P_00
              ,NOT_RIF
        ,H_FIRST_TITLE
        ,IF
        ,CHAIN_ENDS
        ,DONT_OUTNJ
        ,CAN_TRUNCATE
        ,DONT_GETNUM
        ,1
        ,IIT)
        .ITEM (P_ALWAYS
              ,NOT_RIF
        ,H_FIRST_TITLE_A,
        ,IF
        ,CHAIN_ENDS
        ,DONT_OUTNJ
        ,CAN_TRUNCATE
        ,DONT_GETNUM
        ,1
        ,IIT)
        .ITEM (P_DAMMIT
              ,NOT_RIF
        ,H_FIRST_TITLE_A,
        ,IF
        ,CHAIN_ENDS
        ,DONT_OUTNJ
        ,CAN_TRUNCATE
        ,DONT_GETNUM
        ,1
        ,IIT)
) %;
%FI

MACRO L_FLAGS_2 = PLIT (
        .ITEM (P_00
              ,NOT_RIF
        ,H_FLAGS_ALL
        ,IF
        ,CHAIN_ENDS
        ,DONT_OUTNJ
        ,ABBREVIATION
        ,DONT_GETNUM
        ,1
        ,IIT)
        .ITEM (P_ACCEPT
              ,NOT_RIF
        ,H_FLAGS_QUOTE
        ,NOT_IF
        ,CHAIN_ENDS
        ,DONT_OUTNJ
        ,CAN_TRUNCATE
        ,DONT_GETNUM
        ,2
        ,NOT_IIT)
        .ITEM (P_ALL
              ,NOT_RIF
        ,H_FLAGS_ALL
        ,IF
        ,CHAIN_ENDS
        ,DONT_OUTNJ
        ,CAN_TRUNCATE
        ,DONT_GETNUM
        ,2
        ,IIT)
        .ITEM (P_BOLD
              ,NOT_RIF
        ,H_FLAGS_BOLD
        ,IF
        ,CHAIN_ENDS
        ,CAN_TRUNCATE
        ,2
)

```

.ITEM (P_BREAK	.NOT RIF	.NOT IIF	.DONT OUTNJ	.DONT GETNUM	.NOT_IIT)
.ITEM (P_CAPITALIZE	.NOT RIF	.H_FLAGS_BREAK	.CHAIN ENDS	.CAN TRUNCATE	.2
.ITEM (P_COMMENT	.NOT RIF	.NOT IIF	.DONT OUTNJ	.DONT GETNUM	.NOT_IIT)
.ITEM (P_CONTROL	.NOT RIF	.H_FLAGS_CAPITAL	.CHAIN ENDS	.CAN TRUNCATE	.2
.ITEM (P_ENDFOOTNOTE	.NOT RIF	.NOT IIF	.DONT OUTNJ	.DONT GETNUM	.NOT_IIT)
.ITEM (P_HYPHENATE	.NOT RIF	.H_FLAGS_COMMENT	.CHAIN ENDS	.CAN TRUNCATE	.3
.ITEM (P_INDEX	.NOT RIF	.NOT IIF	.DONT OUTNJ	.DONT GETNUM	.NOT_IIT)
.ITEM (P_LOWERCASE	.NOT RIF	.H_FLAGS_CONTROL	.CHAIN ENDS	.CAN TRUNCATE	.3
	.NOT_RIF	.NOT IIF	.DONT OUTNJ	.DONT GETNUM	.NOT_IIT)
		.H_FLAGS_ENDFOOT	.CHAIN ENDS	.CAN TRUNCATE	.1
		.NOT IIF	.DONT OUTNJ	.DONT GETNUM	.IIT)
		.H_FLAGS_HYPHENA	.CHAIN ENDS	.CAN TRUNCATE	.1
		.NOT IIF	.DONT OUTNJ	.DONT GETNUM	.NOT_IIT)
		.H_FLAGS_INDEX	.CHAIN ENDS	.CAN TRUNCATE	.1
		.NOT IIF	.DONT OUTNJ	.DONT GETNUM	.NOT_IIT)
		.H_FLAGS_LOWERCA	.CHAIN ENDS	.CAN TRUNCATE	.1
		.NOT_IIF	.DONT_OUTNJ	.DONT_GETNUM	.NOT_IIT)

%IF DSRPLUS %THEN

.ITEM (P_NOPERMUTE	.NOT RIF	.H_FLAGS_NOPERMU	.CHAIN ENDS	.CAN TRUNCATE	.1
	.NOT_RIF	.NOT_IIF	.DONT_OUTNJ	.DONT_GETNUM	.NOT_IIT)

%FI

.ITEM (P_OVERSTRIKE	.NOT RIF	.H_FLAGS_OVERSTR	.CHAIN ENDS	.CAN TRUNCATE	.1
.ITEM (P_PERIOD	.NOT RIF	.NOT IIF	.DONT OUTNJ	.DONT GETNUM	.NOT_IIT)
.ITEM (P_QUOTE	.NOT RIF	.H_FLAGS_PERIOD	.CHAIN ENDS	.CAN TRUNCATE	.1
.ITEM (P_SPACE	.NOT RIF	.NOT IIF	.DONT OUTNJ	.DONT GETNUM	.NOT_IIT)
.ITEM (P_SUBINDEX	.NOT RIF	.H_FLAGS_QUOTE	.CHAIN ENDS	.CAN TRUNCATE	.1
.ITEM (P_SUBSTITUTE	.NOT RIF	.NOT IIF	.DONT OUTNJ	.DONT GETNUM	.NOT_IIT)
.ITEM (P_UNDERLINE	.NOT RIF	.H_FLAGS_SPACE	.CHAIN ENDS	.CAN TRUNCATE	.2
.ITEM (P_UPPERCASE	.NOT RIF	.NOT IIF	.DONT OUTNJ	.DONT GETNUM	.NOT_IIT)
	.NOT_RIF	.H_FLAGS_SUBINDE	.CHAIN ENDS	.CAN TRUNCATE	.4
		.NOT IIF	.DONT OUTNJ	.DONT GETNUM	.NOT_IIT)
		.H_FLAGS_SUBSTIT	.CHAIN ENDS	.CAN TRUNCATE	.4
		.NOT IIF	.DONT OUTNJ	.DONT GETNUM	.NOT_IIT)
		.H_FLAGS_UNDERLI	.CHAIN ENDS	.CAN TRUNCATE	.2
		.NOT IIF	.DONT OUTNJ	.DONT GETNUM	.NOT_IIT)
		.H_FLAGS_UPPERCA	.CHAIN ENDS	.CAN TRUNCATE	.2
		.NOT_IIF	.DONT_OUTNJ	.DONT_GETNUM	.NOT_IIT)

%IF DSRPLUS %THEN

MACRO L\_FOOTNOTE 3 = PLIT (

.ITEM (P_00	.NOT RIF	.H_NO_NUMBER	.CHAIN ENDS	.CAN TRUNCATE	.1
.ITEM (P_FOOTNOTES	.NOT RIF	.IIF	.DONT OUTNJ	.DONT GETNUM	.IIT)
		.H_NO_NUMBER_FOO	.CHAIN ENDS	.CAN TRUNCATE	.1
		.IIF	.DONT_OUTNJ	.DONT_GETNUM	.IIT)

%FI

MACRO L\_HEADERS 2 = PLIT (

.ITEM (P_00	.NOT RIF	.H_HEADERS_ON	.CHAIN ENDS	.ABBREVIATION	.1
		.IIF	.DONT_OUTNJ	.DONT_GETNUM	.IIT)

%IF DSRPLUS %THEN

.ITEM (P_EXAMPLE		.H_HEADER_EXAMPL	.CHAIN ENDS	.CAN TRUNCATE	.1
------------------	--	------------------	-------------	---------------	----

```

        .ITEM (P_NOT_RIF      .IIF      .DO_OUTNJ      .DONT_GETNUM      .IIT)
        .FIGURE      .H_HEADER_FIGURE .CHAIN_ENDS      .CAN_TRUNCATE      .1
        .NOT_RIF      .IIF      .DO_OUTNJ      .DONT_GETNUM      .IIT)
%FI

        .ITEM (P_LEVEL      .H_HEADER_LEVEL .CHAIN_ENDS      .CAN_TRUNCATE      .2
        .NOT_RIF      .IIF      .DO_OUTNJ      .DO_GETNUM      .IIT)
        .ITEM (P_LOWER      .H_HEADERS_LOWER .CHAIN_ENDS      .CAN_TRUNCATE      .2
        .NOT_RIF      .IIF      .DONT_OUTNJ      .DONT_GETNUM      .IIT)
        .ITEM (P_MIXED      .H_HEADERS_MIXED .CHAIN_ENDS      .CAN_TRUNCATE      .1
        .NOT_RIF      .IIF      .DONT_OUTNJ      .DONT_GETNUM      .IIT)
        .ITEM (P_ON      .H_HEADERS_ON      .CHAIN_ENDS      .CAN_TRUNCATE      .1
        .NOT_RIF      .IIF      .DONT_OUTNJ      .DONT_GETNUM      .IIT)

%IF DSRPLUS %THEN
        .ITEM (P_TABLE      .H_HEADER_TABLE .CHAIN_ENDS      .CAN_TRUNCATE      .1
        .NOT_RIF      .IIF      .DO_OUTNJ      .DONT_GETNUM      .IIT)
%FI

        .ITEM (P_UPPER      .H_HEADERS_UPPER .CHAIN_ENDS      .CAN_TRUNCATE      .1
        .NOT_RIF      .IIF      .DONT_OUTNJ      .DONT_GETNUM      .IIT)
) %;

MACRO L_LEFT_2 = PLIT (
        .ITEM (P_00      .H_LEFT      .CHAIN_ENDS      .ABBREVIATION      .1
        .NOT_RIF      .NOT_IIF      .DO_OUTNJ      .DO_GETNUM      .NOT_IIT)
        .ITEM (P_MARGIN      .H_LEFT_MARGIN .CHAIN_ENDS      .CAN_TRUNCATE      .1
        .NOT_RIF      .NOT_IIF      .DO_OUTNJ      .DO_GETNUM      .NOT_IIT)
) %;

MACRO L_LIST_2 = PLIT (
        .ITEM (P_00      .H_LIST      .CHAIN_ENDS      .ABBREVIATION      .1
        .NOT_RIF      .NOT_IIF      .DO_OUTNJ      .DO_GETNUM      .NOT_IIT)
        .ITEM (P_ELEMENT      .H_LIST_ELEMENT .CHAIN_ENDS      .CAN_TRUNCATE      .1
        .NOT_RIF      .NOT_IIF      .DO_OUTNJ      .DONT_GETNUM      .NOT_IIT)
) %;

MACRO L_LOWER_2 = PLIT (
        .ITEM (P_CASE      .H_LOWER_CASE      .CHAIN_ENDS      .CAN_TRUNCATE      .1
        .NOT_RIF      .NOT_IIF      .DONT_OUTNJ      .DONT_GETNUM      .NOT_IIT)
) %;

MACRO L_NOCONTROL_2 = PLIT (
        .ITEM (P_CHARACTERS      .H_NO_CONTROL_CH .CHAIN_ENDS      .CAN_TRUNCATE      .1
        .NOT_RIF      .NOT_IIF      .DONT_OUTNJ      .DONT_GETNUM      .NOT_IIT)
) %;

MACRO L_NOFLAGS_2 = PLIT (
        .ITEM (P_00      .H_NO_FLAGS_ALL      .CHAIN_ENDS      .ABBREVIATION      .1
        .NOT_RIF      .IIF      .DONT_OUTNJ      .DONT_GETNUM      .NOT_IIT)
        .ITEM (P_ACCEPT      .H_NO_FLAGS_QUOT .CHAIN_ENDS      .CAN_TRUNCATE      .2
        .NOT_RIF      .NOT_IIF      .DONT_OUTNJ      .DONT_GETNUM      .NOT_IIT)
        .ITEM (P_ALL      .H_NO_FLAGS_ALL      .CHAIN_ENDS      .CAN_TRUNCATE      .2
        .NOT_RIF      .IIF      .DONT_OUTNJ      .DONT_GETNUM      .NOT_IIT)
        .ITEM (P_BOLD      .H_NO_FLAGS_BOLD      .CHAIN_ENDS      .CAN_TRUNCATE      .2
        .NOT_RIF      .NOT_IIF      .DONT_OUTNJ      .DONT_GETNUM      .NOT_IIT)
) %;

```

.ITEM (P_BREAK	.H_NO_FLAGS_BREA,CHAIN ENDS	.CAN_TRUNCATE	.2
.NOT_RIF	.NOT_IIF .DONT_OUTNJ	.DONT_GETNUM	.NOT_IIT)
.ITEM (P_CAPITALIZE	.H_NO_FLAGS_CAPI,CHAIN ENDS	.CAN_TRUNCATE	.2
.NOT_RIF	.NOT_IIF .DONT_OUTNJ	.DONT_GETNUM	.NOT_IIT)
.ITEM (P_COMMENT	.H_NO_FLAGS_COMM,CHAIN ENDS	.CAN_TRUNCATE	.3
.NOT_RIF	.NOT_IIF .DONT_OUTNJ	.DONT_GETNUM	.NOT_IIT)
.ITEM (P_CONTROL	.H_NO_FLAGS_CONT,CHAIN ENDS	.CAN_TRUNCATE	.3
.NOT_RIF	.NOT_IIF .DONT_OUTNJ	.DONT_GETNUM	.NOT_IIT)
.ITEM (P_ENDFOOTNOTE	.H_NO_FLAGS_ENDF,CHAIN ENDS	.CAN_TRUNCATE	.1
.NOT_RIF	.NOT_IIF .DONT_OUTNJ	.DONT_GETNUM	.IIT)
.ITEM (P_HYPHENATE	.H_NO_FLAGS_HYPH,CHAIN ENDS	.CAN_TRUNCATE	.1
.NOT_RIF	.NOT_IIF .DONT_OUTNJ	.DONT_GETNUM	.NOT_IIT)
.ITEM (P_INDEX	.H_NO_FLAGS_INDE,CHAIN ENDS	.CAN_TRUNCATE	.1
.NOT_RIF	.NOT_IIF .DONT_OUTNJ	.DONT_GETNUM	.NOT_IIT)
.ITEM (P_LOWERCASE	.H_NO_FLAGS_LOWE,CHAIN ENDS	.CAN_TRUNCATE	.1
.NOT_RIF	.NOT_IIF .DONT_OUTNJ	.DONT_GETNUM	.NOT_IIT)

%IF DSRPLUS %THEN

.ITEM (P_NOPERMUTE	.H_NO_FLAGS_NOPE,CHAIN ENDS	.CAN_TRUNCATE	.1
.NOT_RIF	.NOT_IIF .DONT_OUTNJ	.DONT_GETNUM	.NOT_IIT)

%FI

.ITEM (P_OVERSTRIKE	.H_NO_FLAGS_OVER,CHAIN ENDS	.CAN_TRUNCATE	.1
.NOT_RIF	.NOT_IIF .DONT_OUTNJ	.DONT_GETNUM	.NOT_IIT)
.ITEM (P_PERIOD	.H_NO_FLAGS_PERI,CHAIN ENDS	.CAN_TRUNCATE	.1
.NOT_RIF	.NOT_IIF .DONT_OUTNJ	.DONT_GETNUM	.NOT_IIT)
.ITEM (P_QUOTE	.H_NO_FLAGS_QUOT,CHAIN ENDS	.CAN_TRUNCATE	.1
.NOT_RIF	.NOT_IIF .DONT_OUTNJ	.DONT_GETNUM	.NOT_IIT)
.ITEM (P_SPACE	.H_NO_FLAGS_SPAC,CHAIN ENDS	.CAN_TRUNCATE	.2
.NOT_RIF	.NOT_IIF .DONT_OUTNJ	.DONT_GETNUM	.NOT_IIT)
.ITEM (P_SUBINDEX	.H_NO_FLAGS_SUBI,CHAIN ENDS	.CAN_TRUNCATE	.4
.NOT_RIF	.NOT_IIF .DONT_OUTNJ	.DONT_GETNUM	.NOT_IIT)
.ITEM (P_SUBSTITUTE	.H_NO_FLAGS_SUBS,CHAIN ENDS	.CAN_TRUNCATE	.4
.NOT_RIF	.NOT_IIF .DONT_OUTNJ	.DONT_GETNUM	.NOT_IIT)
.ITEM (P_UNDERLINE	.H_NO_FLAGS_UNDE,CHAIN ENDS	.CAN_TRUNCATE	.2
.NOT_RIF	.NOT_IIF .DONT_OUTNJ	.DONT_GETNUM	.NOT_IIT)
.ITEM (P_UPPERCASE	.H_NO_FLAGS_UPPE,CHAIN ENDS	.CAN_TRUNCATE	.2
.NOT_RIF	.NOT_IIF .DONT_OUTNJ	.DONT_GETNUM	.NOT_IIT)

) %:

MACRO L\_NO\_2 = PLIT (

%IF DSRPLUS %THEN

.ITEM (P_AUTOJUSTIFY	.H_NO_AUTOJUSTIF,CHAIN ENDS	.CAN_TRUNCATE	.5
.NOT_RIF	.IIF .DONT_OUTNJ	.DONT_GETNUM	.IIT)

%ELSE

.ITEM (P_AUTOJUSTIFY	.H_NO_AUTOJUSTIF,CHAIN ENDS	.CAN_TRUNCATE	.5
.NOT_RIF	.IIF .DONT_OUTNJ	.DONT_GETNUM	.IIT)

%FI

.ITEM (P_AUTOPARAGRAPH	.H_NO_AUTOPARAGR,CHAIN ENDS	.CAN_TRUNCATE	.5
.NOT_RIF	.NOT_IIF .DONT_OUTNJ	.DONT_GETNUM	.NOT_IIT)
.ITEM (P_AUTOSUBTITLE	.H_NO_AUTOSUBTIT,CHAIN ENDS	.CAN_TRUNCATE	.5
.NOT_RIF	.IIF .DONT_OUTNJ	.DONT_GETNUM	.IIT)
.ITEM (P_AUTOTABLE	.H_NO_AUTOTABLE,CHAIN ENDS	.CAN_TRUNCATE	.6
.NOT_RIF	.NOT_IIF .DONT_OUTNJ	.DONT_GETNUM	.NOT_IIT)



```

%IF DSRPLUS %THEN
  .ITEM (P_EXAMPLE ,H_NUMBER_EXAMPL,CHAIN ENDS ,CAN TRUNCATE .1
        ,NOT_RIF ,IIF ,DONT OUTNJ ,DO_GETNUM ,IIT)
  .ITEM (P_FIGURE ,H_NUMBER_FIGURE,CHAIN ENDS ,CAN TRUNCATE .2
        ,NOT_RIF ,IIF ,DONT OUTNJ ,DO_GETNUM ,IIT)
  .ITEM (P_FOOTNOTES ,H_NUMBER_FOOTNO,CHAIN ENDS ,CAN TRUNCATE .2
        ,NOT_RIF ,IIF ,DONT OUTNJ ,DONT_GETNUM ,IIT)
%FI

  .ITEM (P_INDEX ,H_NUMBER_INDEX ,CHAIN ENDS ,CAN TRUNCATE .1
        ,NOT_RIF ,IIF ,DONT OUTNJ ,DONT_GETNUM ,IIT)
  .ITEM (P_LEVEL ,H_NUMBER_LEVEL ,CHAIN ENDS ,CAN TRUNCATE .2
        ,NOT_RIF ,IIF ,DONT OUTNJ ,DONT_GETNUM ,IIT)
  .ITEM (P_LIST ,H_NUMBER_LIST ,CHAIN ENDS ,CAN TRUNCATE .2
        ,NOT_RIF ,NOT_IIF ,DONT OUTNJ ,DONT_GETNUM ,NOT_IIT)
  .ITEM (P_PAGE ,H_NUMBER_PAGE ,CHAIN ENDS ,CAN TRUNCATE .1
        ,NOT_RIF ,IIF ,DONT OUTNJ ,DO_GETNUM ,IIT)
  .ITEM (P_RUNNING ,H_NUMBER_RUNNIN,CHAIN ENDS ,CAN TRUNCATE .1
        ,NOT_RIF ,IIF ,DONT OUTNJ ,DO_GETNUM ,IIT)
  .ITEM (P_SUBPAGE ,H_NUMBER_SUBPAG,CHAIN ENDS ,CAN TRUNCATE .1
        ,NOT_RIF ,IIF ,DONT OUTNJ ,DO_GETNUM ,IIT)

%IF DSRPLUS %THEN
  .ITEM (P_TABLE ,H_NUMBER_TABLE,CHAIN ENDS ,CAN TRUNCATE .1
        ,NOT_RIF ,IIF ,DONT OUTNJ ,DO_GETNUM ,IIT)
%FI

) %;

MACRO L_PAGE_2 = PLIT (
  .ITEM (P_00 ,H_PAGE ,CHAIN ENDS ,ABBREVIATION .1
        ,NOT_RIF ,IIF ,DO_OUTNJ ,DONT_GETNUM ,IIT)

%IF DSRPLUS %THEN
  .ITEM (P_NOW ,H_PAGE_NOW ,CHAIN ENDS ,CAN TRUNCATE .1
        ,NOT_RIF ,IIF ,DO_OUTNJ ,DONT_GETNUM ,IIT)
%FI

  .ITEM (P_SIZE ,H_PAGE_SIZE ,CHAIN ENDS ,CAN TRUNCATE .1
        ,NOT_RIF ,IIF ,DO_OUTNJ ,DONT_GETNUM ,IIT)
) %;

MACRO L_PAPER_2 = PLIT (
  .ITEM (P_SIZE ,H_PAGE_SIZE ,CHAIN ENDS ,CAN TRUNCATE .1
        ,NOT_RIF ,IIF ,DO_OUTNJ ,DONT_GETNUM ,IIT)
) %;

MACRO L_PRIMARY_1 = PLIT (
  .ITEM (P_01 ,H_COMMENT ,CHAIN ENDS ,ABBREVIATION .1
        ,NOT_RIF ,NOT_IIF ,DONT OUTNJ ,DONT_GETNUM ,NOT_IIT)
  .ITEM (P_00 ,H_BREAK ,CHAIN ENDS ,ABBREVIATION .1
        ,NOT_RIF ,NOT_IIF ,DO_OUTNJ ,DONT_GETNUM ,NOT_IIT)
  .ITEM (P_AJ ,H_AUTOJUSTIFY,CHAIN ENDS ,ABBREVIATION .2
        ,NOT_RIF ,IIF ,DONT OUTNJ ,DONT_GETNUM ,IIT)
  .ITEM (P_AP ,H_AUTOPARAGRAPH,CHAIN ENDS ,ABBREVIATION .2

```

```

        .NOT_RIF      .NOT_IIF      .DONT_OUTNJ      .DONT_GETNUM      .NOT_IIT)
.ITEM (P_APPENDIX   .H_APPENDIX     .CHAIN_ENDS      .CAN_TRUNCATE     .3
        .NOT_RIF      .IIF            .DO_OUTNJ        .DONT_GETNUM      .IIT)
.ITEM (P_AST        .H_AUTOSUBTITLE .CHAIN_ENDS      .ABBREVIATION     .3
        .NOT_RIF      .IIF            .DONT_OUTNJ      .DO_GETNUM        .IIT)
.ITEM (P_AT         .H_AUTOTABLE    .CHAIN_ENDS      .ABBREVIATION     .2
        .NOT_RIF      .NOT_IIF        .DONT_OUTNJ      .DONT_GETNUM      .NOT_IIT)

%IF DSRPLUS %THEN
.ITEM (P_ATI        .H_AUTOTITLE    .CHAIN_ENDS      .ABBREVIATION     .3
        .NOT_RIF      .IIF            .DONT_OUTNJ      .DONT_GETNUM      .IIT)
%FI

.ITEM (P_AUTOJUSTIFY .H_AUTOJUSTIFY  .CHAIN_ENDS      .CAN_TRUNCATE     .5
        .NOT_RIF      .IIF            .DONT_OUTNJ      .DONT_GETNUM      .IIT)
.ITEM (P_AUTOPARAGRAPH .H_AUTOPARAGRAPH .CHAIN_ENDS      .CAN_TRUNCATE     .5
        .NOT_RIF      .NOT_IIF        .DONT_OUTNJ      .DONT_GETNUM      .NOT_IIT)
.ITEM (P_AUTOSUBTITLE .H_AUTOSUBTITLE .CHAIN_ENDS      .CAN_TRUNCATE     .5
        .NOT_RIF      .IIF            .DONT_OUTNJ      .DO_GETNUM        .IIT)
.ITEM (P_AUTOTABLE   .H_AUTOTABLE    .CHAIN_ENDS      .CAN_TRUNCATE     .5
        .NOT_RIF      .NOT_IIF        .DONT_OUTNJ      .DONT_GETNUM      .NOT_IIT)

%IF DSRPLUS %THEN
.ITEM (P_AUTOTITLE   .H_AUTOTITLE    .CHAIN_ENDS      .CAN_TRUNCATE     .3
        .NOT_RIF      .IIF            .DONT_OUTNJ      .DONT_GETNUM      .IIT)
%FI

.ITEM (P_AX         .H_APPENDIX     .CHAIN_ENDS      .ABBREVIATION     .2
        .NOT_RIF      .IIF            .DO_OUTNJ        .DONT_GETNUM      .IIT)
.ITEM (P_B          .H_BLANK        .CHAIN_ENDS      .ABBREVIATION     .1
        .NOT_RIF      .NOT_IIF        .DO_OUTNJ        .DO_GETNUM        .NOT_IIT)
.ITEM (P_BB         .H_BEGIN_BAR    .CHAIN_ENDS      .ABBREVIATION     .2
        .NOT_RIF      .NOT_IIF        .DONT_OUTNJ      .DONT_GETNUM      .NOT_IIT)
.ITEM (P_BEGIN      .L_BEGIN_2      .CONTINUES       .CAN_TRUNCATE     .2
        .0 .0 .0 .0 .0)
.ITEM (P_BLANK      .H_BLANK        .CHAIN_ENDS      .CAN_TRUNCATE     .2
        .NOT_RIF      .NOT_IIF        .DO_OUTNJ        .DO_GETNUM        .NOT_IIT)
.ITEM (P_BREAK      .H_BREAK        .CHAIN_ENDS      .CAN_TRUNCATE     .2
        .NOT_RIF      .NOT_IIF        .DO_OUTNJ        .DONT_GETNUM      .NOT_IIT)

%IF DSRPLUS %THEN
.ITEM (P_BTN        .H_BEGIN_TOPNOTE .CHAIN_ENDS      .ABBREVIATION     .3
        .NOT_RIF      .IIF            .DO_OUTNJ        .DO_GETNUM        .IIT)
%FI

.ITEM (P_C          .H_CENTER       .CHAIN_ENDS      .ABBREVIATION     .1
        .NOT_RIF      .NOT_IIF        .DO_OUTNJ        .DO_GETNUM        .NOT_IIT)
.ITEM (P_CC         .H_CONTROL_CHARA .CHAIN_ENDS      .ABBREVIATION     .2
        .NOT_RIF      .NOT_IIF        .DONT_OUTNJ      .DONT_GETNUM      .NOT_IIT)
.ITEM (P_CENTER     .H_CENTER       .CHAIN_ENDS      .CAN_TRUNCATE     .5
        .NOT_RIF      .NOT_IIF        .DO_OUTNJ        .DO_GETNUM        .NOT_IIT)
.ITEM (P_CENTRE     .H_CENTER       .CHAIN_ENDS      .CAN_TRUNCATE     .5
        .NOT_RIF      .NOT_IIF        .DO_OUTNJ        .DO_GETNUM        .NOT_IIT)
.ITEM (P_CHAPTER    .H_CHAPTER      .CHAIN_ENDS      .CAN_TRUNCATE     .2
        .NOT_RIF      .IIF            .DO_OUTNJ        .DONT_GETNUM      .IIT)
.ITEM (P_COMMENT    .H_COMMENT      .CHAIN_ENDS      .CAN_TRUNCATE     .3

```











```

.ITEM (P_0,0,0,0,0) .H_NUMBER_APPEND,CHAIN ENDS .ABBREVIATION .4
      .NOT_RIF .IF .DONT_OUTNJ .DO_GETNUM .IIT)
.ITEM (P_NMAX .H_NUMBER_APPEND,CHAIN ENDS .ABBREVIATION .4
      .NOT_RIF .IF .DONT_OUTNJ .DO_GETNUM .IIT)
.ITEM (P_NMCR .H_NUMBER_CHAPTE,CHAIN ENDS .ABBREVIATION .4
      .NOT_RIF .IF .DONT_OUTNJ .DO_GETNUM .IIT)

```

%IF DSRPLUS %THEN

```

.ITEM (P_NMAX .H_NUMBER_EXAMPL,CHAIN ENDS .ABBREVIATION .4
      .NOT_RIF .IF .DONT_OUTNJ .DO_GETNUM .IIT)
.ITEM (P_NMFG .H_NUMBER_FIGURE,CHAIN ENDS .ABBREVIATION .4
      .NOT_RIF .IF .DONT_OUTNJ .DO_GETNUM .IIT)

```

%FI

```

.ITEM (P_NMLS .H_NUMBER_LIST,CHAIN ENDS .ABBREVIATION .4
      .NOT_RIF .NOT_IF .DONT_OUTNJ .DONT_GETNUM .NOT_IIT)
.ITEM (P_NMLV .H_NUMBER_LEVEL,CHAIN ENDS .ABBREVIATION .4
      .NOT_RIF .IF .DONT_OUTNJ .DONT_GETNUM .IIT)
.ITEM (P_NMNDX .H_NUMBER_INDEX,CHAIN ENDS .ABBREVIATION .5
      .NOT_RIF .IF .DONT_OUTNJ .DONT_GETNUM .IIT)
.ITEM (P_NMPG .H_NUMBER_PAGE,CHAIN ENDS .ABBREVIATION .4
      .NOT_RIF .IF .DONT_OUTNJ .DO_GETNUM .IIT)
.ITEM (P_NMR .H_NUMBER_RUNNIN,CHAIN ENDS .ABBREVIATION .3
      .NOT_RIF .IF .DONT_OUTNJ .DO_GETNUM .IIT)
.ITEM (P_NMSPG .H_NUMBER_SUBPAG,CHAIN ENDS .ABBREVIATION .5
      .NOT_RIF .IF .DONT_OUTNJ .DO_GETNUM .IIT)

```

%IF DSRPLUS %THEN

```

.ITEM (P_NMTB .H_NUMBER_TABLE,CHAIN ENDS .ABBREVIATION .4
      .NOT_RIF .IF .DONT_OUTNJ .DO_GETNUM .IIT)
.ITEM (P_NNF .H_NO_NUMBER_FOO,CHAIN ENDS .ABBREVIATION .3
      .NOT_RIF .IF .DONT_OUTNJ .DONT_GETNUM .IIT)

```

%FI

```

.ITEM (P_NNM .H_NO_NUMBER,CHAIN ENDS .ABBREVIATION .3
      .NOT_RIF .IF .DONT_OUTNJ .DONT_GETNUM .IIT)
.ITEM (P_NO .L_NO_2,CONTINUES .ABBREVIATION .2
      .0,0,0,0,0)
.ITEM (P_NOAUTOJUSTIFY .H_NO_AUTOJUSTIF,CHAIN ENDS .CAN_TRUNCATE .7
      .NOT_RIF .IF .DONT_OUTNJ .DONT_GETNUM .IIT)
.ITEM (P_NOAUTOPARAGRA .H_NO_AUTOPARAGR,CHAIN ENDS .CAN_TRUNCATE .7
      .NOT_RIF .NOT_IF .DONT_OUTNJ .DONT_GETNUM .NOT_IIT)
.ITEM (P_NOAUTOSUBTITL .H_NO_AUTOSUBTIT,CHAIN ENDS .CAN_TRUNCATE .7
      .NOT_RIF .IF .DONT_OUTNJ .DONT_GETNUM .IIT)
.ITEM (P_NOAUTOTABLE .H_NO_AUTOTABLE,CHAIN ENDS .CAN_TRUNCATE .7
      .NOT_RIF .NOT_IF .DONT_OUTNJ .DONT_GETNUM .NOT_IIT)

```

%IF DSRPLUS %THEN

```

.ITEM (P_NOAUTOTITLE .H_NO_AUTOTITLE,CHAIN ENDS .CAN_TRUNCATE .3
      .NOT_RIF .IF .DONT_OUTNJ .DONT_GETNUM .IIT)
.ITEM (P_NOCRAPTER .H_NO_CHAPTER,CHAIN ENDS .CAN_TRUNCATE .4
      .0,0,C,0,0)

```

%FI

```

.ITEM (P_NOCONTROL .L_NOCONTROL_2,CONTINUES .CAN_TRUNCATE .3
      .0,0,0,0,0)
.ITEM (P_NODATE .H_NO_DATE,CHAIN ENDS .CAN_TRUNCATE .3

```

RUNT

BIND

%IF  
BIND  
BIND  
%FI

BIND  
BIND  
BIND  
BIND  
BIND

%IF  
BIND  
BIND  
%FI

BIND  
BIND  
BIND  
BIND

%IF  
BIND  
%FI

BIND  
BIND  
BIND  
BIND

%IF  
BIND  
%FI

BIND  
BIND  
BIND

%IF  
BIND  
%FI

BIND  
BIND  
BIND  
BIND

%IF  
BIND  
%FI

```

.ITEM (P_NOT_RIF .IIF .DONT_OUTNJ .DONT_GETNUM .IIT)
      .NOFILL .H_NO_FILL .CHAIN_ENDS .CAN_TRUNCATE .4
.ITEM (P_NOT_RIF .NOT_IIF .DO_OUTNJ .DONT_GETNUM .NOT_IIT)
      .NOFLAGS .L_NOFLAGS_2 .CONTINUES .CAN_TRUNCATE .4
.ITEM (P_NOHEADERS .H_NO_HEADERS .CHAIN_ENDS .CAN_TRUNCATE .4
      .NOT_RIF .IIF .DONT_OUTNJ .DONT_GETNUM .IIT)
.ITEM (P_NOHYPHENATION .H_NO_HYPHENATIO .CHAIN_ENDS .CAN_TRUNCATE .4
      .NOT_RIF .NOT_IIF .DONT_OUTNJ .DONT_GETNUM .NOT_IIT)
.ITEM (P_NOJUSTIFY .H_NO_JUSTIFY .CHAIN_ENDS .CAN_TRUNCATE .3
      .NOT_RIF .NOT_IIF .DO_OUTNJ .DONT_GETNUM .NOT_IIT)
.ITEM (P_NOKEEP .H_NO_KEEP .CHAIN_ENDS .CAN_TRUNCATE .3
      .NOT_RIF .NOT_IIF .DONT_OUTNJ .DONT_GETNUM .NOT_IIT)
.ITEM (P_NONUMBER .H_NO_NUMBER .CHAIN_ENDS .CAN_TRUNCATE .3
      .NOT_RIF .IIF .DONT_OUTNJ .DONT_GETNUM .IIT)
.ITEM (P_NOPAGING .H_NO_PAGING .CHAIN_ENDS .CAN_TRUNCATE .4
      .NOT_RIF .IIF .DONT_OUTNJ .DONT_GETNUM .IIT)
.ITEM (P_NOPERIOD .H_NO_PERIOD .CHAIN_ENDS .CAN_TRUNCATE .4
      .NOT_RIF .NOT_IIF .DONT_OUTNJ .DONT_GETNUM .NOT_IIT)
.ITEM (P_NOSPACE .H_NO_SPACE .CHAIN_ENDS .CAN_TRUNCATE .4
      .NOT_RIF .NOT_IIF .DONT_OUTNJ .DONT_GETNUM .NOT_IIT)
.ITEM (P_NOSUBTITLE .H_NO_SUBTITLE .CHAIN_ENDS .CAN_TRUNCATE .4
      .NOT_RIF .IIF .DONT_OUTNJ .DONT_GETNUM .IIT)
.ITEM (P_NOTE .H_NOTE .CHAIN_ENDS .CAN_TRUNCATE .3
      .NOT_RIF .NOT_IIF .DO_OUTNJ .DONT_GETNUM .NOT_IIT)

```

%IF DSRPLUS %THEN

```

.ITEM (P_NOTOPNOTE .H_NO_TOPNOTE .CHAIN_ENDS .CAN_TRUNCATE .4
      .NOT_RIF .IIF .DONT_OUTNJ .DO_GETNUM .IIT)

```

%FI

```

.ITEM (P_NPA .H_NO_PAGING .CHAIN_ENDS .ABBREVIATION .3
      .NOT_RIF .IIF .DONT_OUTNJ .DONT_GETNUM .IIT)
.ITEM (P_NPR .H_NO_PERIOD .CHAIN_ENDS .ABBREVIATION .3
      .NOT_RIF .NOT_IIF .DONT_OUTNJ .DONT_GETNUM .NOT_IIT)
.ITEM (P_NSP .H_NO_SPACE .CHAIN_ENDS .ABBREVIATION .3
      .NOT_RIF .NOT_IIF .DONT_OUTNJ .DONT_GETNUM .NOT_IIT)
.ITEM (P_NST .H_NO_SUBTITLE .CHAIN_ENDS .ABBREVIATION .3
      .NOT_RIF .IIF .DONT_OUTNJ .DONT_GETNUM .IIT)
.ITEM (P_NT .H_NOTE .CHAIN_ENDS .ABBREVIATION .2
      .NOT_RIF .NOT_IIF .DO_OUTNJ .DONT_GETNUM .NOT_IIT)

```

%IF DSRPLUS %THEN

```

.ITEM (P_NTN .H_NO_TOPNOTE .CHAIN_ENDS .ABBREVIATION .3
      .NOT_RIF .IIF .DONT_OUTNJ .DO_GETNUM .IIT)

```

%FI

```

.ITEM (P_NUMBER .L_NUMBER_2 .CONTINUES .CAN_TRUNCATE .2
      .0 .0 .0 .0 .0)
.ITEM (P_P .H_PARAGRAPH .CHAIN_ENDS .ABBREVIATION .1
      .NOT_RIF .NOT_IIF .DO_OUTNJ .DONT_GETNUM .NOT_IIT)
.ITEM (P_PA .H_PAGING .CHAIN_ENDS .ABBREVIATION .2
      .NOT_RIF .IIF .DO_OUTNJ .DONT_GETNUM .IIT)
.ITEM (P_PAGE .L_PAGE_2 .CONTINUES .CAN_TRUNCATE .4
      .0 .0 .0 .0 .0)
.ITEM (P_PAGING .H_PAGING .CHAIN_ENDS .CAN_TRUNCATE .4

```

BIND

BIND

BIND

BIND

BIND

BIND

BIND

BIND

BIND

%IF

BIND

%FI

BIND

BIND

BIND

BIND

BIND

BIND

BIND

%IF

BIND

%FI

BIND

BIND

BIND

BIND

BIND

BIND

BIND

%IF

BIND

BIND

%FI

BIND

BIND

BIND

BIND

BIND

BIND

BIND

BIND

BIND

BIND

```

.ITEM (P .NOT RIF .IIF .DO OUTNJ .DONT GETNUM .IIT)
      .PAPER .L_PAPER_2 .CONTINUES .CAN_TRUNCATE .3
      .0 .0 .0 .0 .0)
.ITEM (P .PARAGRAPH .H PARAGRAPH .CHAIN ENDS .CAN_TRUNCATE .3
      .NOT RIF .NOT IIF .DO OUTNJ .DONT GETNUM .NOT_IIT)
.ITEM (P .PERIOD .H PERIOD .CHAIN ENDS .CAN_TRUNCATE .2
      .NOT RIF .NOT IIF .DONT OUTNJ .DONT GETNUM .NOT_IIT)
.ITEM (P .PG .H PAGE .CHAIN ENDS .ABBREVIATION .2
      .NOT RIF .IIF .DO OUTNJ .DONT GETNUM .IIT)
.ITEM (P .PR .H PERIOD .CHAIN ENDS .ABBREVIATION .2
      .NOT RIF .NOT IIF .DONT OUTNJ .DONT GETNUM .NOT_IIT)
.ITEM (P .PRINT .L_PRINT_2 .CONTINUES .CAN_TRUNCATE .3
      .0 .0 .0 .0 .0)
.ITEM (P .PS .H PAGE_SIZE .CHAIN ENDS .ABBREVIATION .2
      .NOT RIF .IIF .DO OUTNJ .DONT GETNUM .IIT)
.ITEM (P .PX .H PRINT_INDEX .CHAIN ENDS .ABBREVIATION .2
      .NOT RIF .IIF .DO OUTNJ .DONT GETNUM .IIT)
.ITEM (P .R .H RIGHT .CHAIN ENDS .ABBREVIATION .1
      .NOT RIF .NOT_IIF .DO_OUTNJ .DO_GETNUM .NOT_IIT)

```

XIF DSRPLUS XTHEN

```

.ITEM (P .REFERENCEPOINT .H REFERENCEPOINT .CHAIN ENDS .CAN_TRUNCATE .3
      .NOT RIF .IIF .DONT_OUTNJ .DONT_GETNUM .IIT)

```

XFI

```

.ITEM (P .REPEAT .H REPEAT .CHAIN ENDS .CAN_TRUNCATE .3
      .NOT RIF .NOT_IIF .DONT_OUTNJ .DO_GETNUM .NOT_IIT)
.ITEM (P .REQUIRE .H REQUIRE .CHAIN ENDS .CAN_TRUNCATE .3
      .NOT RIF .NOT_IIF .DONT_OUTNJ .DONT_GETNUM .NOT_IIT)
.ITEM (P .RESTORE .H RESTORE .CHAIN ENDS .CAN_TRUNCATE .3
      .NOT RIF .NOT_IIF .DO_OUTNJ .DONT_GETNUM .NOT_IIT)
.ITEM (P .RIGHT .L_RIGHT_2 .CONTINUES .CAN_TRUNCATE .2
      .0 .0 .0 .0 .0)
.ITEM (P .RM .H RIGHT_MARGIN .CHAIN ENDS .ABBREVIATION .2
      .NOT RIF .NOT_IIF .DO_OUTNJ .DO_GETNUM .NOT_IIT)
.ITEM (P .RPT .H REPEAT .CHAIN ENDS .ABBREVIATION .3
      .NOT RIF .NOT_IIF .DONT_OUTNJ .DO_GETNUM .NOT_IIT)
.ITEM (P .S .H SRIP .CHAIN ENDS .ABBREVIATION .1
      .NOT RIF .NOT_IIF .DO_OUTNJ .DO_GETNUM .NOT_IIT)
.ITEM (P .SAVE .L_SAVE_2 .CONTINUES .CAN_TRUNCATE .2
      .0 .0 .0 .0 .0)

```

XIF DSRPLUS XTHEN

```

.ITEM (P .SCNT .H SET_COUNTER .CHAIN ENDS .ABBREVIATION .4
      .NOT RIF .NOT_IIF .DO_OUTNJ .DONT_GETNUM .NOT_IIT)
.ITEM (P .SCO .H SEND_CONTENTS .CHAIN ENDS .ABBREVIATION .3
      .NOT RIF .IIF .DO_OUTNJ .DONT_GETNUM .IIT)

```

XFI

```

.ITEM (P .SD .H STANDARD .CHAIN ENDS .ABBREVIATION .2
      .NOT RIF .IIF .DO_OUTNJ .DO_GETNUM .IIT)
.ITEM (P .SDT .H SET_DATE .CHAIN ENDS .ABBREVIATION .3
      .NOT RIF .NOT_IIF .DO_OUTNJ .DONT_GETNUM .NOT_IIT)
.ITEM (P .SEND .L_SEND_2 .CONTINUES .CAN_TRUNCATE .3
      .0 .0 .0 .0 .0)

```

```

BIND
BIND
BIND
BIND
XIF
BIND
XFI
BIND
XIF
BIND
XFI
BIND
BIND
BIND
BIND
XIF
BIND
XFI
BIND
XIF
BIND
XFI
BIND
XIF
BIND
XFI
BIND
XIF
BIND
XFI

```

```

.ITEM (P_SET .L_SET_2 .CONTINUES .CAN_TRUNCATE .3
      .0 .0 .0 .0 .0)
.ITEM (P_SKIP .H_SKIP .CHAIN_ENDS .CAN_TRUNCATE .2
      .NOT_RIF .NOT_IIF .DO_OUTNJ .DO_GETNUM .NOT_IIT)
.ITEM (P_SL .H_SET_LEVEL .CHAIN_ENDS .ABBREVIATION .2
      .NOT_RIF .IIF .DO_OUTNJ .DO_GETNUM .IIT)
.ITEM (P_SP .H_SPACING .CHAIN_ENDS .ABBREVIATION .2
      .NOT_RIF .NOT_IIF .DO_OUTNJ .DO_GETNUM .NOT_IIT)
.ITEM (P_SPACING .H_SPACING .CHAIN_ENDS .CAN_TRUNCATE .2
      .NOT_RIF .NOT_IIF .DO_OUTNJ .DO_GETNUM .NOT_IIT)
.ITEM (P_SPG .H_SOBPAGE .CHAIN_ENDS .ABBREVIATION .3
      .NOT_RIF .IIF .DC_OUTNJ .DONT_GETNUM .IIT)
.ITEM (P_SPR .H_SET_PARAGRAPH .CHAIN_ENDS .ABBREVIATION .3
      .NOT_RIF .NOT_IIF .DO_OUTNJ .DONT_GETNUM .NOT_IIT)
.ITEM (P_ST .H_SOBTITLE .CHAIN_ENDS .ABBREVIATION .2
      .NOT_RIF .IIF .DO_OUTNJ .DONT_GETNUM .IIT)
.ITEM (P_STANDARD .H_STANDARD .CHAIN_ENDS .CAN_TRUNCATE .4
      .NOT_RIF .IIF .DO_OUTNJ .DO_GETNUM .IIT)

```

%IF DSRPLUS %THEN

```

.ITEM (P_STAP .H_STYLE_APPENDIX .CHAIN_ENDS .ABBREVIATION .4
      .NOT_RIF .IIF .DO_OUTNJ .DONT_GETNUM .IIT)

```

%FI

```

.ITEM (P_STC .H_SEND_TOC .CHAIN_ENDS .ABBREVIATION .3
      .NOT_RIF .IIF .DO_OUTNJ .DO_GETNUM .IIT)

```

%IF DSRPLUS %THEN

```

.ITEM (P_STCH .H_STYLE_CHAPTER .CHAIN_ENDS .ABBREVIATION .4
      .NOT_RIF .IIF .DO_OUTNJ .DONT_GETNUM .IIT)

```

%FI

```

.ITEM (P_STDT .H_STYLE_DATE .CHAIN_ENDS .ABBREVIATION .4
      .NOT_RIF .NOT_IIF .DO_OUTNJ .DONT_GETNUM .NOT_IIT)

```

%IF DSRPLUS %THEN

```

.ITEM (P_STEX .H_STYLE_EXAMPLE .CHAIN_ENDS .ABBREVIATION .4
      .NOT_RIF .IIF .DO_OUTNJ .DONT_GETNUM .IIT)
.ITEM (P_STFG .H_STYLE_FIGURE .CHAIN_ENDS .ABBREVIATION .4
      .NOT_RIF .IIF .DO_OUTNJ .DONT_GETNUM .IIT)

```

%FI

```

.ITEM (P_STHL .H_STYLE_HEADERS .CHAIN_ENDS .ABBREVIATION .4
      .NOT_RIF .IIF .DO_OUTNJ .DONT_GETNUM .IIT)
.ITEM (P_STM .H_SET_TIME .CHAIN_ENDS .ABBREVIATION .3
      .NOT_RIF .NOT_IIF .DO_OUTNJ .DONT_GETNUM .NOT_IIT)

```

%IF DSRPLUS %THEN

```

.ITEM (P_STTB .H_STYLE_TABLE .CHAIN_ENDS .ABBREVIATION .4
      .NOT_RIF .IIF .DO_OUTNJ .DONT_GETNUM .IIT)

```

%FI

```

.ITEM (P_STTM .H_STYLE_TIME .CHAIN_ENDS .ABBREVIATION .4
      .NOT_RIF .NOT_IIF .DO_OUTNJ .DONT_GETNUM .NOT_IIT)

```

%IF DSRPLUS %THEN

RUNT

%FI

BIND

%IF

BIND

%FI

BIND

BIND

BIND

BIND

BIND

BIND

BIND

BIND

BIND

%IF

BIND

%FI

BIND

BIND

BIND

%IF

BIND

%FI

: En

```

%FI
.ITEM (P_STXT
      .NOT_RIF
      .H SET TEXTSTRIN
      .NOT_IIF
      .CHAIN ENDS
      .DO_OUTNJ
      .ABBREVIATION
      .DONT_GETNUM
      .4
      .NOT_IIT)

.ITEM (P_STYLE
      .0 .0 .0 .0 .0)
      .L_STYLE_2
      .CONTINUES
      .CAN_TRUNCATE
      .3

.ITEM (P_SUBINDEX
      .NOT_RIF
      .H SUBINDEX
      .NOT_IIF
      .CHAIN ENDS
      .DONT_OUTNJ
      .DONT_GETNUM
      .CAN_TRUNCATE
      .4
      .NOT_IIT)

.ITEM (P_SUBPAGE
      .NOT_RIF
      .H SUBPAGE
      .CHAIN ENDS
      .DO_OUTNJ
      .DONT_GETNUM
      .CAN_TRUNCATE
      .4
      .IIT)

.ITEM (P_SUBTITLE
      .NOT_RIF
      .H SUBTITLE
      .CHAIN ENDS
      .DO_OUTNJ
      .DONT_GETNUM
      .CAN_TRUNCATE
      .5
      .IIT)

.ITEM (P_SUBTTL
      .NOT_RIF
      .H SUBTITLE
      .CHAIN ENDS
      .DO_OUTNJ
      .DONT_GETNUM
      .CAN_TRUNCATE
      .5
      .IIT)

.ITEM (P_T
      .NOT_RIF
      .H TITLE
      .CHAIN ENDS
      .DO_OUTNJ
      .DONT_GETNUM
      .ABBREVIATION
      .1
      .IIT)

.ITEM (P_TAB
      .0 .0 .0 .0 .0)
      .L_TAB_2
      .CONTINUES
      .CAN_TRUNCATE
      .2

.ITEM (P_TEST
      .0 .0 .0 .0 .0)
      .L_TEST_2
      .CONTINUES
      .CAN_TRUNCATE
      .2

.ITEM (P_TITLE
      .NOT_RIF
      .H TITLE
      .CHAIN ENDS
      .DO_OUTNJ
      .DONT_GETNUM
      .CAN_TRUNCATE
      .2
      .IIT)

%IF DSRPLUS %THEN
.ITEM (P_TN
      .0 .0 .0 .0 .0)
      .L_TOPNOTE_2
      .CONTINUES
      .ABBREVIATION
      .2

.ITEM (P_TOPNOTE
      .0 .0 .0 .0 .0)
      .L_TOPNOTE_2
      .CONTINUES
      .CAN_TRUNCATE
      .2

%FI

.ITEM (P_TP
      .NOT_RIF
      .H TEST_PAGE
      .IIF
      .CHAIN ENDS
      .DO_OUTNJ
      .DONT_GETNUM
      .ABBREVIATION
      .2
      .IIT)

.ITEM (P_TS
      .NOT_RIF
      .H TAB STOPS
      .CHAIN ENDS
      .DONT_OUTNJ
      .DONT_GETNUM
      .ABBREVIATION
      .2
      .NOT_IIT)

.ITEM (P_UC
      .NOT_RIF
      .H UPPER_CASE
      .CHAIN ENDS
      .DONT_OUTNJ
      .DONT_GETNUM
      .ABBREVIATION
      .2
      .NOT_IIT)

.ITEM (P_UPPER
      .0 .0 .0 .0 .0)
      .L_UPPER_2
      .CONTINUES
      .CAN_TRUNCATE
      .1

.ITEM (P_VARIABLE
      .NOT_RIF
      .H VARIABLE
      .IIF
      .CHAIN ENDS
      .DONT_OUTNJ
      .DONT_GETNUM
      .CAN_TRUNCATE
      .1
      .NOT_IIT)

.ITEM (P_VR
      .NOT_RIF
      .H VARIABLE
      .IIF
      .CHAIN ENDS
      .DONT_OUTNJ
      .DONT_GETNUM
      .ABBREVIATION
      .2
      .NOT_IIT)

.ITEM (P_X
      .NOT_RIF
      .H SUBINDEX
      .CHAIN ENDS
      .DONT_OUTNJ
      .DONT_GETNUM
      .ABBREVIATION
      .1
      .IIT)

.ITEM (P_XLOWER
      .NOT_RIF
      .H XLOWER
      .CHAIN ENDS
      .DONT_OUTNJ
      .DONT_GETNUM
      .CAN_TRUNCATE
      .2
      .IIT)

%IF DSRPLUS %THEN
.ITEM (P_XPLUS
      .NOT_RIF
      .H XPLUS
      .CHAIN ENDS
      .DONT_OUTNJ
      .DONT_GETNUM
      .CAN_TRUNCATE
      .2
      .IIT)

%FI

.ITEM (P_XUPPER
      .NOT_RIF
      .H XUPPER
      .IIF
      .CHAIN ENDS
      .DONT_OUTNJ
      .DONT_GETNUM
      .CAN_TRUNCATE
      .2
      .IIT)

.ITEM (P_Y
      .NOT_RIF
      .H ENTRY
      .CHAIN ENDS
      .DONT_OUTNJ
      .DONT_GETNUM
      .ABBREVIATION
      .1
      .IIT)

```



```

%FI
    .ITEM (P_TIME
           ,NOT_RIF
    ) %;
    .H_SET_TIME
    ,NOT_IF
    .CHAIN ENDS
    ,DO_OUTNJ
    .CAN TRUNCATE
    ,DONT_GETNUM
    ,1
    ,NOT_IIT)

MACRO L_STYLE_2 = PLIT (
%IF DSRPLUS %THEN
    .ITEM (P_APPENDIX
           ,NOT_RIF
    )
    .H_STYLE_APPENDIX
    ,IF
    .CHAIN ENDS
    ,DO_OUTNJ
    .CAN TRUNCATE
    ,DONT_GETNUM
    ,1
    ,IIT)
    .ITEM (P_CHAPTER
           ,NOT_RIF
    )
    .H_STYLE_CHAPTER
    ,IF
    .CHAIN ENDS
    ,DO_OUTNJ
    .CAN TRUNCATE
    ,DONT_GETNUM
    ,1
    ,IIT)
%FI

    .ITEM (P_DATE
           ,NOT_RIF
    )
    .H_STYLE_DATE
    ,NOT_IF
    .CHAIN ENDS
    ,DO_OUTNJ
    .CAN TRUNCATE
    ,DONT_GETNUM
    ,1
    ,NOT_IIT)

%IF DSRPLUS %THEN
    .ITEM (P_EXAMPLE
           ,NOT_RIF
    )
    .H_STYLE_EXAMPLE
    ,IF
    .CHAIN ENDS
    ,DO_OUTNJ
    .CAN TRUNCATE
    ,DONT_GETNUM
    ,1
    ,IIT)
    .ITEM (P_FIGURE
           ,NOT_RIF
    )
    .H_STYLE_FIGURE
    ,IF
    .CHAIN ENDS
    ,DO_OUTNJ
    .CAN TRUNCATE
    ,DONT_GETNUM
    ,1
    ,IIT)
%FI

    .ITEM (P_HEADERS
           ,NOT_RIF
    )
    .H_STYLE_HEADERS
    ,IF
    .CHAIN ENDS
    ,DO_OUTNJ
    .CAN TRUNCATE
    ,DONT_GETNUM
    ,1
    ,IIT)

%IF DSRPLUS %THEN
    .ITEM (P_TABLE
           ,NOT_RIF
    )
    .H_STYLE_TABLE
    ,IF
    .CHAIN ENDS
    ,DO_OUTNJ
    .CAN TRUNCATE
    ,DONT_GETNUM
    ,1
    ,IIT)
%FI

    .ITEM (P_TIME
           ,NOT_RIF
    )
    .H_STYLE_TIME
    ,NOT_IF
    .CHAIN ENDS
    ,DO_OUTNJ
    .CAN TRUNCATE
    ,DONT_GETNUM
    ,1
    ,NOT_IIT)

MACRO L_TAB_2 = PLIT (
    .ITEM (P_STOPS
           ,NOT_RIF
    )
    .H_TAB_STOPS
    ,NOT_IF
    .CHAIN ENDS
    ,DONT_OUTNJ
    .CAN TRUNCATE
    ,DONT_GETNUM
    ,1
    ,NOT_IIT)

MACRO L_TEST_2 = PLIT (
    .ITEM (P_PAGE
           ,NOT_RIF
    )
    .H_TEST_PAGE
    ,IF
    .CHAIN ENDS
    ,DO_OUTNJ
    .CAN TRUNCATE
    ,DO_GETNUM
    ,1
    ,IIT)

%IF DSRPLUS %THEN
MACRO L_TOPNOTE_2 = PLIT (
    .ITEM (P_00
           ,NOT_RIF
    )
    .H_TOPNOTE_ON
    ,IF
    .CHAIN ENDS
    ,DONT_OUTNJ
    .ABBREVIATION
    ,DO_GETNUM
    ,1
    ,IIT)
    .ITEM (P_ON
           ,NOT_RIF
    )
    .H_TOPNOTE_ON
    ,IF
    .CHAIN ENDS
    ,DONT_OUTNJ
    .CAN TRUNCATE
    ,DO_GETNUM
    ,2
    ,IIT)
) %;

```

RUNTAB.REQ:1

%FI

```
MACRO L_UPPER_2 = PLIT (
  ITEM (P_CASE
        ,NOT_RIF
  ) %;
```

```
,H_UPPER_CASE
,NOT_IIF
```

```
,CHAIN_ENDS
,DONT_OUTNJ
```

```
,CAN_TRUNCATE
,DONT_GETNUM
```

```
,1
,NOT_IIT)
```

SAVE

SFIE

LITE

MACF

SFIE

LITE

MACF

MACF

```

BIND P_01      = CPLIT ('01');
BIND P_00      = CPLIT ('00');
BIND P_ACCEPT  = CPLIT ('ACCEPT');
BIND P_ALL     = CPLIT ('ALL');

%IF DSRPLUS %THEN
BIND P_ALWAYS  = CPLIT ('ALWAYS');
%FI

BIND P_AJ      = CPLIT ('AJ');
BIND P_AP      = CPLIT ('AP');
BIND P_APPENDIX = CPLIT ('APPENDIX');
BIND P_AST     = CPLIT ('AST');
BIND P_AT      = CPLIT ('AT');

%IF DSRPLUS %THEN
BIND P_ATI     = CPLIT ('ATI');
%FI

BIND P_AUTOJUSTIFY = CPLIT ('AUTOJUSTIFY');
BIND P_AUTOPARAGRAPH = CPLIT ('AUTOPARAGRAPH');
BIND P_AUTOSUBTITLE = CPLIT ('AUTOSUBTITLE');
BIND P_AUTOTABLE = CPLIT ('AUTOTABLE');

%IF DSRPLUS %THEN
BIND P_AUTOTITLE = CPLIT ('AUTOTITLE');
%FI

BIND P_AX      = CPLIT ('AX');
BIND P_B       = CPLIT ('B');
BIND P_BARS    = CPLIT ('BARS');
BIND P_BB     = CPLIT ('BB');
BIND P_BEGIN   = CPLIT ('BEGIN');
BIND P_BLANK   = CPLIT ('BLANK');

%IF DSRPLUS %THEN
BIND P_BP     = CPLIT ('BP');
%FI

BIND P_BOLD    = CPLIT ('BOLD');
BIND P_BOLDING = CPLIT ('BOLDING');
BIND P_BR     = CPLIT ('BR');
BIND P_BREAK   = CPLIT ('BREAK');

%IF DSRPLUS %THEN
BIND P_BTN    = CPLIT ('BTN');
%FI

BIND P_C       = CPLIT ('C');
BIND P_CAPITALIZE = CPLIT ('CAPITALIZE');
BIND P_CASE    = CPLIT ('CASE');
BIND P_CC     = CPLIT ('CC');
BIND P_CENTER  = CPLIT ('CENTER');
BIND P_CENTRE  = CPLIT ('CENTRE');
BIND P_CH     = CPLIT ('CH');
BIND P_CHAPTER = CPLIT ('CHAPTER');

```

```
%IF DSRPLUS %THEN
BIND P_CHAPTERS      = CPLIT ('CHAPTERS');
%FI

BIND P_CHARACTERS    = CPLIT ('CHARACTERS');
BIND P_COMMENT       = CPLIT ('COMMENT');

%IF DSRPLUS %THEN
BIND P_CONTENTS      = CPLIT ('CONTENTS');
%FI

BIND P_CONTROL       = CPLIT ('CONTROL');

%IF DSRPLUS %THEN
BIND P_COUNTER       = CPLIT ('COUNTER');
%FI

BIND P_D              = CPLIT ('D');

%IF DSRPLUS %THEN
BIND P_DAMMIT        = CPLIT ('DAMMIT');
%FI

BIND P_DATE           = CPLIT ('DATE');
BIND P_DAX            = CPLIT ('DAX');
BIND P_DAY            = CPLIT ('DAY');
BIND P_DBB            = CPLIT ('DBB');
BIND P_DBO            = CPLIT ('DBO');

%IF DSRPLUS %THEN
BIND P_DC             = CPLIT ('DC');
BIND P_DCO            = CPLIT ('DCO');
%FI

BIND P_DCH            = CPLIT ('DCH');
BIND P_DDD            = CPLIT ('DDD');
BIND P_DEFERRED       = CPLIT ('DEFERRED');

%IF DSRPLUS %THEN
BIND P_DEX            = CPLIT ('DEX');
BIND P_DFG            = CPLIT ('DFG');
BIND P_DHE            = CPLIT ('DHE');
%FI

BIND P_DHH            = CPLIT ('DHH');
BIND P_DHL            = CPLIT ('DHL');
BIND P_DHY            = CPLIT ('DHY');
BIND P_DISABLE        = CPLIT ('DISABLE');
BIND P_DISPLAY        = CPLIT ('DISPLAY');
BIND P_DIX            = CPLIT ('DIX');
BIND P_DLE            = CPLIT ('DLE');
BIND P_DMM            = CPLIT ('DMM');
BIND P_DMO            = CPLIT ('DMO');
BIND P_DNM            = CPLIT ('DNM');
BIND P_DO             = CPLIT ('DO');
```



```

BIND P_FL           = CPLIT ('FL');
BIND P_FLAGS       = CPLIT ('FLAGS');
BIND P_FN          = CPLIT ('FN');
BIND P_FOOTNOTE    = CPLIT ('FOOTNOTE');
BIND P_FOOTNOTES   = CPLIT ('FOOTNOTES');
BIND P_FT          = CPLIT ('FT');

%IF DSRPLUS %THEN
BIND P_FTA         = CPLIT ('FTA');
%FI

BIND P_HD          = CPLIT ('HD');

%IF DSRPLUS %THEN
BIND P_HE         = CPLIT ('HE');
BIND P_HEADER     = CPLIT ('HEADER');
%FI

BIND P_HEADERS     = CPLIT ('HEADERS');

%IF DSRPLUS %THEN
BIND P_HF         = CPLIT ('HF');
%FI

BIND P_HL          = CPLIT ('HL');

%IF DSRPLUS %THEN
BIND P_HN         = CPLIT ('HN');
%FI

BIND P_HOURS       = CPLIT ('HOURS');

%IF DSRPLUS %THEN
BIND P_HT         = CPLIT ('HT');
%FI

BIND P_HY          = CPLIT ('HY');
BIND P_HYPHENATE   = CPLIT ('HYPHENATE');
BIND P_HYPHENATION = CPLIT ('HYPHENATION');
BIND P_I           = CPLIT ('I');
BIND P_IF          = CPLIT ('IF');
BIND P_IFNOT       = CPLIT ('IFNOT');
BIND P_IN          = CPLIT ('IN');
BIND P_INDENT      = CPLIT ('INDENT');
BIND P_INDEX       = CPLIT ('INDEX');
BIND P_INDEXING    = CPLIT ('INDEXING');
BIND P_IX          = CPLIT ('IX');
BIND P_J           = CPLIT ('J');
BIND P_JUSTIFY     = CPLIT ('JUSTIFY');
BIND P_KEEP        = CPLIT ('KEEP');
BIND P_L           = CPLIT ('L');
BIND P_LAYOUT      = CPLIT ('LAYOUT');
BIND P_LC          = CPLIT ('LC');
BIND P_LE          = CPLIT ('LE');
BIND P_LEFT        = CPLIT ('LEFT');
BIND P_LEVEL       = CPLIT ('LEVEL');

```

```

BIND P_LEVELS      = CPLIT ('LEVELS');
BIND P_LIST        = CPLIT ('LIST');
BIND P_LITERAL     = CPLIT ('LITERAL');
BIND P_LM          = CPLIT ('LM');
BIND P_LO          = CPLIT ('LO');
BIND P_LOWER       = CPLIT ('LOWER');
BIND P_LOWERCASE   = CPLIT ('LOWERCASE');
BIND P_LS          = CPLIT ('LS');
BIND P_LT          = CPLIT ('LT');
BIND P_MARGIN     = CPLIT ('MARGIN');
BIND P_MINUTES     = CPLIT ('MINUTES');
BIND P_MIXED       = CPLIT ('MIXED');
BIND P_MONTH       = CPLIT ('MONTH');
BIND P_N           = CPLIT ('N');
BIND P_NAJ         = CPLIT ('NAJ');
BIND P_NAP         = CPLIT ('NAP');
BIND P_NAST        = CPLIT ('NAST');
BIND P_NAT         = CPLIT ('NAT');

%IF DSRPLUS %THEN
BIND P_NATI        = CPLIT ('NATI');
BIND P_NC          = CPLIT ('NC');
%FI

BIND P_NCC         = CPLIT ('NCC');
BIND P_ND          = CPLIT ('ND');
BIND P_NF          = CPLIT ('NF');
BIND P_NFL         = CPLIT ('NFL');

%IF DSRPLUS %THEN
BIND P_NFN         = CPLIT ('NFN');
%FI

BIND P_NHD         = CPLIT ('NHD');

%IF DSRPLUS %THEN
BIND P_NHN         = CPLIT ('NHN');
%FI

BIND P_NHY         = CPLIT ('NHY');
BIND P_NJ          = CPLIT ('NJ');
BIND P_NK          = CPLIT ('NK');
BIND P_NM          = CPLIT ('NM');
BIND P_NMAX        = CPLIT ('NMAX');
BIND P_NMCH        = CPLIT ('NMCH');

%IF DSRPLUS %THEN
BIND P_NMEX        = CPLIT ('NMEX');
BIND P_NMFG        = CPLIT ('NMFG');
%FI

BIND P_NMLS        = CPLIT ('NMLS');
BIND P_NMLV        = CPLIT ('NMLV');
BIND P_NMNDX       = CPLIT ('NMNDX');
BIND P_NMPG        = CPLIT ('NMPG');
BIND P_NMR         = CPLIT ('NMR');

```



```

BIND P_NUMBER          = CPLIT ('NUMBER');
BIND P_ON              = CPLIT ('ON');
BIND P_OVERSTRIKE     = CPLIT ('OVERSTRIKE');
BIND P_OVERSTRIKING   = CPLIT ('OVERSTRIKING');
BIND P_P              = CPLIT ('P');
BIND P_PA             = CPLIT ('PA');
BIND P_PAGE           = CPLIT ('PAGE');
BIND P_PAGING         = CPLIT ('PAGING');
BIND P_PAPER          = CPLIT ('PAPER');
BIND P_PARAGRAPH      = CPLIT ('PARAGRAPH');

XIF DSRPLUS XTHEN
BIND P_PASSTROUGH     = CPLIT ('PASSTROUGH');
XFI

BIND P_PERIOD         = CPLIT ('PERIOD');
BIND P_PG             = CPLIT ('PG');
BIND P_PR             = CPLIT ('PR');
BIND P_PRINT          = CPLIT ('PRINT');
BIND P_PS            = CPLIT ('PS');
BIND P_PX            = CPLIT ('PX');
BIND P_QUOTE          = CPLIT ('QUOTE');
BIND P_R              = CPLIT ('R');

XIF DSRPLUS XTHEN
BIND P_REFERENCEPOINT = CPLIT ('REFERENCEPOINT');
XFI

BIND P_REPEAT         = CPLIT ('REPEAT');
BIND P_RESTORE        = CPLIT ('RESTORE');
BIND P_REQUIRE        = CPLIT ('REQUIRE');
BIND P_RIGHT          = CPLIT ('RIGHT');
BIND P_RM            = CPLIT ('RM');
BIND P_RPT           = CPLIT ('RPT');
BIND P_RUNNING        = CPLIT ('RUNNING');
BIND P_S              = CPLIT ('S');
BIND P_SAVE           = CPLIT ('SAVE');

XIF DSRPLUS XTHEN
BIND P_SCO            = CPLIT ('SCO');
BIND P_SCNT           = CPLIT ('SCNT');
XFI

BIND P_SD             = CPLIT ('SD');
BIND P_SDT            = CPLIT ('SDT');
BIND P_SECONDS        = CPLIT ('SECONDS');
BIND P_SEND           = CPLIT ('SEND');
BIND P_SET            = CPLIT ('SET');
BIND P_SIZE           = CPLIT ('SIZE');
BIND P_SKIP           = CPLIT ('SKIP');
BIND P_SL             = CPLIT ('SL');
BIND P_SP             = CPLIT ('SP');
BIND P_SPACE          = CPLIT ('SPACE');
BIND P_SPACING        = CPLIT ('SPACING');
```

```

BIND P_SPG           = CPLIT ('SPG');
BIND P_SPR           = CPLIT ('SPR');
BIND P_ST            = CPLIT ('ST');
BIND P_STANDARD      = CPLIT ('STANDARD');

XIF DSRPLUS XTHEN
BIND P_STAP          = CPLIT ('STAP');
XFI

BIND P_STC           = CPLIT ('STC');

XIF DSRPLUS XTHEN
BIND P_STCH          = CPLIT ('STCH');
XFI

BIND P_STDT          = CPLIT ('STDT');

XIF DSRPLUS XTHEN
BIND P_STEX          = CPLIT ('STEX');
BIND P_STFG          = CPLIT ('STFG');
XFI

BIND P_STHL          = CPLIT ('STHL');
BIND P_STM           = CPLIT ('STM');
BIND P_STOPS         = CPLIT ('STOPS');

XIF DSRPLUS XTHEN
BIND P_STTB          = CPLIT ('STTB');
BIND P_STXT          = CPLIT ('STXT');
XFI

BIND P_STTM          = CPLIT ('STTM');
BIND P_STYLE         = CPLIT ('STYLE');
BIND P_SUBINDEX      = CPLIT ('SUBINDEX');
BIND P_SUBPAGE       = CPLIT ('SUBPAGE');
BIND P_SUBSTITUTE    = CPLIT ('SUBSTITUTE');
BIND P_SUBTITLE      = CPLIT ('SUBTITLE');
BIND P_SUBTTL        = CPLIT ('SUBTTL');
BIND P_T              = CPLIT ('T');
BIND P_TAB            = CPLIT ('TAB');

XIF DSRPLUS XTHEN
BIND P_TABLE         = CPLIT ('TABLE');
XFI

BIND P_TEST          = CPLIT ('TEST');

XIF DSRPLUS XTHEN
BIND P_TEXTSTRING    = CPLIT ('TEXTSTRING');
XFI

BIND P_TIME          = CPLIT ('TIME');
BIND P_TITLE         = CPLIT ('TITLE');

XIF DSRPLUS XTHEN
BIND P_TN            = CPLIT ('TN');

```

```

%FI
BIND P_TOC           = CPLIT ('TOC');
%IF DSRPLUS %THEN
BIND P_TOPNOTE      = CPLIT ('TOPNOTE');
%FI
BIND P_TP           = CPLIT ('TP');
BIND P_TS           = CPLIT ('TS');
BIND P_UC           = CPLIT ('UC');
BIND P_UNDERLINE    = CPLIT ('UNDERLINE');
BIND P_UNDERLINING  = CPLIT ('UNDERLINING');
BIND P_UPPER        = CPLIT ('UPPER');
BIND P_UPPERCASE    = CPLIT ('UPPERCASE');
BIND P_VARIABLE     = CPLIT ('VARIABLE');
BIND P_VR           = CPLIT ('VR');
BIND P_X            = CPLIT ('X');
BIND P_XLOWER       = CPLIT ('XLOWER');
%IF DSRPLUS %THEN
BIND P_XPLUS        = CPLIT ('XPLUS');
%FI
BIND P_XUPPER       = CPLIT ('XUPPER');
BIND P_Y            = CPLIT ('Y');
BIND P_YEAR         = CPLIT ('YEAR');
%IF DSRPLUS %THEN
BIND P_YPLUS        = CPLIT ('YPLUS');
%FI

```

! End of RUNTAB.REQ

%IF

%FI

!

!
...
!



