

Version: 'V04-000'

```

*****
*
* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
* ALL RIGHTS RESERVED.
*
* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
* TRANSFERRED.
*
* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
* CORPORATION.
*
* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
*
*****

```

```

++
FACILITY:
  DSR (Digital Standard RUNOFF) /DSRPLUS DSRTOC/CONTENTS Utility

ABSTRACT:
  This file contains external references to the error message numbers
  for DSRTOC/CONTENTS.

  New messages must be defined in CNTVMSMSG.MSG and referenced here:
  both in the MACRO section (for DSRTOC) and the EXTERNAL LITERAL
  section (for CONTENTS)

ENVIRONMENT:  VAX/VMS User Mode

AUTHOR:      JPK

CREATION DATE: February 1983

MODIFIED BY:

  002      JPK00009      24-Mar-1983
           Modified CNTT20 to support new command line syntax.
           Modified CONTENTS adding routines PROCESS PAGE,
           PROCESS_ENTITY_INFO and PROCESS_ENTITY_TXT to remove
           code from routine TOC so that CONTENTS will compile on TUPS-20
           Modified CNTVMSREQ to remove conditional require of RNODEF.

```

--

REQUIRE 'REQ:RNODEF';

%IF NOT DSRPLUS
%THEN

MACRO

```

CONTENTSS_BADVALUE = DSRTOC$_BADVALUE %,
CONTENTSS_OPENIN = DSRTOC$_OPENIN %,
CONTENTSS_OPENOUT = DSRTOC$_OPENOUT %,
CONTENTSS_VALERR = DSRTOC$_VALERR %,
CONTENTSS_CAPTIONS = DSRTOC$_CAPTIONS %,
CONTENTSS_CLOSEQUOT = DSRTOC$_CLOSEQUOT %,
CONTENTSS_CONFQUAL = DSRTOC$_CONFQUAL %,
CONTENTSS_CTRLCHAR = DSRTOC$_CTRLCHAR %,
CONTENTSS_EMPTYIN = DSRTOC$_EMPTYIN %,
CONTENTSS_IGNORED = DSRTOC$_IGNORED %,
CONTENTSS_INVINPUT = DSRTOC$_INVINPUT %,
CONTENTSS_INVRECORD = DSRTOC$_INVRECORD %,
CONTENTSS_OVERSTRK = DSRTOC$_OVERSTRK %,
CONTENTSS_COMPLETE = DSRTOC$_COMPLETE %,
CONTENTSS_CREATED = DSRTOC$_CREATED %,
CONTENTSS_IGNORENEW = DSRTOC$_IGNORENEW %,
CONTENTSS_IGNOREOLD = DSRTOC$_IGNOREOLD %,
CONTENTSS_PROCFILE = DSRTOC$_PROCFILE %,
CONTENTSS_TEXTD = DSRTOC$_TEXTD %,
CONTENTSS_TMS11 = DSRTOC$_TMS11 %,
CONTENTSS_IDENT = DSRTOC$_IDENT %:

```

%FI

EXTERNAL LITERAL

```

CONTENTSS_BADVALUE,      | <'!AS' is an invalid keyword value>
CONTENTSS_OPENIN,       | <error opening '!AS' for input>
CONTENTSS_OPENOUT,      | <error opening '!AS' for output>
CONTENTSS_VALERR,       | <specified value is out of legal range>
CONTENTSS_CAPTIONS,     | <both ".HEADER x" and ".SEND TOC n" captions encountered>
CONTENTSS_CLOSEQUOT,    | <the following line is missing a close quote>
CONTENTSS_CONFQUAL,     | <conflicting qualifiers>
CONTENTSS_CTRLCHAR,     | <the following line contains control characters - ignored>
CONTENTSS_EMPTYIN,      | <empty input file '!AS'>
CONTENTSS_IGNORED,      | <'!AS' ignored>
CONTENTSS_INVINPUT,     | <invalid input file format in file '!AS'>
CONTENTSS_INVRECORD,    | <invalid record type in file '!AS'>
CONTENTSS_OVERSTRK,     | <the following line contains an overstrike sequence>
CONTENTSS_COMPLETE,     | <processing complete '!AS'>
CONTENTSS_CREATED,      | <'!AS' created>
CONTENTSS_IGNORENEW,    | <".HEADER x" captions will be ignored>
CONTENTSS_IGNOREOLD,    | <".SEND TOC n" captions will be ignored>
CONTENTSS_PROCFILE,     | <processing file '!AS'>
CONTENTSS_TEXTD,        | <!AD>
CONTENTSS_TMS11,        | <output file full - continuing with file '!AS'>
CONTENTSS_IDENT;        | <CONTENTS version !AD>

```

