


```

1 0001 0 MODULE PERIOD (
2 0002 0 IDENT = 'V04-000'
3 P 0003 0 %BLISS32[
4 P 0004 0 ADDRESSING_MODE(EXTERNAL=LONG_RELATIVE, NONEXTERNAL=LONG_RELATIVE)
5 0005 0 ]
6 0006 0 ) =
7 0007 1 BEGIN
8 0008 1
9 0009 1 *****
10 0010 1 *
11 0011 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
12 0012 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
13 0013 1 * ALL RIGHTS RESERVED.
14 0014 1 *
15 0015 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
16 0016 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
17 0017 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
18 0018 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
19 0019 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
20 0020 1 * TRANSFERRED.
21 0021 1 *
22 0022 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
23 0023 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
24 0024 1 * CORPORATION.
25 0025 1 *
26 0026 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
27 0027 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
28 0028 1 *
29 0029 1 *
30 0030 1 *****
31 0031 1
32 0032 1 ++
33 0033 1 FACILITY: DSR (Digital Standard RUNOFF) / DSRPLUS
34 0034 1
35 0035 1 ABSTRACT: Processes the .PERIOD and .NO PERIOD commands
36 0036 1
37 0037 1
38 0038 1 ENVIRONMENT: Transportable
39 0039 1
40 0040 1 AUTHOR: R.W.Friday CREATION DATE: July, 1978
41 0041 1

```

PERIOD
V04-000

Revision History

K 5
16-Sep-1984 01:27:38
14-Sep-1984 13:07:45

VAX-11 Bliss-32 V4.0-742
[RUNOFF.SRC]PERIOD.BLI;1

Page 2
(2)

:	43	0042	1	%SBTTL 'Revision History'
:	44	0043	1	!
:	45	0044	1	! MODIFIED BY:
:	46	0045	1	!
:	47	0046	1	! 002 KAD00002 Keith Dawson 07-Mar-1983
:	48	0047	1	! Global edit of all modules. Updated module names, idents,
:	49	0048	1	! copyright dates. Changed require files to BLISS library.
:	50	0049	1	! !
:	51	0050	1	! !

Module Level Declarations

```

: 53      0051 1 %SBTTL 'Module Level Declarations'
: 54      0052 1
: 55      0053 1
: 56      0054 1 | TABLE OF CONTENTS:
: 57      0055 1 |
: 58      0056 1 |
: 59      0057 1 | INCLUDE FILES:
: 60      0058 1 |
: 61      0059 1 |
: 62      0060 1 LIBRARY 'NXPOR:XPOR';           ! XPORT Library
: 63      0061 1 REQUIRE 'REQ:RNODEF';         ! RUNOFF variant definitions
: 64      0192 1
: 65      U 0193 1 %IF DSRPLUS %THEN
: 66      U 0194 1 LIBRARY 'REQ:DPLLIB';         ! DSRPLUS BLISS Library
: 67      0195 1 %ELSE
: 68      0196 1 LIBRARY 'REQ:DSRLIB';         ! DSR BLISS Library
: 69      0197 1 %FI
: 70      0198 1
: 71      0199 1 |
: 72      0200 1 | MACROS:
: 73      0201 1 |
: 74      0202 1 |
: 75      0203 1 | EQUATED SYMBOLS:
: 76      0204 1 |
: 77      0205 1 |
: 78      0206 1 | OWN STORAGE:
: 79      0207 1 |
: 80      0208 1 |
: 81      0209 1 | EXTERNAL REFERENCES:
: 82      0210 1 |
: 83      0211 1 |
: 84      0212 1 EXTERNAL
: 85      0213 1   SCA : SCA_DEFINITION;
: 86      0214 1

```

```

: 88 0215 1 GLOBAL ROUTINE PERIOD (HANDLER_CODE) : NOVALUE =
: 89 0216 1
: 90 0217 1 !++
: 91 0218 1 FUNCTIONAL DESCRIPTION:
: 92 0219 1
: 93 0220 1 See the ABSTRACT, above.
: 94 0221 1
: 95 0222 1 FORMAL PARAMETERS:
: 96 0223 1
: 97 0224 1 HANDLER_CODE indicates which command is to be processed.
: 98 0225 1
: 99 0226 1 IMPLICIT INPUTS: None
100 0227 1
101 0228 1 IMPLICIT OUTPUTS: None
102 0229 1
103 0230 1 ROUTINE VALUE:
104 0231 1 COMPLETION CODES: None
105 0232 1
106 0233 1 SIDE EFFECTS: None
107 0234 1
108 0235 1 !--
109 0236 1
110 0237 2 BEGIN
111 0238 2 IF .HANDLER_CODE EQL H_PERIOD
112 0239 2 THEN
113 0240 2 SCA_PERIOD = TRUE
114 0241 2 ELSE
115 0242 2 SCA_PERIOD = FALSE;
: 116 0243 1 END;

```

!End of PERIOD

```

.TITLE PERIOD
.IDENT \V04-000\

```

```

.EXTRN SCA

```

```

.PSECT $CODE$,NOWRT,2

```

```

000000AB 8F 04 AC 0000 0000
08 12 0000A
0000000G FF 01 D0 0000C
04 00013
0000000G FF D4 00014 1$:
04 0001A

```

```

.ENTRY PERIOD, Save nothing
CMPL HANDLER_CODE, #171
BNEQ 1$
MOVL #1, @SCA+128
RET
CLRL @SCA+128
RET

```

```

: 0215
: 0238
: 0240
: 0242
: 0243

```

; Routine Size: 27 bytes, Routine Base: \$CODE\$ + 0000

```

: 117 0244 1
: 118 0245 1 END
: 119 0246 0 ELUDOM

```

!End of module

PSECT SUMMARY

Name	Bytes	Attributes
\$CODE\$	27	NOVEC,NOWRT, RD , EXE,NOSHR, LCL, REL, CON,NOPIC,ALIGN(2)

Library Statistics

File	Total	Symbols Loaded	Percent	Pages Mapped	Processing Time
_\$255\$DUA28:[SYSLIB]XPORT.L32;1	590	0	0	252	00:00.1
_\$255\$DUA28:[RUNOFF.SRC]DSRLIB.L32;1	1248	6	0	86	00:00.2

COMMAND QUALIFIERS

BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/LIS=LISS:PERIOD/OBJ=OBJ\$:PERIOD MSRC\$:PERIOD/UPDATE=(ENH\$:PERIOD)

; Size: 27 code + 0 data bytes
 ; Run Time: 00:02.1
 ; Elapsed Time: 00:08.5
 ; Lines/CPU Min: 6897
 ; Lexemes/CPU-Min: 9168
 ; Memory Used: 19 pages
 ; Compilation Complete

Labels visible in the grid:

- PAGE LIS
- PERMITE LIS
- PACMP LIS
- PANPA LIS
- POOL LIS
- PLUS LIS
- PUTNDC LIS
- PUTTOC LIS
- REQUIRE LIS
- REPEAT LIS
- RCS LIS
- RINIT LIS
- PARAG LIS
- PARSEP LIS
- PERIOD LIS