





1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41

```

0001 0 %TITLE 'Build error message data base.'
0002 0 MODULE RNFERM ( IDENT = 'V04-000'
0003 0 ) =
0004 1 BEGIN
0005 1
0006 1 *****
0007 1 *
0008 1 *   COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0009 1 *   DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0010 1 *   ALL RIGHTS RESERVED.
0011 1 *
0012 1 *   THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0013 1 *   ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0014 1 *   INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0015 1 *   COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0016 1 *   OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0017 1 *   TRANSFERRED.
0018 1 *
0019 1 *   THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0020 1 *   AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0021 1 *   CORPORATION.
0022 1 *
0023 1 *   DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0024 1 *   SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0025 1 *
0026 1 *
0027 1 *****
0028 1
0029 1 ++
0030 1 FACILITY:      DSR (Digital Standard RUNOFF) / DSRPLUS
0031 1
0032 1 ABSTRACT: Table of messages.  Contains no executable code.
0033 1           This file declares a complete list of error messages and other
0034 1           messages that are used by RUNOFF.  It also generates the table
0035 1           of indices into the message table.
0036 1
0037 1 ENVIRONMENT: Transportable
0038 1
0039 1 AUTHOR: R.W.Friday
0040 1
0041 1 CREATION DATE: June, 1978

```

RNFERM  
V04-000

Build error message data base.  
Revision History

C 2  
16-Sep-1984 01:35:09  
14-Sep-1984 13:07:51

VAX-11 Bliss-32 V4.0-742  
[RUNOFF.SRC]RNFERM.BLI;1

Page 2  
(2)

RNC  
V04

```

: 43      0042 1 %SBIT: 'Revision History'
: 44      0043 1
: 45      0044 1   MODIFIED BY:
: 46      0045 1
: 47      0046 1       011   REM00011   Ray Marshall   23-Mar-1984
: 48      0047 1       Added conditionalizations for foreign language support. Added
: 49      0048 1       pointer to German translation of error messages.
: 50      0049 1
: 51      0050 1       010   REM00010   Ray Marshall   10-May-1983
: 52      0051 1       RNFXML has been removed, so the reference herein has been
: 53      0052 1       changed to refer to RNFWR.
: 54      0053 1
: 55      0054 1       009   KAD00009   Keith Dawson   07-Mar-1983
: 56      0055 1       Global edit of all modules. Updated module names, idents,
: 57      0056 1       copyright dates. Changed require files to BLISS library.
: 58      0057 1
: 59      0058 1  --

```

```

61      0059 1 %SBTTL 'Module Level Declarations'
62      0060 1
63      0061 1 | TABLE OF CONTENTS:
64      0062 1 |
65      0063 1 |
66      0064 1 | INCLUDE FILES:
67      0065 1 |
68      0066 1 |
69      0067 1 LIBRARY 'NXPORT:XPORT';           ! XPORT Library
70      0068 1 REQUIRE 'REQ:RNODEF';           ! RUNOFF variant definitions
71      0199 1
72      U 0200 1 %IF DSRPLUS %THEN
73      U 0201 1 LIBRARY 'REQ:DPLLIB';           ! DSRPLUS BLISS Library
74      0202 1 %ELSE
75      0203 1 LIBRARY 'REQ:DSRLIB';           ! DSR BLISS Library
76      0204 1 %FI
77      0205 1
78      U 0206 1 %IF german %THEN
79      U 0207 1 REQUIRE 'REQ:MSGTXTGA.REQ';     !ERROR_LIST German macro definitions
80      0208 1 %ELSE
81      U 0209 1 %IF french %THEN
82      U 0210 1 REQUIRE 'REQ:MSGTXT.REQ';     !ERROR_LIST American macro definitions
83      0211 1 %ELSE
84      U 0212 1 %IF italian %THEN
85      U 0213 1 REQUIRE 'REQ:MSGTXT.REQ';     !ERROR_LIST American macro definitions
86      0214 1 %ELSE
87      0215 1 REQUIRE 'REQ:MSGTXT.REQ';     !ERROR_LIST American macro definitions
88      0828 1 %FI %FI %FI
89      0829 1
90      0830 1
91      0831 1 | GLOBAL DEFINITIONS
92      0832 1 |
93      0833 1 |===== GENERATE -- phase I -- GLOBAL LITERALS =====
94      0834 1 |
95      U 0835 1 %IF DSRPLUS %THEN               !Use DSRPLUS facility code
96      U 0836 1 COMPILETIME
97      U 0837 1 $runoff$constant = 0 %bliss32(+228^16+1^15) ;
98      0838 1 %ELSE                             !Use RUNOFF facility code
99      0839 1 COMPILETIME
100     0840 1 $runoff$constant = 0 %bliss32(+150^16+1^15) ;
101     0841 1 %FI
102     0842 1 COMPILETIME $runoff$base_val = 0;
103     0843 1 COMPILETIME $runoff$increment = 8;
104     0844 1 COMPILETIME $runoff$k_w = 0;
105     0845 1 COMPILETIME $runoff$k_s = 1;
106     0846 1 COMPILETIME $runoff$k_e = 2;
107     0847 1 COMPILETIME $runoff$k_i = 3;
108     0848 1 COMPILETIME $runoff$k_f = 4;
109     0849 1 COMPILETIME $runoff$k_z = 5;
110     0850 1
111     M 0851 1 MACRO GENERATE(SEV, CODE, TEXT, CTEXT)=
112     M 0852 1     %NAME('RNF',CODE) = $runoff$constant + $runoff$base_val
113     M 0853 1     + %NAME('$runoff$k_',sev)
114     M 0854 1     %ASSIGN ( $runoff$base_val, $runoff$base_val + $runoff$increment )
115     0855 1     %;
116     0856 1 !Sample call: GENERATE('E','BMS','Bad margin specification: '%S''','%S''') .
117     0857 1 %IF %BLISS(BLISS32) %THEN

```

```

: 118      0858 1 LITERAL ERROR_LIST;                !declare local list of message names
: 119      U 0859 1 %ELSE
: 120      UU 0860 1 !SWITCHES LIST (EXPAND,TRACE);
: 121      UU 0861 1 GLOBAL LITERAL ERROR_LIST;      !declare global list of message names
: 122      U 0862 1 !SWITCHES LIST (NOEXPAND,NOTRACE);
: 123      0863 1 %FI
: 124      0864 1 GLOBAL LITERAL LAST RNF = RNFWR;    !Consistency check at run time.
: 125      0865 1 UNDECLARE %QUOTE GENERATE;
: 126      0866 1 !===== GENERATE -- phase II -- message vector =====
: 127      M 0867 1 MACRO GENERATE(SEV, CODE, TEXT, CTEXT)=
: 128      M 0868 1     CH$PTR( UPLIT( C$STRING( ERROR_STRING(SEV, CODE, TEXT, CTEXT)) ) )
: 129      0869 1 %:
: 130      0870 1 GLOBAL BIND MSGTXT = UPLIT( ERROR_LIST ):VECTOR; !Set up table of messages.
: 131      0871 1
: 132      0872 1 END                                !End of module
: 133      0873 0 ELUDOM

```

															.TITLE	RNFERM Build error message data base.		
															.IDENT	\V04-000\		
															.PSECT	\$SPLITS, NOWRT, NOEXE, 2		
66	20	74	78	65	74	20	65	67	61	73	73	65	4D	35	00000	P.AAB:	.ASCII	\S message text file doesn't align with VM\
69	6C	61	20	74	27	6E	73	65	6F	64	20	65	6C	69	0000F			
00	65	6C	69	66	4D	56	20	68	74	69	77	20	6E	67	0001E			
															53	00028	.ASCII	\S message file\<0><0>
															00	00037		
6E	6F	20	64	6E	61	6D	6D	6F	63	20	65	65	53	34	00038	P.AAC:	.ASCII	\4See command on input line %C of page %I\
20	43	25	20	65	6E	69	6C	20	74	75	70	6E	69	20	00047			
															6F	00056		
00	00	22	53	25	22	20	65	6C	69	66	20	66	6F	20	00060		.ASCII	\ of file '%S'\<0><0><0>
															00	0006F		
65	70	73	20	6E	69	67	72	61	6D	20	64	61	42	1E	00070	P.AAD:	.ASCII	<30>\Bad margin specification: '%S'\<0>
53	25	22	20	3A	6E	6F	69	74	61	63	69	66	69	63	0007F			
															00	0008E		
6C	6C	69	20	72	6F	20	67	6E	69	73	73	69	4D	26	00090	P.AAE:	.ASCII	\8Missing or illegal variable name: '%S'-'
6E	20	65	6C	62	61	69	72	61	76	20	6C	61	67	65	0009F			\<0>
															61	000AE		
64	65	74	63	65	70	78	65	20	61	6D	6D	6F	43	1D	000B8	P.AAF:	.ASCII	<29>\Comma expected, missing: '%S'\<0>
22	53	25	22	20	3A	67	6E	69	73	73	69	6D	20	2C	000C7			
															00	000D6		
															00	000D7	.ASCII	<0>
6C	20	74	75	70	74	75	6F	20	74	27	6E	61	43	4E	000D8	P.AAG:	.ASCII	\NCan't output line correctly -- margins \
2D	20	79	6C	74	63	65	72	72	6F	63	20	65	6E	69	000E7			
															2D	000F6		
69	4C	20	20	2E	77	6F	72	72	61	6E	20	6F	6F	74	00100		.ASCII	\too narrow. Line will not be justified-
20	65	62	20	74	6F	6E	20	6C	6C	69	77	20	65	6E	0010F			\<0>
															6A	0011E		
69	72	74	73	20	72	65	74	63	61	72	61	68	43	2A	00128	P.AAH:	.ASCII	\*Character string expected, not found: '\
6F	6E	20	2C	64	65	74	63	65	70	78	65	20	67	6E	00137			
															74	00146		
															25	00150	.ASCII	\%S'\<0>
75	73	20	74	6F	6E	20	64	6E	61	6D	6D	6F	43	1B	00154	P.AAI:	.ASCII	<27>\Command not supported: '%N'\
															70	00163		
6E	69	62	20	6E	65	70	6F	20	74	27	6E	61	43	22	00170	P.AAJ:	.ASCII	\'Can't open binary output file '%S'\<0>
65	6C	69	66	20	74	75	70	74	75	6F	20	79	72	61	0017F			



61	69	72	61	76	20	79	6E	61	6D	20	6F	6F	54	18	003FF		.ASCII	<0>		
			00	00	22	53	25	22	20	3A	73	65	6C	62	00400	P.AAZ:	.ASCII	<24>\Too many variables: '%S'\<0><0>		
00	00	64	65	74	72	6F	62	61	20	65	6C	69	46	00	0040F		.ASCII	<0>		
														00	0041B	P.ABA:	.ASCII	<12>\File aborted\<0><0><0>		
72	65	74	63	61	72	61	68	63	20	67	61	6C	46	22	0042B		.ASCII	<0>		
69	20	79	64	61	65	72	6C	61	20	22	53	25	22	20	0042C	P.ABB:	.ASCII	\'Flag character '%S' already in use\<0>		
														00	0043B		.ASCII	<0>		
64	6E	65	20	74	61	20	67	61	6C	66	20	53	25	1E	0044A		.ASCII	<30>\%S flag at end of line ignored\<0>		
65	72	6F	6E	67	69	20	65	6E	69	6C	20	66	6F	20	00450	P.ABC:	.ASCII	<30>\%S flag at end of line ignored\<0>		
														00	0045F		.ASCII	<0>		
77	6F	6C	6C	61	20	74	6F	6E	20	67	61	6C	46	26	0046E		.ASCII	<0>		
74	6E	6F	63	20	73	69	68	74	20	6E	69	20	64	65	00470	P.ABD:	.ASCII	\&Flag not allowed in this context: '%S'-\<0>		
														00	0047F		.ASCII	<0>		
27	6E	6F	77	20	73	65	74	6F	6E	74	6F	6F	46	1B	0048E		.ASCII	<27>\Footnotes won't fit on page\		
														00	00498	P.ABE:	.ASCII	<27>\Footnotes won't fit on page\		
65	74	6F	6E	74	6F	6F	66	20	6E	65	76	69	47	34	004A7		.ASCII	<0>		
63	65	72	72	6F	63	6E	69	20	74	6E	75	6F	63	20	004B4	P.ABF:	.ASCII	\4Given footnote count incorrect. Correct\		
														00	004C3		.ASCII	<0>		
00	00	4E	25	20	20	73	69	20	65	75	6C	61	76	20	004D2		.ASCII	\ value is %N\<0><0><0>		
														00	004DC		.ASCII	<0>		
6F	20	72	65	66	66	75	62	20	74	75	70	6E	49	1B	004EB		.ASCII	<0>		
														00	004EC	P.ABG:	.ASCII	<27>\Input buffer overflow: '%S'\		
61	6C	70	73	69	64	20	64	69	6C	61	76	6E	49	20	004FB		.ASCII	<0>		
22	20	3A	72	6F	74	70	69	72	63	73	65	64	20	79	00508	P.ABH:	.ASCII	\ Invalid display descriptor: '%S'\<0><0>		
														00	00517		.ASCII	<0>		
														00	00526		.ASCII	<0>		
6F	6F	66	20	6E	69	20	6C	61	67	65	6C	6C	49	19	0052B		.ASCII	<0>		
														00	0052C	P.ABI:	.ASCII	<25>\Illegal in footnote: '%S'\<0><0>		
														00	0053B		.ASCII	<0>		
6E	61	6D	6D	6F	63	20	6C	61	67	65	6C	6C	49	15	00548	P.ABJ:	.ASCII	<11>\^%S ignored\		
														00	00554	P.ABK:	.ASCII	<21>\Illegal command: '%S'\<0><0>		
														00	00563		.ASCII	<0>		
63	69	67	6F	6C	20	6C	61	6E	72	65	74	6E	49	18	0056C	P.ABL:	.ASCII	<24>\Internal logic error(%S)\<0><0>		
														00	0057B		.ASCII	<0>		
73	65	6E	20	79	6C	72	65	70	6F	72	70	6D	49	17	00587		.ASCII	<0>		
														00	00588	P.ABM:	.ASCII	<23>\Improperly nested: '%S'\		
														00	00597		.ASCII	<0>		
72	65	62	6D	75	6E	20	6C	61	67	65	6C	6C	49	1A	005A0	P.ABN:	.ASCII	<26>\Illegal number value: '%S'\<0>		
														00	005AF		.ASCII	<0>		
20	73	65	6F	64	20	74	6E	65	6D	75	63	6F	44	2B	005BC	P.ABO:	.ASCII	\>Document does not contain specified page\		
65	70	73	20	6E	69	61	74	6E	6F	63	20	74	6F	6E	005CB		.ASCII	<0>		
														00	005DA		.ASCII	<0>		
6F	74	20	79	72	74	6E	65	20	78	65	64	6E	49	23	005E4		.ASCII	\e(s)\		
6F	20	64	65	74	61	63	69	6C	70	6D	6F	63	20	6F	005E8	P.ABP:	.ASCII	\#Index entry too complicated or long\		
														00	005F7		.ASCII	<0>		
6E	20	73	64	6E	61	6D	6D	6F	63	20	46	49	2E	24	00606		.ASCII	<0>		
6C	70	65	65	64	20	6F	6F	74	20	64	65	71	73	65	0060C	P.ABQ:	.ASCII	\\$.IF commands nested too deeply: '%S'\<0>		
														00	0061B		.ASCII	<0>		
														00	0062A		.ASCII	<0>		
41	49	52	41	56	2F	20	6C	61	67	65	6C	6C	49	1A	00632		.ASCII	<0><0>		
														00	00634	P.ABR:	.ASCII	<26>\Illegal /VARIANT qualifier\<0>		
														00	00643		.ASCII	<0>		
78	65	74	20	64	65	74	63	65	70	78	65	6E	55	27	00650	P.ABS:	.ASCII	\'Unexpected text at end of command: '%S'\		
6C	6F	63	20	66	6F	20	64	6E	65	20	74	61	20	74	0065F		.ASCII	<0>		
														00	0066E		.ASCII	<0>		
27	6E	73	55	6F	64	20	6C	61	72	65	74	69	4C	2B	00678	P.ABT:	.ASCII	\>Literal doesn't end with .END LITERAL: \		



44	4F	45	2E	20	68	74	69	77	20	64	6E	65	20	74	00687						
					20	3A	4C	41	52	45	54	49	4C	20	00696						
											22	53	25	22	006A0						
65	67	61	70	20	74	75	70	74	75	6F	20	6E	6F	3B	006A4	P.ABU:	.ASCII	\'%S'\			
6C	20	74	75	70	6E	69	20	6E	6F	20	3B	50	25	20	006B3		.ASCII	\;on output page %P; on input line %C of \			
					20	66	6F	20	43	25	20	65	6E	69	006C2						
65	6C	69	66	20	66	6F	20	49	25	20	65	67	61	70	006CC		.ASCII	\page %I of file '%F'\			
											22	46	25	22	006DB						
6C	70	6D	6F	63	20	6F	6F	74	20	65	6E	69	4C	1A	006E0	P.ABV:	.ASCII	<26>\Line too complicated: '%S'\<0>			
		00	22	53	25	22	20	3A	64	65	74	61	63	69	006EF						
61	65	6C	20	74	61	20	67	6E	69	73	73	69	4D	23	006FC	P.ABW:	.ASCII	\#Missing at least one .ENDIF command\			
63	20	46	49	44	4E	45	2E	20	65	6E	6F	20	74	73	0070B						
									64	6E	61	6D	6D	6F	0071A						
6C	61	67	65	6C	6C	69	20	72	65	62	6D	75	4E	22	00720	P.ABX:	.ASCII	\'Number illegal or ill-formed: '%S'\<0>			
3A	64	65	6D	72	6F	66	2D	6C	6C	69	20	72	6F	20	0072F						
									00	22	53	25	22	20	0073E						
70	6D	69	20	72	6F	20	67	6E	69	73	73	69	4D	2F	00744	P.ABY:	.ASCII	\Missing or improperly delimited file sp\			
74	69	6D	69	6C	65	64	20	79	6C	72	65	70	6F	72	00753						
					70	73	20	65	6C	69	66	20	64	65	00762						
									22	53	25	22	20	3A	63	65	0076C		.ASCII	\ec: '%S'\	
72	65	62	6D	75	6E	20	67	6E	69	73	73	69	4D	1E	00774	P.ABZ:	.ASCII	<30>\Missing number or letter: '%S'\<0>			
53	25	22	20	3A	72	65	74	74	65	6C	20	72	6F	20	00783						
												00	22	20	00792						
70	6D	69	20	72	6F	20	67	6E	69	73	73	69	4D	33	00794	P.ACA:	.ASCII	\3Missing or improperly delimited quoted \			
74	69	6D	69	6C	65	64	20	79	6C	72	65	70	6F	72	007A3						
					20	64	65	74	6F	75	71	20	64	65	007B2						
					22	53	25	22	20	3A	67	6E	69	72	74	73	007BC		.ASCII	\string: '%S'\	
6F	72	63	20	4E	25	20	72	65	68	74	6F	6E	41	65	007C8	P.ACB:	.ASCII	\eAnother %N crossed margin or bad right \			
20	72	6F	20	6E	69	67	72	61	6D	20	64	65	73	73	007D7						
					20	74	68	67	69	72	20	64	61	62	007E6						
25	74	70	6D	65	74	74	61	20	74	6E	65	64	6E	69	007F0		.ASCII	\indent attempt%X detected and accumulate\			
20	64	6E	61	20	64	65	74	63	65	74	65	64	20	58	007FF						
					65	74	61	6C	75	6D	75	63	63	61	0080E						
72	20	67	6E	69	65	62	20	77	6F	4E	20	20	2E	64	00818		.ASCII	\d. Now being reported\<0><0>			
									00	00	64	65	74	72	6F	70	65	00827			
65	73	73	6F	72	63	20	73	6E	69	67	72	61	4D	32	00830	P.ACC:	.ASCII	\2Margins crossed, or attempted indent to\			
64	65	74	70	6D	65	74	74	61	20	72	6F	20	2C	64	0083F						
					6F	74	20	74	6E	65	64	6E	69	20	0084E						
					00	74	68	67	69	72	20	72	61	66	20	6F	00858		.ASCII	\o far right\<0>	
72	6F	20	65	6E	6F	20	67	6E	69	73	73	69	4D	36	00864	P.ACD:	.ASCII	\6Missing one or more .RESTORE command(s)\			
20	45	52	4F	54	53	45	52	2E	20	65	72	6F	6D	20	00873						
					29	73	28	64	6E	61	6D	6D	6F	63	00882						
65	6C	69	66	20	66	6F	20	64	6E	65	20	74	61	20	0088C		.ASCII	\ at end of file\<0>			
														00	0089B						
69	64	6E	6F	70	73	65	72	72	6F	63	20	6F	4E	2B	0089C	P.ACE:	.ASCII	\>No corresponding SAVE for attempted RES\			
74	74	61	20	72	6F	66	20	45	56	41	53	20	67	6E	008AB						
					53	45	52	20	64	65	74	70	6D	65	008BA						
											45	52	4F	54	008C4						
6E	65	64	6E	69	20	65	76	69	74	61	67	65	4E	19	008C8	P.ACF:	.ASCII	\TORE\			
		00	00	64	65	74	70	6D	65	74	74	61	20	74	008D7		.ASCII	<25>\Negative indent attempted\<0><0>			
67	65	6E	20	4E	25	20	72	65	68	74	6F	6E	41	49	008E4	P.ACG:	.ASCII	\IAnother %N negative indent%X detected a\			
20	58	25	74	6E	65	64	6E	69	20	65	76	69	74	61	008F3						
					61	20	64	65	74	63	65	74	65	64	00902						
2E	64	65	74	61	6C	75	6D	75	63	63	61	20	64	6E	0090C		.ASCII	\nd accumulated. Now being reported\<0>			
6F	70	65	72	20	67	6E	69	65	62	20	77	6F	4E	20	0091B						
									00	64	65	74	72	72	0092A						
														00	0092F		.ASCII	<0>			

61	64	6E	61	74	53	20	4C	41	54	49	47	49	44	36	00930	P.ACH:	.ASCII	\6DIGITAL Standard Runoff Version %V: No \
69	73	72	65	56	20	66	06	6F	6E	75	52	20	64	72	0093F			
64	65	74	63	65	74	65	64	20	73	72	6F	72	72	65	0094E		.ASCII	\errors detected\<0>
45	54	4F	4E	2F	54	53	49	4C	20	44	4E	45	2E	34	00967			
69	66	20	65	6D	61	73	20	6E	69	20	74	6F	6E	20	00968	P.ACI:	.ASCII	\4.END LIST/NOTE not in same file as .LIS\
00	00	22	53	25	22	20	3A	45	54	4F	4E	2E	2F	60	00977			
74	20	64	65	74	73	65	6E	20	73	65	6C	69	46	1B	00986			
67	61	73	73	65	6D	20	6C	61	67	65	6C	6C	49	18	00990	P.ACJ:	.ASCII	<27>\Files nested too deep: '%S'\
72	6F	63	65	72	20	78	65	64	6E	69	20	4E	25	21	0099F	P.ACK:	.ASCII	<24>\Illegal message: RNFPC1\<0><0>
20	6F	74	20	6E	65	74	74	69	72	77	20	58	25	64	009A0	P.ACL:	.ASCII	<0>
6F	63	2D	66	6F	2D	65	6C	62	61	74	20	4E	25	2D	009D8	P.ACM:	.ASCII	\!%N index record%X written to '%B'\<0>
58	25	64	72	6F	63	65	72	20	73	74	6E	65	74	6E	009FB		.ASCII	<0>
74	69	72	77	20	58	25	65	67	61	70	20	4E	25	19	009FC	P.ACN:	.ASCII	\-%N table-of-contents record%X written t\
6F	77	20	72	65	62	6D	75	6E	20	65	67	61	50	1E	00A0B	P.ACN:	.ASCII	\o '%B'\<0><0>
6C	74	69	74	20	6E	6F	20	74	69	66	20	74	27	6E	00A1A	P.ACO:	.ASCII	<25>\%N page%X written to '%O'\<0><0>
20	67	6E	69	72	74	73	20	64	65	74	6F	75	51	1C	00A24	P.ACP:	.ASCII	<30>\Page number won't fit on title\<0>
00	22	53	25	22	20	3A	67	6E	6F	6C	20	6F	6F	74	00A2C		.ASCII	<28>\Quoted string too long: '%S'\<0>
74	20	64	72	6F	63	65	72	20	74	75	70	6E	49	25	00A77	P.ACQ:	.ASCII	<0><0>
61	63	6E	75	72	74	20	3A	67	6E	6F	6C	20	6F	6F	00A86		.ASCII	\%Input record too long: truncated '%S'-
6E	20	45	53	4C	45	2E	2F	46	49	44	4E	45	2E	31	00A88	P.ACR:	.ASCII	\<0>
65	6C	69	66	20	65	6D	61	73	20	6E	69	20	74	6F	00AA6		.ASCII	\1.ENDIF/.ELSE not in same file as .IF/.I\
61	68	63	20	64	65	74	63	69	72	74	73	65	52	41	00AAF	P.ACS:	.ASCII	\FNOT: '%S'\<0><0>
63	6F	28	20	22	5C	5E	22	20	72	65	74	63	61	72	00AB0		.ASCII	\ARestricted character '^ \<92>\' (octal \
64	65	72	65	74	6E	75	6F	63	6E	65	20	29	34	33	00ABF		.ASCII	\34) encountered in text, ignored\<0><0>
72	6F	6E	67	69	20	2C	74	78	65	74	20	6E	69	20	00ACE			
65	74	73	65	6E	20	79	6E	61	6D	20	6F	6F	54	2A	00AD8	P.ACT:	.ASCII	\*Too many nested .NOTEs and/or .LISTs: '\
72	6F	2F	64	6E	61	20	73	45	54	4F	4E	2E	20	64	00AE4		.ASCII	\%S'\<0>
65	77	6F	6C	6C	61	20	74	78	65	74	20	6F	4E	2C	00AB0	P.ACU:	.ASCII	<4>\'%S'\<0><0><0>
52	49	55	51	45	52	2E	20	72	65	74	66	61	20	64	00ABF	P.ACV:	.ASCII	\,No text allowed after .REQUIRE command:\
6F	63	20	64	6E	65	20	77	65	66	20	6F	6F	54	14	00ACE		.ASCII	\ '%S'\<0><0><0>
6E	74	6F	6F	66	20	79	6E	61	6D	20	6F	6F	54	14	00AD8	P.ACW:	.ASCII	<20>\Too few end commands\<0><0><0>
															00A97	P.ACX:	.ASCII	\+Too many footnotes, excess footnotes me\



RNFERM  
V04-000

Build error message data base.  
MSGTXT.REQ -- Other macro definitions

K 2  
16-Sep-1984 01:35:09  
14-Sep-1984 13:07:51

VAX-11 Bliss-32 V4.0-742  
[RUNOFF.SRC]RNFERM.BLI;1

Page 10  
(3)

\*\*

PSECT SUMMARY

Name	Bytes	Attributes
\$PLITS	3756	NOVEC,NOWRT, RD ,NOEXE,NOSHR, LCL, REL, CON,NOPIC,ALIGN(2)
. ABS .	0	NOVEC,NOWRT,NORD ,NOEXE,NOSHR, LCL, ABS, CON,NOPIC,ALIGN(0)

Library Statistics

File	Symbols		Percent	Pages Mapped	Processing Time
	Total	Loaded			
_\$255\$DUA28:[SYSLIB]XPORT.L32;1	590	0	0	252	00:00.1
_\$255\$DUA28:[RUNOFF.SRC]DSRLIB.L32;1	1248	0	0	86	00:00.3

COMMAND QUALIFIERS

BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/LIS=LIS\$:RNFERM/OBJ=OBJ\$:RNFERM MSRC\$:RNFERM/UPDATE=(ENH\$:RNFERM)

Size: 0 code + 3756 data bytes  
Run Time: 00:19.7  
Elapsed Time: 00:41.1  
Lines/CPU Min: 2654  
Lexemes/CPU-Min: 97258  
Memory Used: 108 pages  
Compilation Complete

