



```

DDDDDDDD ZZZZZZZZZZ DDDDDDDD RRRRRRRR IIIIII VV VV EEEEEEEEE EEEEEEEEE RRRRRRRR
DDDDDDDD ZZZZZZZZZZ DDDDDDDD RRRRRRRR IIIIII VV VV EEEEEEEEE EEEEEEEEE RRRRRRRR
DD DD DD ZZ ZZ DD DD RR RR RR RR II II VV VV EE EEEEEEEEE RRRRRRRR RR RR
DD DD DD ZZ ZZ DD DD RR RR RR RR II II VV VV EE EEEEEEEEE RRRRRRRR RR RR
DD DD DD ZZ ZZ DD DD RRRRRRRR IIIIII VV VV EE EEEEEEEEE RRRRRRRR RR RR
DD DD DD ZZ ZZ DD DD RRRRRRRR IIIIII VV VV EE EEEEEEEEE RRRRRRRR RR RR
DD DD DD ZZ ZZ DD DD RR RR IIIIII VV VV EE EEEEEEEEE RRRRRRRR RR RR
DD DD DD ZZ ZZ DD DD RR RR RR RR IIIIII VV VV EE EEEEEEEEE RRRRRRRR RR RR
DD DD DD ZZ ZZ DD DD RR RR RR RR IIIIII VV VV EE EEEEEEEEE RRRRRRRR RR RR
DDDDDDDD ZZZZZZZZZZ DDDDDDDD RR RR RR IIIIII VV VV EEEEEEEEE RRRRRRRR RR RR
DDDDDDDD ZZZZZZZZZZ DDDDDDDD RR RR RR IIIIII VV VV EEEEEEEEE RRRRRRRR RR RR

```

```

MM MM AAAA PPPPPPP
MM MM AAAA PPPPPPP
MMMM MMMM AA AA PP PP
MMMM MMMM AA AA PP PP
MM MM AA AA PP PP
MM MM AA AA PPPPPPP
MM MM AA AA PPPPPPP
MM MM AAAA AAAA PP
MM MM AAAA AAAA PP
MM MM AA AA PP
MM MM AA AA PP
MM MM AA AA PP

```

-S  
 Vi  
 St  
 IM  
 IM  
 IM  
 NU  
 NU  
 NU  
 NU  
 NU  
 NU  
 NU  
 IM  
 Ma  
 Es  
  
 Pe  
 --  
  
 To  
 Us  
 To  
  
 Nu  
  
 O  
 A  
 LI  
 VD  
 BA

-----  
! Object Module Synopsis !  
-----

<u>Module Name</u>	<u>Ident</u>	<u>Bytes</u>	<u>File</u>	<u>Creation Date</u>	<u>Creator</u>
DZDRIVER	V04-000	2624	_\$255\$DUA28:[TTDRVR.OBJ]TTDRVR.OLB;1	16-SEP-1984 02:24	VAX/VMS Macro V04-00
SYS	V04-000	0	_\$255\$DUA28:[SYSOBJ]SYS.STB;1	16-SEP-1984 04:00	VAX-11 Linker V04-00

↑-----↑  
! Image Section Synopsis !  
↑-----↑

<u>Cluster</u>	<u>Type</u>	<u>Pages</u>	<u>Base Addr</u>	<u>Disk</u>	<u>VBN</u>	<u>PFC</u>	<u>Protection and Paging</u>	<u>Global Sec. Name</u>	<u>Match</u>	<u>Majorid</u>	<u>Minorid</u>
DEFAULT_CLUSTER	2	6	00000000		2	0	READ WRITE COPY ON REF				

Key for special characters above:

↑-----↑  
 | R - Relocatable |  
 | P - Protected |  
 ↑-----↑

Mo  
--  
TT  
TT  
TT  
TT  
TT  
TT  
TT  
SY  
SY

↑-----↑  
! Program Section Synopsis !  
↓-----↓

<u>Psect Name</u>	<u>Module Name</u>	<u>Base</u>	<u>End</u>	<u>Length</u>	<u>Align</u>	<u>Attributes</u>
\$\$\$105_PROLOGUE	DZDRIVER	00000000 00000000	000000DD 000000DD	000000DE ( ) 000000DE ( )	222.) BYTE 0 222.) BYTE 0	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC
\$\$\$115_DRIVER	DZDRIVER	000000E0 000000E0	00000A09 00000A09	0000092A ( ) 0000092A ( )	2346.) LONG 2 2346.) LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC
\$\$\$117_DATA	DZDRIVER	00000A10 00000A10	00000A47 00000A47	00000038 ( ) 00000038 ( )	56.) QUAD 3 56.) QUAD 3	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC

DE

\_S

-----  
! Symbol Cross Reference !  
-----

Symbol	Value	Defined By	Referenced By ...
-----	-----	-----	-----
DZ\$DDT	000000E0-R	DZDRIVER	
DZ\$DPT	00000000-R	DZDRIVER	
DZ\$INITIAL	0000018D-R	DZDRIVER	
DZ\$INITLINE	0000022B-R	DZDRIVER	
DZ11\$INTINP	000004C9-R	DZDRIVER	
DZ11\$INTOUT	000007C9-R	DZDRIVER	
DZ11\$STARTIO	00000626-R	DZDRIVER	
DZ32\$INTINP	00000557-R	DZDRIVER	
DZ32\$INTOUT	00000883-R	DZDRIVER	
DZ32\$STARTIO	0000064C-R	DZDRIVER	
EXE\$FORK	8000A048	SYS	DZDRIVER
EXE\$GL_ABSTIM	80002B38	SYS	DZDRIVER
EXE\$GL_TENUSEC	80002C50	SYS	DZDRIVER
EXE\$GL_UBDELAY	80002C54	SYS	DZDRIVER
EXE\$GQ_SYSTIME	80002B40	SYS	DZDRIVER
EXE\$INSTIMQ	80008A78	SYS	DZDRIVER
IOC\$MNTVER	8000CF43	SYS	DZDRIVER
IOC\$RETURN	8000D355	SYS	DZDRIVER
SYS\$K_VERSION	48513258	SYS	
TTY\$GB_DEFSPEED	80003DA9	SYS	DZDRIVER
TTY\$GB_PARITY	80003DAB	SYS	DZDRIVER
TTY\$GB_RSPEED	80003DAA	SYS	DZDRIVER
TTY\$GL_DEFCHAR	80003DB0	SYS	DZDRIVER
TTY\$GL_DEFCHAR2	80003DB4	SYS	DZDRIVER
TTY\$GL_DELTA	80003DA4	SYS	DZDRIVER
TTY\$GL_DPT	80000EDC	SYS	DZDRIVER
TTY\$GL_OWNUIC	80003DC4	SYS	DZDRIVER
TTY\$GW_DEFBUF	80003DAC	SYS	DZDRIVER
TTY\$GW_PROT	80003DC0	SYS	DZDRIVER







This image displays a grid of 100 small terminal window screenshots, arranged in 10 rows and 10 columns. Each window shows a different system utility or data display. The windows are densely packed and contain various types of information, including:

- System status reports and logs.
- Data tables and lists.
- Maps and diagrams (e.g., "DZDRIVER MAP", "YDRIVER MAP", "TTDRIVER MAP", "YCDRIVER MAP").
- Configuration files and settings.
- Diagnostic tools and error messages.
- System management utilities.

Some of the visible text in the windows includes:

- "DZDRIVER LIS"
- "YDRIVER MAP"
- "TBKSYM LIS"
- "DZDRIVER LIS"
- "TBKSSU LIS"
- "TTDRUR"
- "DZDRIVER MAP"
- "TTDRIVER MAP"
- "YCDRIVER MAP"
- "TBKSTO LIS"
- "TTYDEF SOL"
- "TTYMACS MAR"
- "TBKSTART LIS"